

Overview

About This Course

Styles

- *This* is a definition
- `this/is/a.path`
- code **is** highlighted
- `commands are emphasised --like-this`

A Little History

The Name

- First called DoD-1
- Augusta Ada Byron, "first programmer"
 - Lord Byron's daughter
 - Planned to calculate **Bernoulli's numbers**
 - **First** computer program
 - On **Babbage's Analytical Engine**
- Writing **ADA** is like writing **CPLUSPLUS**
- International Standards Organization standard
 - Updated about every 10 years

Ada Evolution Highlights

Ada 83 Abstract Data Types
Modules
Concurrency
Generics
Exceptions

Ada 95 OOP
Efficient synchronization
Better Access Types
Child Packages
Annexes

Ada 2005 Multiple Inheritance
Containers
Better Limited Types
More Real-Time
Ravenscar

Ada 2012 Contracts
Iterators
Flexible Expressions
More containers
Multi-processor Support
More Real-Time

Ada 2022 'Image for all types
Target name symbol
Support for C varidics
Declare expression
Simplified **renames**

Big Picture

Language Structure (Ada95 and Onward)

- **Required** *Core* implementation
 - Reference Manual (RM) sections 1 → 13
 - Predefined Language Environment (Annex A)
 - Interface to Other Languages (Annex B)
 - Obsolescent Features (Annex J)
- **Optional** *Specialized Needs Annexes*
 - No additional syntax
 - Systems Programming (C)
 - Real-Time Systems (D)
 - Distributed Systems (E)
 - Information Systems (F)
 - Numerics (G)
 - High-Integrity Systems (H)

Core Language Content

- Ada is a **compiled, multi-paradigm** language
- With a **static** and **strong** type model
- Language-defined types, including string
- User-defined types
- Overloading procedures and functions
- Compile-time visibility control
- Abstract Data Types (ADT)
- Exceptions
- Generic units
- Dynamic memory management
- Low-level programming
- Object-Oriented Programming (OOP)
- Concurrent programming
- Contract-Based Programming

Ada Type Model

- **Static** Typing
 - Object type **cannot change**
 - ... but run-time polymorphism available (OOP)
- **Strong** Typing
 - **Compiler-enforced** operations and values
 - **Explicit** conversions for "related" types
 - **Unchecked** conversions possible
- Predefined types
- Application-specific types
 - User-defined
 - Checked at compilation and run-time

Strongly-Typed vs Weakly-Typed Languages

■ Weakly-typed:

- Conversions are **unchecked**
- Type errors are easy

```
typedef enum { north, south, east, west } direction ;  
direction heading = north;
```

```
heading = 1 + 3 * south/sun; // what?
```


■ Strongly-typed:

- Conversions are **checked**
- Type errors are hard

```
type Directions is ( North, South, East, West );  
Heading : Directions := North;  
...  
Heading := 1 + 3 * South/Sun; -- Compile Error
```

The Type Model Saves Money

- Shifts fixes and costs to **early phases**
- **Cheaper**
 - Cost of an error *during a flight?*



Type Model Run-Time Costs

- Checks at compilation **and** run-time
- **Same performance** for identical programs
 - Run-time type checks can be disabled
 - Compile-time check is *free*

C

```
int X;  
int Y; // range 1 .. 10  
...  
if (X > 0 && X < 11)  
    Y = X;  
else  
    // signal a failure
```

Ada

```
X : Integer;  
Y, Z : Integer range 1 .. 10;  
...  
Y := X;  
Z := Y; -- no check required
```

Subprograms

- Syntax differs between *values* and *actions*
- **function** for a *value*

```
function Is_Leaf (T : Tree) return Boolean
```

- **procedure** for an *action*

```
procedure Split (T      : in out Tree;  
                Left   : out Tree;  
                Right  : out Tree)
```

- Specification \neq Implementation

```
function Is_Leaf (T : Tree) return Boolean;  
function Is_Leaf (T : Tree) return Boolean is  
begin  
  ...  
end Is_Leaf;
```

Dynamic Memory Management

- Raw pointers are error-prone
- Ada **access types** abstract facility
 - Static memory
 - Allocated objects
 - Subprograms
- Accesses are **checked**
 - Unless unchecked mode is used
- Supports user-defined storage managers
 - Storage **pools**

Packages

- Grouping of related entities
- Separation of concerns
 - Definition \neq usage
 - Single definition by **designer**
 - Multiple use by **users**
- Information hiding
 - Compiler-enforced **visibility**
 - Powerful **privacy** system

Package Structure

- Declaration view
 - **Can** be referenced by user code
 - Exported types, variables...
- Private view
 - **Cannot** be referenced by user code
 - Exported **representations**
- Implementation view
 - Not exported

Abstract Data Types (ADT)


- **Variables** of the **type** encapsulate the **state**
- Classic definition of an ADT
 - Set of **values**
 - Set of **operations**
 - **Hidden** compile-time **representation**
- Compiler-enforced
 - Check of values and operation
 - Easy for a computer
 - Developer can focus on **earlier** phase: requirements

Exceptions

- Dealing with **errors, unexpected** events
- Separate error-handling code from logic
- Some flexibility
 - Re-raising
 - Custom messages

Generic Units

- Code Templates
 - Subprograms
 - Packages
- Parameterization
 - Strongly typed
 - **Expressive** syntax



Object-Oriented Programming

- Extension of ADT
 - Sub-types
 - Run-time flexibility
- Inheritance
- Run-time polymorphism
- Dynamic **dispatching**
- Abstract types and subprograms
- **Interface** for multiple inheritance

Contract-Based Programming

- Pre- and post-conditions
- Formalizes specifications

```
procedure Pop (S : in out Stack) with  
  Pre => not S.Empty, -- Requirement  
  Post => not S.Full; -- Guarantee
```

- Type invariants

```
type Table is private with Invariant => Sorted (Table);
```

Language-Based Concurrency

■ Expressive

- Close to problem-space
- Specialized constructs
- **Explicit** interactions

■ Run-time handling

- Maps to OS primitives
- Several support levels (Ravenscar...)

■ Portable

- Source code
- People
- OS & Vendors

Concurrency Mechanisms

- Task
 - **Active**
 - **Rich** API
 - OS threads
- Protected object
 - **Passive**
 - *Monitors* protected data
 - **Restricted** set of operations
 - No thread overhead
 - Very portable
- Object-Oriented
 - Synchronized interfaces
 - Protected objects inheritance

Low Level Programming

- **Representation** clauses
- Bit-level layouts
- Storage pools definition
 - With access safeties
- Foreign language integration
 - C
 - C++
 - Assembly
 - ect...
- Explicit specifications
 - Expressive
 - Efficient
 - Reasonably portable
 - Abstractions preserved

Standard Language Environment

Standardized common API

■ Types

- Integer
- Floating-point
- Fixed-point
- Boolean
- Characters, Strings, Unicode
- ect...

■ Math

- Trigonometric
- Complexes

■ Pseudo-random number generators

■ I/O

- Text
- Binary (direct / sequential)
- Files
- Streams

■ Exceptions

- Call-stack

■ **Command-line** arguments

■ **Environment** variables

■ **Containers**


- Vector
- Map

Language Examination Summary

- Unique capabilities
- Three main goals
 - **Reliability**, maintainability
 - Programming as a **human** activity
 - Efficiency
- Easy-to-use
 - ...and hard to misuse
 - Very **few pitfalls** and exceptions

So Why Isn't Ada Used Everywhere?

- "... in all matters of opinion our adversaries are insane"
 - *Mark Twain*



Setup

Canonical First Program

```
1 with Ada.Text_IO;  
2 -- Everyone's first program  
3 procedure Say_Hello is  
4 begin  
5   Ada.Text_IO.Put_Line ("Hello, World!");  
6 end Say_Hello;
```

- Line 1 - **with** - Package dependency
- Line 2 - **--** - Comment
- Line 3 - Say_Hello - Subprogram name
- Line 4 - **begin** - Begin executable code
- Line 5 - Ada.Text_IO.Put_Line () - Subprogram call
- (cont) - "Hello, World!" - String literal (type-checked)

"Hello World" Lab - Command Line

- Use an editor to enter the program shown on the previous slide
 - Use your favorite editor or just gedit/notepad/etc.
- Save and name the file `say_hello.adb` exactly
 - In a command prompt shell, go to where the new file is located and issue the following command:
 - `gprbuild say_hello`
- In the same shell, invoke the resulting executable:
 - `say_hello` (Windows)
 - `./say_hello` (Linux/Unix)


"Hello World" Lab - GNAT STUDIO

- Start GNAT STUDIO from the command-line (`gnatstudio`) or Start Menu
- Create new project
 - Select `Simple Ada Project` and click `Next`
 - Fill in a location to to deploy the project
 - Set **main name** to `say_hello` and click `Apply`
- Expand the **src** level in the Project View and double-click `say_hello.adb`
 - Replace the code in the file with the program shown on the previous slide
- Execute the program by selecting `Build` → `Project` → `Build & Run` → `say_hello.adb`
 - Shortcut is the ► in the icons bar
- Result should appear in the bottom pane labeled *Run*:
`say_hello.exe`

Declarations

Introduction

Identifiers



■ Legal identifiers

Phase2

A

Space_Person

■ Not legal identifiers

Phase2__1

A_

_space_person

String Literals

```
string_literal ::= "<string content>"

A_Null_String : constant string := "";
    -- two double quotes with nothing inside
String_Of_Length_One : constant string := "A";
Embedded_Single_Quotes : constant string :=
    "Embedded 'single' quotes";
Embedded_Double_Quotes : constant string :=
    "Embedded ""double"" quotes";
```

Identifiers, Comments, and Pragmas

Examples

```
package Identifiers_Comments_And_Pragmas is
```

```
    Spaceperson : Integer;
```

```
    --SPACEPERSON : integer; -- identifier is a duplicate
```

```
    Space_Person : Integer;
```

```
    --Null : integer := 0; -- identifier is a reserved word
```

```
pragma Unreferenced (Spaceperson);
```

```
pragma Unreferenced (Space_Person);
```

```
end Identifiers_Comments_And_Pragmas;
```

https://learn.adacore.com/training_examples/fundamentals_of_ada/020_declarations.html#identifiers-comments-and-pragmas

Identifiers

- Syntax

`identifier ::= letter {[underline] letter_or_digit}`

- Character set **Unicode** 4.0

- 8, 16, 32 bit-wide characters

- Case **not significant**

- **SpacePerson** \iff **SPACEPERSON**
 - but **different** from **Space_Person**

- Reserved words are **forbidden**

Reserved Words

<code>abort</code>	<code>else</code>	<code>null</code>	<code>reverse</code>
<code>abs</code>	<code>elsif</code>	<code>of</code>	<code>select</code>
<code>abstract</code> (95)	<code>end</code>	<code>or</code>	<code>separate</code>
<code>accept</code>	<code>entry</code>	<code>others</code>	<code>some</code> (2012)
<code>access</code>	<code>exception</code>	<code>out</code>	<code>subtype</code>
<code>aliased</code> (95)	<code>exit</code>	<code>overriding</code> (2005)	<code>synchronized</code> (2005)
<code>all</code>	<code>for</code>	<code>package</code>	<code>tagged</code> (95)
<code>and</code>	<code>function</code>	<code>parallel</code> (2022)	<code>task</code>
<code>array</code>	<code>generic</code>	<code>pragma</code>	<code>terminate</code>
<code>at</code>	<code>goto</code>	<code>private</code>	<code>then</code>
<code>begin</code>	<code>if</code>	<code>procedure</code>	<code>type</code>
<code>body</code>	<code>in</code>	<code>protected</code> (95)	<code>until</code> (95)
<code>case</code>	<code>interface</code> (2005)	<code>raise</code>	<code>use</code>
<code>constant</code>	<code>is</code>	<code>range</code>	<code>when</code>
<code>declare</code>	<code>limited</code>	<code>record</code>	<code>while</code>
<code>delay</code>	<code>loop</code>	<code>rem</code>	<code>with</code>
<code>delta</code>	<code>mod</code>	<code>renames</code>	<code>xor</code>
<code>digits</code>	<code>new</code>	<code>requeue</code> (95)	
<code>do</code>	<code>not</code>	<code>return</code>	

Comments

- Terminate at end of line (i.e., no comment terminator sequence)

```
-- This is a multi-
```

```
-- line comment
```

```
A : B; -- this is an end-of-line comment
```

Pragmas

- Compiler directives
 - Compiler action *not part of* Ada grammar
 - Only **suggestions**, may be **ignored**
 - Either standard or implementation-defined
- Unrecognized pragmas
 - **No effect**
 - Cause **warning** (standard mode)
- Malformed pragmas are **illegal**

```
pragma Page;  
pragma Optimize ( Off );
```

Quiz

Which statement is legal?

- A. `Function : constant := 1;`
- B. `Fun_ction : constant := 1;`
- C. `Fun_ction : constant := --initial value-- 1;`
- D. `integer Fun_ction;`

Quiz

Which statement is legal?

- A. `Function : constant := 1;`
- B. `Fun_ction : constant := 1;`
- C. `Fun_ction : constant := --initial value-- 1;`
- D. `integer Fun_ction;`

Explanations

- A. `function` is a reserved word
- B. Correct
- C. Cannot have inline comments
- D. C-style declaration not allowed

Numeric Literals

Examples

```
package Numeric_Literals is
```

```
Simple_Integer   : constant := 3;  
Decimal_Number   : constant := 0.25;  
Using_Separator  : constant := 1_000_000.0;  
Octal             : constant := 8#33#;  
Hexadecimal      : constant := 16#AAAA#;
```

```
end Numeric_Literals;
```

https://learn.adacore.com/training_examples/fundamentals_of_ada/020_declarations.html#numeric-literals

Decimal Numeric Literals

■ Syntax

```
decimal_literal ::=  
    numeral [.num] E [+numeral|-numeral]  
numeral ::= digit {[underline] digit}
```

■ Underscore is not significant

■ E (exponent) must always be integer

■ Examples

12	0	1E6	123_456
12.0	0.0	3.14159_26	2.3E-4

Based Numeric Literals

```
based_literal ::= base # numeral [.numeral] # exponent  
numeral ::= base_digit { '_' base_digit }
```

- Base can be 2 .. 16
- Exponent is always a base 10 integer

```
16#FFF#           => 4095  
2#1111_1111_1111# => 4095 -- With underline  
16#F.FF#E+2       => 4095.0  
8#10#E+3          => 4096 (8 * 8**3)
```


Comparison To C's Based Literals

- Design in reaction to C issues
- C has **limited** bases support
 - Bases 8, 10, 16
 - No base 2 in standard
- Zero-prefixed octal 0nnn
 - **Hard** to read
 - **Error-prone**

Quiz

Which statement is legal?

- A. `I : constant := 0_1_2_3_4;`
- B. `F : constant := 12.;`
- C. `I : constant := 8#77#E+1.0;`
- D. `F : constant := 2#1111;`

Quiz

Which statement is legal?

- A. `I : constant := 0_1_2_3_4;`
- B. `F : constant := 12.;`
- C. `I : constant := 8#77#E+1.0;`
- D. `F : constant := 2#1111;`

Explanations

- A. Underscores are not significant - they can be anywhere (except first and last character, or next to another underscore)
- B. Must have digits on both sides of decimal
- C. Exponents must be integers
- D. Missing closing #

Object Declarations

Examples

```
with Ada.Calendar; use Ada.Calendar;  
package Object_Declarations is  
    A      : Integer := 0;  
    B, C : Time      := Clock;  
    D      : Integer := A + 1;  
end Object_Declarations;
```

https://learn.adacore.com/training_examples/fundamentals_of_ada/020_declarations.html#object-declarations

Declarations

- Associate a *name* to an *entity*
 - Objects
 - Types
 - Subprograms
 - et cetera
- Declaration **must precede** use
- **Some** implicit declarations
 - **Standard** types and operations
 - **Implementation**-defined

Object Declarations

- Variables and constants
- Basic Syntax

`<name> : subtype_indication [:= <initial value>];`

- Examples

```
Z, Phase : Analog;  
Max : constant Integer := 200;  
-- variable with a constraint  
Count : Integer range 0 .. Max := 0;  
-- dynamic initial value via function call  
Root : Tree := F(X);
```

Multiple Object Declarations

- Allowed for convenience

```
A, B : Integer := Next_Available(X);
```

- Identical to series of single declarations

```
A : Integer := Next_Available(X);
```

```
B : Integer := Next_Available(X);
```

- Warning: may get different value

```
T1, T2 : Time := Current_Time;
```


Predefined Declarations

- **Implicit** declarations
- Language standard
- Annex A for *Core*
 - Package Standard
 - Standard types and operators
 - Numerical
 - Characters
 - About **half the RM** in size
- "Specialized Needs Annexes" for *optional*
- Also, implementation specific extensions

Implicit vs. Explicit Declarations

- Explicit → in the source

```
type Counter is range 0 .. 1000;
```

- Implicit → **automatically** by the compiler

```
function "+" ( Left, Right : Counter ) return Counter;  
function "-" ( Left, Right : Counter ) return Counter;  
function "*" ( Left, Right : Counter ) return Counter;  
function "/" ( Left, Right : Counter ) return Counter;  
...
```

Elaboration

- Effects of the declaration
 - **Initial value** calculations
 - *Execution* at **run-time** (if at all)
- Objects
 - Memory **allocation**
 - Initial value
- Linear elaboration
 - Follows the program text
 - Top to bottom

declare

First_One : Integer := 10;

Next_One : Integer := First_One;

Another_One : Integer := Next_One;

begin

...

Quiz

Which block is illegal?

- A. `A, B, C : integer;`
- B. `Integer : Standard.Integer;`
- C. `Null : integer := 0;`
- D. `A : integer := 123;`
`B : integer := A * 3;`

Quiz

Which block is illegal?

- A. `A, B, C : integer;`
- B. `Integer : Standard.Integer;`
- C. `Null : integer := 0;`
- D. `A : integer := 123;`
`B : integer := A * 3;`

Explanations

- A. Multiple objects can be created in one statement
- B. `integer` is *predefined* so it can be overridden
- C. `null` is *reserved* so it can **not** be overridden
- D. Elaboration happens in order, so B will be 369

Universal Types

Universal Types

- Implicitly defined
- Entire *classes* of numeric types
 - **universal_integer**
 - **universal_real**
 - **universal_fixed**
- Match any integer / real type respectively
 - **Implicit** conversion, as needed

```
X : Integer64 := 2;
```

```
Y : Integer8 := 2;
```

Numeric Literals Are Universally Typed

- No need to type them
 - e.g 0UL as in C
- Compiler handles typing
 - No bugs with precision

```
X : Unsigned_Long := 0;  
Y : Unsigned_Short := 0;
```


Literals Must Match "Class" of Context

- **universal_integer** literals → **integer**
- **universal_real** literals → **fixed** or **floating** point
- Legal

```
X : Integer := 2;
```

```
Y : Float := 2.0;
```

- Not legal

```
X : Integer := 2.0;
```

```
Y : Float := 2;
```

Named Numbers

Examples

```
with Ada.Text_IO; use Ada.Text_IO;
procedure Named_Numbers is
  Universal_Third      : constant      := 1.0 / 3.0;
  Float_Third          : constant Float := 1.0 / 3.0;
  Float_Value          : Float;
  Long_Float_Value     : Long_Float;
  Long_Long_Float_Value : Long_Long_Float;
begin
  Float_Value          := Universal_Third;
  Long_Float_Value     := Universal_Third;
  Long_Long_Float_Value := Universal_Third;
  Put_Line (Float'Image (Float_Value));
  Put_Line (Long_Float'Image (Long_Float_Value));
  Put_Line (Long_Long_Float'Image (Long_Long_Float_Value));
  Float_Value          := Float_Third;
  Long_Float_Value     := Long_Float (Float_Third);
  Long_Long_Float_Value := Long_Long_Float (Float_Third);
  Put_Line (Float'Image (Float_Value));
  Put_Line (Long_Float'Image (Long_Float_Value));
  Put_Line (Long_Long_Float'Image (Long_Long_Float_Value));
end Named_Numbers;
```

Named Numbers

- Associate a **name** with an **expression**
 - Used as **constant**
 - **universal_integer**, or **universal_real**
 - compatible with integer / real respectively
 - Expression must be **static**
- Syntax

`<name> : constant := <static_expression>;`

- Example

```
Pi : constant := 3.141592654;  
One_Third : constant := 1.0 / 3.0;
```

A Sample Collection of Named Numbers

```
package Physical_Constants is
  Polar_Radius : constant := 20_856_010.51;
  Equatorial_Radius : constant := 20_926_469.20;
  Earth_Diameter : constant :=
    2.0 * ((Polar_Radius + Equatorial_Radius)/2.0);
  Gravity : constant := 32.1740_4855_6430_4;
  Sea_Level_Air_Density : constant :=
    0.002378;
  Altitude_Of_Tropopause : constant := 36089.0;
  Tropopause_Temperature : constant := -56.5;
end Physical_Constants;
```

Named Number Benefit

- Evaluation at **compile time**
 - As if **used directly** in the code
 - **Perfect** accuracy

```
Named_Number      : constant :=      1.0 / 3.0;
```

```
Typed_Constant    : constant float := 1.0 / 3.0;
```

Object	Named_Number	Typed_Constant
F32 : Float_32;	3.33333E-01	3.33333E-01
F64 : Float_64;	3.333333333333333E-01	3.333333_43267441E-01
F128 : Float_128;	3.3333333333333333E-01	3.333333_43267440796E-01

Scope and Visibility

Examples

```
with Ada.Text_IO; use Ada.Text_IO;
procedure Scope_And_Visibility is
    Name : Integer;
begin
    Name := 1;
    declare
        Name : Float := 2.0;
    begin
        Name := Name + Float (Scope_And_Visibility.Name);
        Put_Line (Name'Image);
    end;
    Put_Line (Name'Image);
end Scope_And_Visibility;
```


Scope and Visibility

- **Scope** of a name
 - Where the name is **potentially** available
 - Determines **lifetime**
 - Scopes can be **nested**
- **Visibility** of a name
 - Where the name is **actually** available
 - Defined by **visibility rules**
 - **Hidden** → *in scope* but **not visible**

Introducing Block Statements

■ Sequence of statements

- Optional *declarative part*
- Can be **nested**
- Declarations **can hide** outer variables

■ Syntax


```
[<block-name> :] declare
    <declarative part>
begin
    <statements>
end [block-name];
```

■ Example

```
Swap: declare
    Temp : Integer;
begin
    Temp := U;
    U := V;
    V := Temp;
end Swap;
```

Scope and "Lifetime"

- Object in scope → exists
- No *scoping* keywords
 - C's **static**, **auto** etc...



Name Hiding

- Caused by **homographs**

- **Identical** name
- **Different** entity

```
declare
  M : Integer;
begin
  ... -- M here is an INTEGER
  declare
    M : Float;
  begin
    ... -- M here is a FLOAT
  end;
  ... -- M here is an INTEGER
end;
```

Overcoming Hiding

- Add a **prefix**
 - Needs named scope
- Homographs are a *code smell*
 - May need **refactoring**...

```
Outer : declare
  M : Integer;
begin
  ...
  declare
    M : Float;
  begin
    Outer.M := Integer(M); -- Prefixed
  end;
  ...
end Outer;
```

Quiz

What output does the following code produce? (Assume Print prints the current value of its argument)

```
1 declare
2   M : Integer := 1;
3 begin
4   M := M + 1;
5   declare
6     M : Integer := 2;
7   begin
8     M := M + 2;
9     Print ( M );
10  end;
11  Print ( M );
12 end;
```

A. 2, 2

B. 2, 4

C. 4, 4

D. 4, 2

Quiz

What output does the following code produce? (Assume Print prints the current value of its argument)

```
1 declare
2   M : Integer := 1;
3 begin
4   M := M + 1;
5   declare
6     M : Integer := 2;
7   begin
8     M := M + 2;
9     Print ( M );
10  end;
11  Print ( M );
12 end;
```

A. 2, 2

B. 2, 4

C. 4, 4

D. 4, 2

Explanation

- Inner M gets printed first. It is initialized to 2 and incremented by 2
- Outer M gets printed second. It is initialized to 1 and incremented by 1

Aspect Clauses

Examples

```
package Aspect_Clauses is
  Eight_Bits : Integer range 0 .. 255 with
    Size => 8;
  Object : Integer with
    Atomic;
end Aspect_Clauses;
```

https://learn.adacore.com/training_examples/fundamentals_of_ada/020_declarations.html#aspect-clauses

Aspect Clauses

Ada 2012

- Define **additional** properties of an entity
 - Representation (eg. **with** Pack)
 - Operations (eg. **Inline**)
 - Can be **standard** or **implementation-defined**
- Usage close to pragmas
 - More **explicit, typed**
 - **Cannot** be ignored
 - **Recommended** over pragmas
- Syntax
 - *Note:* always part of a **declaration**

```
with aspect_mark [ => expression]  
    {, aspect_mark [ => expression] }
```

Aspect Clause Example: Objects

Ada 2012

■ Updated **object syntax**

```
<name> : <subtype_indication> [:= <initial value>]  
      with aspect_mark [ => expression]  
      {, aspect_mark [ => expression] };
```

■ Usage

```
CR1 : Control_Register with  
    Size      => 8,  
    Address => To_Address (16#DEAD_BEEF#);
```

```
-- Prior to Ada 2012  
-- using *representation clauses*  
CR2 : Control_Register;  
for CR2'Size use 8;  
for CR2'Address use To_Address (16#DEAD_BEEF#);
```

Boolean Aspect Clauses

Ada 2012

- **Boolean** aspects only

- Longhand

```
procedure Foo with Inline => True;
```

- Aspect name only → **True**

```
procedure Foo with Inline; -- Inline is True
```

- No aspect → **False**

```
procedure Foo; -- Inline is False
```

- Original form!

Summary

Summary

- Declarations of a **single** type, permanently
 - OOP adds flexibility
- Named-numbers
 - **Infinite** precision, **implicit** conversion
- **Elaboration** concept
 - Value and memory initialization at **run-time**
- Simple **scope** and **visibility** rules
 - **Prefixing** solves **hiding** problems
- Pragmas, Aspects
- Detailed syntax definition in Annex P (using BNF)

Basic Types

Introduction

Ada Type Model

- *Static* Typing
 - Object type **cannot change**
- *Strong* Typing
 - By **name**
 - **Compiler-enforced** operations and values
 - **Explicit** conversion for "related" types
 - **Unchecked** conversions possible

Strong Typing

- Definition of *type*
 - Applicable **values**
 - Applicable *primitive* **operations**
- Compiler-enforced
 - **Check** of values and operations
 - Easy for a computer
 - Developer can focus on **earlier** phase: requirement

A Little Terminology

- **Declaration** creates a **type name**

```
type <name> is <type definition>;
```

- **Type-definition** defines its structure

- Characteristics, and operations
- Base "class" of the type

```
type Type_1 is digits 12; -- floating-point  
type Type_2 is range -200 .. 200; -- signed integer  
type Type_3 is mod 256; -- unsigned integer
```


- **Representation** is the memory-layout of an **object** of the type

Ada "Named Typing"

- **Name** differentiate types
- Structure does **not**
- Identical structures may **not** be interoperable

```
type Yen is range 0 .. 100_000_000;  
type Ruble is range 0 .. 100_000_000;  
Mine : Yen;  
Yours : Ruble;  
...  
Mine := Yours; -- not legal
```

Categories of Types



Scalar Types

- Indivisible: No components
- **Relational** operators defined ($<$, $=$, ...)
 - **Ordered**
- Have common **attributes**
- **Discrete** Types
 - Integer
 - Enumeration
- **Real** Types
 - Floating-point
 - Fixed-point

Discrete Types

- **Individual** ("discrete") values
 - 1, 2, 3, 4 ...
 - Red, Yellow, Green
- Integer types
 - Signed integer types
 - Modular integer types
 - Unsigned
 - **Wrap-around** semantics
 - Bitwise operations
- Enumeration types
 - Ordered list of **logical** values

Attributes

- Functions *associated* with a type
 - May take input parameters
- Some are language-defined
 - *May* be implementation-defined
 - **Built-in**
 - Cannot be user-defined
 - Cannot be modified
- See RM K.2 *Language-Defined Attributes*
- Syntax

```
Type_Name'Attribute_Name;  
Type_Name'Attribute_With_Param (Param);
```

- ' often named *tick*

Discrete Numeric Types

Examples

```
with Ada.Text_IO, use Ada.Text_IO;
procedure Discrete_Numeric_Types is

  type Signed_Integer_Type is range -128 .. 127;
  Signed_Integer : Signed_Integer_Type := 100;

  type Unsigned_Integer_Type is mod 256;
  Unsigned_Integer : Unsigned_Integer_Type := 100;

begin

  Signed_Integer := Signed_Integer_Type'Last;
  Signed_Integer := Signed_Integer_Type'Succ (Signed_Integer);
  Put_Line (Signed_Integer'Image);

  Unsigned_Integer := Unsigned_Integer_Type'First;
  Unsigned_Integer := Unsigned_Integer_Type'Pred (Unsigned_Integer);
  Put_Line (Unsigned_Integer'Image);

  Unsigned_Integer := Unsigned_Integer_Type (Signed_Integer);
  Put_Line (Unsigned_Integer'Image);

  Unsigned_Integer := Unsigned_Integer_Type'Mod (Signed_Integer);
  Put_Line (Unsigned_Integer'Image);

declare
  Some_String : constant String :=
    Unsigned_Integer_Type'Image (Unsigned_Integer);
begin
  Signed_Integer := Signed_Integer_Type'Value (Some_String);
  Put_Line (Signed_Integer'Image);

  Put_Line (Some_String);
end;

end Discrete_Numeric_Types;
```

Signed Integer Types

- Range of signed **whole** numbers
 - Symmetric about zero ($-0 = +0$)

- Syntax

```
type <identifier> is range <lower> .. <upper>;
```

- Implicit numeric operators

```
-- 12-bit device
type Analog_Conversions is range 0 .. 4095;
Count : Analog_Conversions;
...
begin
    ...
    Count := Count + 1;
    ...
end;
```

Specifying Integer Type Bounds

- Must be **static**
 - Compiler selects **base type**
 - Hardware-supported integer type
 - Compilation **error** if not possible

Predefined Integer Types

- `Integer` \geq 16 bits wide
- Other **probably** available
 - `Long_Integer`, `Short_Integer`, etc.
 - Guaranteed ranges: `Short_Integer` \leq `Integer` \leq `Long_Integer`
 - Ranges are all **implementation-defined**
- Portability not guaranteed
 - But may be difficult to avoid

Operators for Any Integer Type

- By increasing precedence

relational operator = | /= | < | <= | > | >=

binary adding operator + | -

unary adding operator + | -

multiplying operator * | / | **mod** | **rem**

highest precedence operator ** | **abs**

- *Note:* for exponentiation **

- Result will be **Integer**
- So power **must** be **Integer** >= 0

- Division by zero → **Constraint_Error**

Integer Overflows

- Finite binary representation
- Common source of bugs

```
K : Short_Integer := Short_Integer'Last;
```

```
...
```

```
K := K + 1;
```

```
2#0111_1111_1111_1111# = (2**16)-1
```

```
+                               1
```

```
=====
```

```
2#1000_0000_0000_0000# = -32,768
```

Integer Overflow: Ada vs others

- Ada
 - `Constraint_Error` standard exception
 - Incorrect numerical analysis
- Java
 - Silently **wraps** around (as the hardware does)
- C/C++
 - **Undefined** behavior (typically silent wrap-around)

Modular Types

- Integer type
- **Unsigned** values
- Adds operations and attributes
 - Typically **bit-wise** manipulation
- Syntax

```
type <identifier> is mod <modulus>;
```

- Modulus must be **static**
- Resulting range is 0 .. modulus-1

```
type Unsigned_Word is mod 2**16; -- 16 bits, 0..65535
type Byte is mod 256;           -- 8 bits, 0..255
```

Modular Type Semantics

- Standard **Integer** operators
- **Wraps-around** in overflow
 - Like other languages' unsigned types
 - Attributes 'Pred and 'Succ
- Additional bit-oriented operations are defined
 - **and, or, xor, not**
 - **Bit shifts**
 - Values as **bit-sequences**

Predefined Modular Types

- In Interfaces package
 - Need **explicit** import
- **Fixed-size** numeric types
- Common name **format**
 - Unsigned_n
 - Integer_n

```
type Integer_8 is range -2 ** 7 .. 2 ** 7 - 1;  
type Integer_16 is range -2 ** 15 .. 2 ** 15 - 1;  
...  
type Unsigned_8 is mod 2 ** 8;  
type Unsigned_16 is mod 2 ** 16;
```

Integer Type (Signed and Modular) Literals

- **Must not** contain a **fractional** part
- **No** silent promotion/demotion
- **Conversion** can be used

```
type Counter_T is range 0 .. 40_000; -- integer type
OK : Counter_T := 0; -- Right type, legal
Bad : Counter_T := 0.0 ; -- Promotion, compile error
Legal : Counter_T := Counter_T (0.0); -- Conversion, legal
```

String Attributes For All Scalars

- `T'Image(input)`
 - Converts `T` \rightarrow `String`
- `T'Value(input)`
 - Converts `String` \rightarrow `T`

```
Number : Integer := 12345;  
Input   : String( 1 .. N );  
...  
Put_Line( Integer'Image(Number) );  
...  
Get( Input );  
Number := Integer'Value( Input );
```

Range Attributes For All Scalars

- T'First
 - First (**smallest**) value of type T
- T'Last
 - Last (**greatest**) value of type T
- T'Range
 - Shorthand for T'First .. T'Last

```
type Signed_T is range -99 .. 100;  
Smallest : Signed_T := Signed_T'First;  -- -99  
Largest  : Signed_T := Signed_T'Last;   -- 100
```

Neighbor Attributes For All Scalars

■ T'Pred (Input)

- Predecessor of specified value
- Input type must be T

■ T'Succ (Input)

- Successor of specified value
- Input type must be T

```
type Signed_T is range -128 .. 127;
```

```
type Unsigned_T is mod 256;
```

```
Signed    : Signed_T := -1;
```

```
Unsigned  : Unsigned_T := 0;
```

```
...
```

```
Signed := Signed_T'Succ( Signed ); -- Signed = 0
```

```
...
```

```
Unsigned := Unsigned_T'Pred( Unsigned ); -- Signed = 255
```

Min/Max Attributes For All Scalars

- `T'Min (Value_A, Value_B)`
 - **Lesser** of two `T`
- `T'Max (Value_A, Value_B)`
 - **Greater** of two `T`

```
Safe_Lower : constant := 10;  
Safe_Upper : constant := 30;  
C : Integer := 15;  
...  
C := Integer'Max (Safe_Lower, C - 1);  
...  
C := Integer'Min (Safe_Upper, C + 1);
```


Quiz

What happens when you try to compile/run this code?

```
C1 : constant := 2 ** 1024;  
C2 : constant := 2 ** 1024 + 10;  
C3 : constant := C1 - C2;  
V  : Integer := C1 - C2;
```

- ☐ A. Compile error
- ☐ B. Run-time error
- ☐ C. V is assigned to -10
- ☐ D. Unknown - depends on the compiler

Quiz

What happens when you try to compile/run this code?

```
C1 : constant := 2 ** 1024;  
C2 : constant := 2 ** 1024 + 10;  
C3 : constant := C1 - C2;  
V  : Integer := C1 - C2;
```

- ☐ A. Compile error
- ☐ B. Run-time error
- ☒ C. *V is assigned to -10*
- ☐ D. Unknown - depends on the compiler

Explanations

- 2^{1024} too big for most run-times BUT
- C1, C2, and C3 are named numbers, not typed constants
 - Compiler uses unbounded precision for named numbers
 - Large intermediate representation does not get stored in object code
- For assignment to V, subtraction is computed by compiler
 - V is assigned the value -10

Enumeration Types

Examples

```
with Ada.Text_IO; use Ada.Text_IO;
procedure Discrete_Enumeration_Types is

  type Colors_Type is (Red, Orange, Yellow, Green, Blue, Indigo, Violet);
  Color : Colors_Type := Red;

  type Traffic_Light_Type is (Red, Yellow, Green);
  for Traffic_Light_Type use (1, 2, 4);
  Stoplight : Traffic_Light_Type := Red;

  type Roman_Numeral_Digit_Type is ('I', 'V', 'X', 'L', 'C', 'M');
  Digit : Roman_Numeral_Digit_Type := 'I';

  Flag : Boolean;

  Position : Integer;

begin

  Position := Traffic_Light_Type'Pos (Green);
  Color := Colors_Type'Val (Position);
  Stoplight := Traffic_Light_Type'(Red);
  Digit := Roman_Numeral_Digit_Type'Succ (Digit);
  Flag := End_Of_Line;

  Put_Line (Position'Image);
  Put_Line (Color'Image);
  Put_Line (Flag'Image);
  Put_Line (Digit'Image);
  Put_Line (Stoplight'Image);

end Discrete_Enumeration_Types;
```

Enumeration Types

- Enumeration of **logical** values
 - Integer value is an implementation detail

- Syntax

```
type <identifier> is ( <identifier-list> ) ;
```

- Literals

- Distinct, ordered
- Can be in **multiple** enumerations

```
type Colors is (Red, Orange, Yellow, Green, Blue, Violet);  
type Stop_Light is (Red, Yellow, Green);
```

```
...
```

```
-- Red both a member of Colors and Stop_Light
```

```
Shade : Colors := Red;
```

```
Light : Stop_Light := Red;
```

Enumeration Type Operations

- Assignment, relationals
- **Not** numeric quantities
 - *Possible* with attributes
 - Not recommended

```
type Directions is ( North, South, East, West );
type Days is ( Mon, Tue, Wed, Thu, Fri, Sat, Sun );
Heading : Directions;
Today, Tomorrow : Days;
...
Today := Mon;
Today := North; -- compile error
Heading := South;
Heading := East + 1; -- compile error
if Today < Tomorrow then ...
```

Character Types

- Literals
 - Enclosed in single quotes eg. 'A'
 - Case-sensitive
- **Special-case** of enumerated type
 - At least one character enumeral
- System-defined **Character**
- Can be user-defined

```
type EBCDIC is ( nul, ..., 'a' , ..., 'A', ..., del );  
Control : EBCDIC := 'A';  
Nullo : EBCDIC := nul;
```

Language-Defined Type Boolean

- Enumeration

```
type Boolean is ( False, True );
```

- Supports assignment, relational operators, attributes


```
A : Boolean;  
Counter : Integer;  
...  
A := (Counter = 22);
```

- Logical operators **and**, **or**, **xor**, **not**

```
A := B or ( not C ); -- For A, B, C boolean
```


Why Boolean Isn't Just An Integer?

- Example: Real-life error
 - HETE-2 satellite **attitude control** system software (ACS)
 - Written in **C**
- Controls four "solar paddles"
 - Deployed after launch



Why Boolean Isn't Just An Integer!

- **Initially** variable with paddles' state
 - Either **all** deployed, or **none** deployed

- Used `int` as a boolean

```
if (rom->paddles_deployed == 1)
    use_deployed_inertia_matrix();
else
    use_stowed_inertia_matrix();
```

- Later `paddles_deployed` became a **4-bits** value
 - One bit per paddle
 - `0` → none deployed, `0xF` → all deployed
- Then, `use_deployed_inertia_matrix()` if only first paddle is deployed!
- Better: boolean function `paddles_deployed()`
 - Single line to modify

Boolean Operators' Operand Evaluation

- Evaluation order **not specified**
- May be needed
 - Checking value **before** operation
 - Dereferencing null pointers
 - Division by zero

```
if Divisor /= 0 and K / Divisor = Max then ... -- Problem!
```

Short-Circuit Control Forms

- **Short-circuit** → **fixed** evaluation order

- Left-to-right

- Right only evaluated **if necessary**

- **and then**: if left is False, skip right

`Divisor /= 0 and then K / Divisor = Max`

- **or else**: if left is True, skip right

`Divisor = 0 or else K / Divisor = Max`

Quiz

```
type Enum_T is ( Able, Baker, Charlie );
```

Which statement will generate an error?

- A. V1 : Enum_T := Enum_T'Value ("Able");
- B. V2 : Enum_T := Enum_T'Value ("BAKER");
- C. V3 : Enum_T := Enum_T'Value (" charlie ");
- D. V4 : Enum_T := Enum_T'Value ("Able Baker Charlie");

Quiz

```
type Enum_T is ( Able, Baker, Charlie );
```

Which statement will generate an error?

- A. `V1 : Enum_T := Enum_T'Value ("Able");`
- B. `V2 : Enum_T := Enum_T'Value ("BAKER");`
- C. `V3 : Enum_T := Enum_T'Value (" charlie ");`
- D. `V4 : Enum_T := Enum_T'Value ("Able Baker Charlie");`

Explanations

- A. Legal
- B. Legal - conversion is case-insensitive
- C. Legal - leading/trailing blanks are ignored
- D. Value tries to convert entire string, which will fail at run-time

Real Types

Examples

```
with Ada.Text_IO; use Ada.Text_IO;
procedure Real_Types is

    Predefined_Floating_Point : constant Float := 0.0;

    type Floating_Point_Type is digits 8 range -1.0e10 .. 1.0e10;
    Floating_Point : Floating_Point_Type := 1.234e2;

begin

    Put_Line (Integer'Image (Floating_Point_Type'Digits));
    Put_Line (Integer'Image (Floating_Point_Type'Base'Digits));
    Floating_Point := Floating_Point_Type'Succ (Floating_Point);
    Put_Line (Floating_Point_Type'Image (Floating_Point));
    Put_Line (Predefined_Floating_Point'Image);

end Real_Types;
```


Real Types

- Approximations to **continuous** values
 - 1.0, 1.1, 1.11, 1.111 ... 2.0, ...
 - Finite hardware → approximations
- Floating-point
 - **Variable** exponent
 - **Large** range
 - Constant **relative** precision
- Fixed-point
 - **Constant** exponent
 - **Limited** range
 - Constant **absolute** precision
 - Subdivided into Binary and Decimal
- Class focuses on floating-point

Real Type (Floating and Fixed) Literals

- **Must** contain a fractional part
- No silent promotion

```
type Phase is digits 8; -- floating-point
```

```
OK : Phase := 0.0;
```

```
Bad : Phase := 0 ; -- compile error
```

Declaring Floating Point Types

■ Syntax

```
type <identifier> is  
    digits <expression> [range constraint];
```

- *digits* → **minimum** number of significant digits
- **Decimal** digits, not bits

■ Compiler chooses representation

- From **available** floating point types
- May be **more** accurate, but not less
- If none available → declaration is **rejected**

Predefined Floating Point Types

- Type `Float` \geq 6 digits
- Additional implementation-defined types
 - `Long_Float` \geq 11 digits
- General-purpose
- Best to **avoid** predefined types
 - Loss of **portability**
 - Easy to avoid

Floating Point Type Operators

- By increasing precedence

relational operator = | /= | < | >= | > | >=

binary adding operator + | -

unary adding operator + | -

multiplying operator * | /

highest precedence operator ** | **abs**

- Note on floating-point exponentiation **

- Power must be **Integer**

- Not possible to ask for root

- $x^{**0.5} \rightarrow \text{sqrt}(x)$

Floating Point Type Attributes

■ Core attributes

```
type My_Float is digits N;  -- N static
```

■ My_Float'Digits

- Number of digits **requested** (N)

■ My_Float'Base'Digits

- Number of **actual** digits

■ My_Float'Rounding (X)

- Integral value nearest to X
- Note `Float'Rounding (0.5) = 1` and
`Float'Rounding (-0.5) = -1`

■ Model-oriented attributes

- Advanced machine representation of the floating-point type
- Mantissa, strict mode

Numeric Types Conversion

- Ada's integer and real are *numeric*
 - Holding a numeric value
- Special rule: can always convert between numeric types
 - Explicitly
 - `Float` → `Integer` causes **rounding**

declare

```
N : Integer := 0;
```

```
F : Float := 1.5;
```

begin

```
N := Integer (F); -- N = 2
```

```
F := Float (N); -- F = 2.0
```

Quiz

What is the output of this code?

```
declare
  F : Float := 7.6;
  I : Integer := 10;
begin
  F := Float ( Integer(F) / I );
  Put_Line ( Float'Image ( F ) );
end;
```

- ☐ A. 7.6
- ☐ B. Compile Error
- ☐ C. 8.0
- ☐ D. 0.0

Quiz

What is the output of this code?

```
declare
  F : Float := 7.6;
  I : Integer := 10;
begin
  F := Float ( Integer(F) / I );
  Put_Line ( Float'Image ( F ) );
end;
```

- A. 7.6
- B. Compile Error
- C. 8.0
- D. **0.0**

Explanations

- A. Result of `F := F / Float(I);`
- B. Result of `F := F / I;`
- C. Result of `F := Float (Integer (F)) / Float (I);`
- D. Integer value of F is 8. Integer result of dividing that by 10 is 0. Converting to float still gives us 0

Miscellaneous

Checked Type Conversions

- Between "closely related" types
 - Numeric types
 - Inherited types
 - Array types
- Illegal conversions **rejected**
 - Unsafe **Unchecked_Conversion** available
- Functional syntax
 - Function named `Target_Type`
 - Implicitly defined
 - **Must** be explicitly called

```
Target_Float := Float (Source_Integer);
```

Default Value

Ada 2012

- Not defined by language for **scalars**
- Can be done with an **aspect clause**
 - Only during type declarations
 - <value> must be static

```
type Type_Name is <type_definition>  
    with Default_Value => <value>;
```

- Example

```
type Tertiary_Switch is (Off, On, Neither)  
    with Default_Value => Neither;  
Implicit : Tertiary_Switch; -- Implicit = Neither  
Explicit : Tertiary_Switch := Neither;
```

Simple Static Type Derivation

- New type from an existing type
 - **Limited** form of inheritance: operations
 - **Not** fully OOP
 - More details later
- Strong type benefits
 - Only **explicit** conversion possible
 - eg. Meters can't be set from a Feet value

- Syntax

```
type identifier is new Base_Type [<constraints>]
```

- Example

```
type Measurement is digits 6;  
type Distance is new Measurement  
    range 0.0 .. Measurement'Last;
```

Subtypes

Examples

```

with Ada.Text_IO; use Ada.Text_IO;
procedure Subtypes is
  type Days_T is (Sun, Mon, Tues, Wed, Thurs, Fri, Sat);
  subtype Weekdays_T is Days_T range Mon .. Fri;

  Weekday      : Weekdays_T      := Mon;
  Also_Weekday : Days_T range Mon .. Fri := Tues;
  Day          : Days_T           := Weekday;

  type Matrix_T is array (Integer range <>, Integer range <>) of Integer;
  subtype Matrix_3x3_T is Matrix_T (1 .. 3, 1 .. 3);
  subtype Line_T is String (1 .. 80);

  I : Integer := 1_234;
  procedure Takes_Positive (P : Positive) is null;

  type Tertiary_Switch is (Off, On, Neither) with
    Default_Value => Neither;
  subtype Toggle_Switch is Tertiary_Switch range Off .. On;
  Safe : Toggle_Switch := Off;
  -- Implicit : Toggle_Switch; -- compile error: out of range

  pragma Unreferenced (Safe);

begin
  Also_Weekday := Day; -- runtime error if Day is Sat or Sun
  Put_Line (Also_Weekday'Image);
  Day := Weekday; -- always legal
  I := I - 1;
  Takes_Positive (I); -- runtime error if I <= 0

  Weekday := Weekdays_T'Last;
  Day := Days_T'Last;

  Put_Line (Weekdays_T'Image (Weekday) & " / " & Days_T'Image (Day));
  Put_Line (Days_T'Image (Weekdays_T'Succ (Weekday)));
  Put_Line (Integer'Image (Matrix_3x3_T'Length (1)));
  Put_Line (Integer'Image (Line_T'Length (1)));
end Subtypes;

```

Subtype

- May **constrain** an existing type
- Still the **same** type
- Syntax

```
subtype Defining_Identifier is Type_Name [constraints];
```

- Type_Name is an existing **type** or **subtype**
- If no constraint → type alias

Subtype Example

- Enumeration type with **range** constraint

```
type Days is (Sun, Mon, Tues, Wed, Thurs, Fri, Sat);  
subtype Weekdays is Days range Mon .. Fri;  
Workday : Weekdays; -- type Days limited to Mon .. Fri
```

- Equivalent to **anonymous** subtype

```
Same_As_Workday : Days range Mon .. Fri;
```

Kinds of Constraints

- Range constraints on discrete types

```
subtype Positive is Integer range 1 .. Integer'Last;  
subtype Natural is Integer range 0 .. Integer'Last;  
subtype Weekdays is Days range Mon .. Fri;  
subtype Symmetric_Distribution is  
    Float range -1.0 .. +1.0;
```

- Other kinds, discussed later

Effects of Constraints

- Constraints only on values

```
type Days is (Mon, Tue, Wed, Thu, Fri, Sat, Sun);  
subtype Weekdays is Days range Mon .. Fri;  
subtype Weekend is Days range Sat .. Sun;
```

- Functionalities are **kept**

```
subtype Positive is Integer range 1 .. Integer'Last;  
P : Positive;  
X : Integer := P; -- X and P are the same type
```

Assignment Respects Constraints

- RHS values must satisfy type constraints
- `Constraint_Error` otherwise

```
Q : Integer := some_value;  
P : Positive := Q; -- runtime error if Q <= 0  
N : Natural  := Q; -- runtime error if Q < 0  
J : Integer  := P; -- always legal  
K : Integer  := N; -- always legal
```

Range Constraint Examples

```
subtype Proper_Subset is Positive range 1 .. 10;
subtype Same_Constraints is Positive
    range 1 .. Integer'Last;
subtype Letter is Character range 'A' .. 'z';
subtype Upper_Case is Letter range 'A' .. 'Z';
subtype Lower_Case is Letter range 'a' .. 'z';
subtype Null_Range is Integer
    range 1 .. 0;  -- silly when hard-coded...
-- evaluated when subtype defined, not when object declared
subtype Dynamic is Integer range Lower .. Upper;
```

Quiz

```
type Enum_T is (Sat, Sun, Mon, Tue, Wed, Thu, Fri);  
subtype Enum_Sub_T is Enum_T range Mon .. Fri;
```

Which subtype definition is valid?

- ☐ A. `subtype A is Enum_Sub_T range Enum_Sub_T'Pred
 (Enum_Sub_T'First) .. Enum_Sub_T'Last;`
- ☐ B. `subtype B is range Sat .. Mon;`
- ☐ C. `subtype C is Integer;`
- ☐ D. `subtype D is digits 6;`

Quiz

```
type Enum_T is (Sat, Sun, Mon, Tue, Wed, Thu, Fri);  
subtype Enum_Sub_T is Enum_T range Mon .. Fri;
```

Which subtype definition is valid?

- A. `subtype A is Enum_Sub_T range Enum_Sub_T'Pred
 (Enum_Sub_T'First) .. Enum_Sub_T'Last;`
- B. `subtype B is range Sat .. Mon;`
- C. `subtype C is Integer;`
- D. `subtype D is digits 6;`

Explanations

- A. This generates a run-time error because the first enumeral specified is not in the range of `Enum_Sub_T`
- B. Compile error - no type specified
- C. Correct - standalone subtype
- D. `Digits 6` is used for a type definition, not a subtype

Lab

Basic Types Lab

- Create types to handle the following concepts
 - Determining average test score
 - Number of tests taken
 - Total of all test scores
 - Number of degrees in a circle
 - Collection of colors
- Create objects for the types you've created
 - Assign initial values to the objects
 - Print the values of the objects
- Modify the objects you've created and print the new values
 - Determine the average score for all the tests
 - Add 359 degrees to the initial circle value
 - Set the color object to the value right before the last possible value

Basic Types Lab Hints

- Understand the properties of the types
 - Do you need fractions or just whole numbers?
 - What happens when you want the number to wrap?
- Predefined package **Ada.Text_IO** is handy...
 - Procedure **Put_Line** takes a **String** as the parameter
- Remember attribute **'Image** returns a **String**

```
<typemark>'Image ( Object )  
Object'Image
```

Basic Types Lab Solution - Declarations

```
with Ada.Text_IO; use Ada.Text_IO;
procedure Main is

    type Number_Of_Tests_T is range 0 .. 100;
    type Test_Score_Total_T is digits 6 range 0.0 .. 10_000.0;

    type Degrees_T is mod 360;

    type Cymk_T is (Cyan, Magenta, Yellow, Black);

    Number_Of_Tests    : Number_Of_Tests_T;
    Test_Score_Total   : Test_Score_Total_T;

    Angle : Degrees_T;

    Color : Cymk_T;
```

Basic Types Lab Solution - Implementation

```
begin
```

```
  -- assignment
```

```
  Number_Of_Tests := 15;
```

```
  Test_Score_Total := 1_234.5;
```

```
  Angle := 180;
```

```
  Color := Magenta;
```

```
  Put_Line (Number_Of_Tests'Image);
```

```
  Put_Line (Test_Score_Total'Image);
```

```
  Put_Line (Angle'Image);
```

```
  Put_Line (Color'Image);
```

```
  -- operations / attributes
```

```
  Test_Score_Total := Test_Score_Total / Test_Score_Total_T (Number_Of_Tests);
```

```
  Angle := Angle + 359;
```

```
  Color := Cymk_T'Pred (Cymk_T'Last);
```

```
  Put_Line (Test_Score_Total'Image);
```

```
  Put_Line (Angle'Image);
```

```
  Put_Line (Color'Image);
```

```
end Main;
```

Basic Types Extra Credit

- See what happens when your data is invalid / illegal
 - Number of tests = 0
 - Assign a very large number to the test score total
 - Color type only has one value
 - Add a number larger than 360 to the circle value

Summary

Benefits of Strongly Typed Numerics

- **Prevent** subtle bugs
- Cannot mix Apples and Oranges
- Force to clarify **representation** needs
 - eg. constant with or with fractional part

```
type Yen is range 0 .. 1_000_000;  
type Ruble is range 0 .. 1_000_000;  
Mine : Yen := 1;  
Yours : Ruble := 1;  
Mine := Yours; -- illegal
```

User-Defined Numeric Type Benefits

- Close to **requirements**
 - Types with **explicit** requirements (range, precision, etc.)
 - Best case: Incorrect state **not possible**
- Either implemented/respected or rejected
 - No run-time (bad) surprise
- **Portability** enhanced
 - Reduced hardware dependencies

Summary

- User-defined types and strong typing is **good**
 - Programs written in application's terms
 - Computer in charge of checking constraints
 - Security, reliability requirements have a price
 - Performance **identical**, given **same requirements**
- User definitions from existing types *can* be good
- Right **trade-off** depends on **use-case**
 - More types → more precision → less bugs
 - Storing **both** feet and meters in **Float** has caused bugs
 - More types → more complexity → more bugs
 - A `Green_Round_Object_Altitude` type is probably **never needed**
- Default initialization is **possible**
 - Use **sparingly**

Statements

Introduction

Statement Kinds

```
simple_statement ::=  
    null | assignment | exit |  
    goto | delay | raise |  
    procedure_call | return |  
    requeue | entry_call |  
    abort | code
```

```
compound_statement ::=  
    if | case | loop |  
    block | accept | select
```

Procedure Calls (Overview)

- Procedure calls are statements as shown here
- More details in "Subprograms" section

```
procedure Activate ( This : in out Foo; Wait : in Boolean);
```

- Traditional call notation

```
Activate (Idle, True);
```

- "Distinguished Receiver" notation
 - For tagged types

```
Idle.Activate (True);
```

Parameter Associations In Calls

- Traditional *positional association* is allowed
 - Nth actual parameter goes to nth formal parameter

Activate (Idle, True); -- *positional*

- *Named association* also allowed
 - Name of formal parameter is explicit

Activate (This => Idle, Wait => True); -- *named*

- Both can be used together

Activate (Idle, Wait => True); -- *named then positional*

- But positional following named is a compile error

Activate (This => Idle, True); -- *ERROR*

Block Statements

Block Statements

- Local **scope**
- Optional declarative part
- Used for
 - Temporary declarations
 - Declarations as part of statement sequence
 - Local catching of exceptions
- Syntax

```
[block-name :]  
[declare <declarative part> ]  
begin  
    <statements>  
end [block-name];
```


Block Statements Example

```
begin
  Get (V);
  Get (U);
  if U > V then -- swap them
    Swap: declare
      Temp : Integer;
    begin
      Temp := U;
      U := V;
      V := Temp;
    end Swap;
    -- Temp does not exist here
  end if;
  Print (U);
  Print (V);
end;
```

Null Statements

Null Statements

- Explicit no-op statement
- Constructs with required statement
- Explicit statements help compiler
 - Oversights
 - Editing accidents

```
case Today is
  when Monday .. Thursday =>
    Work (9.0);
  when Friday =>
    Work (4.0);
  when Saturday .. Sunday =>
    null;
end case;
```

Assignment Statements

Examples

```
with Ada.Text_IO; use Ada.Text_IO;
procedure Assignment_Statements is

    Max_Miles : constant Integer := 20;

    type Feet_T is range 0 .. Max_Miles * 5_280;
    type Miles_T is range 0 .. Max_Miles;

    Feet : constant Feet_T := Feet_T (Line) * 1_000;
    Miles : Miles_T         := 0;

    Index1, Index2 : Miles_T range 1 .. 20;

begin

    -- Miles := Feet / 5_280; -- compile error

    -- Max_Miles := Max_Miles + 1; -- compile error

    Index1 := Miles_T (Max_Miles); -- constraint checking added
    Index2 := Index1;             -- no constraint checking needed

    Put_Line ("Index1 = " & Index1'Image);
    Put_Line ("Index2 = " & Index2'Image);

    Index1 := 0; -- run-time error
    Put_Line ("Index1 = " & Index1'Image);

end Assignment_Statements;
```

Assignment Statements

- Syntax

`<variable> := <expression>;`

- Value of expression is copied to target variable
- The type of the RHS must be same as the LHS
 - Rejected at compile-time otherwise

```
type Miles_T is range 0 .. Max_Miles;  
type Km_T is range 0 .. Max_Kilometers
```

```
...
```

```
M : Miles_T := 2; -- universal integer legal for any integer
```

```
K : Km_T := 2; -- universal integer legal for any integer
```

```
M := K; -- compile error
```

Assignment Statements, Not Expressions

- Separate from expressions
 - No Ada equivalent for these:

```
int a = b = c = 1;  
while (line = readline(file))  
    { ...do something with line... }
```

- No assignment in conditionals
 - E.g. `if (a == 1)` compared to `if (a = 1)`

Assignable Views

- A **view** controls the way an entity can be treated
 - At different points in the program text
- The named entity must be an assignable variable
 - Thus the view of the target object must allow assignment
- Various un-assignable views
 - Constants
 - Variables of **limited** types
 - Formal parameters of mode **in**

```
Max : constant Integer := 100;
```

```
...
```

```
Max := 200; -- illegal
```


Target Variable Constraint Violations

- Prevent update to target value
 - Target is not changed at all
- May compile but will raise error at runtime
 - Predefined exception `Constraint_Error` is raised
- May be detected by compiler
 - Static value
 - Value is outside base range of type

```
Max : Integer range 1 .. 100 := 100;
```

```
...
```

```
Max := 0; -- run-time error
```

Implicit Range Constraint Checking

- The following code

```
procedure Demo is
  K : Integer;
  P : Integer range 0 .. 100;
begin
  ...
  P := K;
  ...
end Demo;
```

- Generates assignment checks similar to

```
if K < 0 or K > 100 then
  raise Constraint_Error;
else
  P := K;
end if;
```

- Run-time performance impact

Not All Assignments Are Checked

- Compilers assume variables of a subtype have appropriate values
- No check generated in this code

```
procedure Demo is
  P, K : Integer range 0 .. 100;
begin
  ...
  P := K;
  ...
end Demo;
```

Quiz

```
type One_T is range 0 .. 100;  
type Two_T is range 0 .. 100;  
A : constant := 100;  
B : constant One_T := 99;  
C : constant Two_T := 98;  
X : One_T := 0;  
Y : Two_T := 0;
```

Which block is illegal?

- A.** X := A;
Y := A;
- B.** X := B;
Y := C;
- C.** X := One_T(X + C);
- D.** X := One_T(Y);
Y := Two_T(X);

Quiz

```
type One_T is range 0 .. 100;  
type Two_T is range 0 .. 100;  
A : constant := 100;  
B : constant One_T := 99;  
C : constant Two_T := 98;  
X : One_T := 0;  
Y : Two_T := 0;
```

Which block is illegal?

- A.** X := A;
Y := A;
- B.** X := B;
Y := C;
- C.** X := One_T(X + C);
- D.** X := One_T(Y);
Y := Two_T(X);

Explanations

- A.** Legal - A is an untyped constant
- B.** Legal - B, C are correctly typed
- C.** Illegal - C must be cast by itself
- D.** Legal - Values are typecast appropriately

Conditional Statements

Examples

```
with Ada.Text_IO; use Ada.Text_IO;
procedure Conditional_Statements is
  type Light_T is (Red, Yellow, Green);
  A, B : Integer      := Integer (Line);
  Speed : Integer;
  Light : constant Light_T := Light_T'Val (Line);

begin
  if Light = Red then
    Speed := 0;
  elsif Light = Green then
    Speed := 25;
  else
    Speed := 50;
  end if;

  case Light is
    when Red => Speed := 0;
    when Green => Speed := 25;
    when Yellow => Speed := 50;
  end case;

  case A is
    when 1 .. 100 => B := A;
    when -100 .. -1 => B := -A;
    when others => A := B;
  end case;

  Put_Line ("Speed = " & Speed'Image);
  Put_Line ("Light = " & Light'Image);

end Conditional_Statements;
```

If-then-else Statements

- Control flow using Boolean expressions
- Syntax

```
if <boolean expression> then -- No parentheses  
    <statements>;  
[else  
    <statements>;]  
end if;
```

- At least one statement must be supplied
 - `null` for explicit no-op

If-then-elsif Statements

- Sequential choice with alternatives
- Avoids **if** nesting
- **elsif** alternatives, tested in textual order
- **else** part still optional

```
1  if Valve(N) /= Closed then
2      Isolate (Valve(N));
3      Failure (Valve (N));
4  else
5      if System = Off then
6          Failure (Valve (N));
7      end if;
8  end if;
```

```
1  if Valve(N) /= Closed then
2      Isolate (Valve(N));
3      Failure (Valve (N));
4  elsif System = Off then
5      Failure (Valve (N));
6  end if;
```

Case Statements

- Exclusionary choice among alternatives
- Syntax

```
case <expression> is
  when <choice> => <statements>;
  { when <choice> => <statements>; }
end case;

choice ::= <expression> | <discrete range>
         | others { "|" <other choice> }
```

Simple case Statements

```
type Directions is (Forward, Backward, Left, Right);  
Direction : Directions;  
...  
case Direction is  
  when Forward => Go_Forward (1);  
  when Backward => Go_Backward (1);  
  when Left => Go_Left (1);  
  when Right => Go_Right (1);  
end case;
```

- *Note:* No fall-through between cases

Case Statement Rules

- More constrained than a if-elsif structure
- **All** possible values must be covered
 - Explicitly
 - ... or with **others** keyword
- Choice values cannot be given more than once (exclusive)
 - Must be known at **compile** time

Others Choice

- Choice by default
 - "everything not specified so far"
- Must be in last position

```
case Today is    -- work schedule
  when Monday =>
    Go_To (Work, Arrive=>Late, Leave=>Early);
  when Tuesday | Wednesday | Thursday => -- Several choices
    Go_To (Work, Arrive=>Early, Leave=>Late);
  when Friday =>
    Go_To (Work, Arrive=>Early, Leave=>Early);
  when others => -- weekend
    Go_To (Home, Arrive=>Day_Before, Leave=>Day_After);
end case;
```

Case Statements Range Alternatives

```
case Altitude_Ft is
  when 0 .. 9 =>
    Set_Flight_Indicator (Ground);
  when 10 .. 40_000 =>
    Set_Flight_Indicator (In_The_Air);
  when others => -- Large altitude
    Set_Flight_Indicator (Too_High);
end case;
```

Dangers of *Others* Case Alternative

- Maintenance issue: new value requiring a new alternative?
 - Compiler won't warn: **others** hides it

```
type Agencies_T is (NASA, ESA, RFSA); -- could easily grow
Bureau : Agencies_T;
...
case Bureau is
  when ESA =>
    Set_Region (Europe);
  when NASA =>
    Set_Region (America);
  when others =>
    Set_Region (Russia); -- New agencies will be Russian!
end case;
```

Quiz

```
A : integer := 100;
```

```
B : integer := 200;
```

Which choice needs to be modified to make a valid `if` block

☐ A. `if A == B and then A != 0 then`

```
    A := Integer'First;
```

```
    B := Integer'Last;
```

☐ B. `elsif A < B then`

```
    A := B + 1;
```

☐ C. `elsif A > B then`

```
    B := A - 1;
```

☐ D. `end if;`

Quiz

```
A : integer := 100;
```

```
B : integer := 200;
```

Which choice needs to be modified to make a valid `if` block

☐ A. `if A == B and then A != 0 then`

```
    A := Integer'First;
```

```
    B := Integer'Last;
```

☐ B. `elsif A < B then`

```
    A := B + 1;
```

☐ C. `elsif A > B then`

```
    B := A - 1;
```

☐ D. `end if;`

Explanations

- A uses the C-style equality/inequality operators
- D is legal because `else` is not required

Quiz

```
type Enum_T is (Sun, Mon, Tue, Wed, Thu, Fri, Sat);  
A : Enum_T;
```

Which choice needs to be modified to make a valid **case** block

case A **is**

- A. when Sun =>
 Put_Line ("Day Off");
- B. when Mon | Fri =>
 Put_Line ("Short Day");
- C. when Tue .. Thu =>
 Put_Line ("Long Day");
- D. end case;

Quiz

```
type Enum_T is (Sun, Mon, Tue, Wed, Thu, Fri, Sat);  
A : Enum_T;
```

Which choice needs to be modified to make a valid **case** block

case A **is**

- A. when Sun =>
 Put_Line ("Day Off");
- B. when Mon | Fri =>
 Put_Line ("Short Day");
- C. when Tue .. Thu =>
 Put_Line ("Long Day");
- D. **end case;**

Explanations

- Ada requires all possibilities to be covered
- Add **when others** or **when Sat**

Loop Statements

Examples

```
with Ada.Text_IO; use Ada.Text_IO;
procedure Loop_Statements is
  File      : File_Type;
  Counter   : Integer := 0;
  type Light_T is (Red, Yellow, Green);
begin
  loop
    if not Is_Open (File) then
      exit;
    end if;
    Counter := Counter + 1;
    exit when Is_Open (File);
  end loop;

  while Is_Open (File) loop
    Counter := Counter - 1;
  end loop;

  for Light in Light_T loop
    Put_Line (Light_T'Image (Light));
  end loop;

  for Counter in reverse 1 .. 10 loop
    Put_Line (Integer'Image (Counter));
    exit when Is_Open (File);
  end loop;
end Loop_Statements;
```

Basic Loops and Syntax

- All kind of loops can be expressed

- Optional iteration controls
- Optional exit statements

- Syntax

```
[<name> :] [iteration_scheme] loop  
    <statements>  
end loop [<name>];
```

```
iteration_scheme ::= while <boolean expression>  
                  | for <loop_parameter_specification>  
                  | for <loop_iterator_specification>
```

- Example

```
Wash_Hair : loop  
    Lather (Hair);  
    Rinse (Hair);  
end loop Wash_Hair;
```

Loop Exit Statements

- Leaves innermost loop
 - Unless loop name is specified
- Syntax

```
exit [<loop name>] [when <boolean expression>];
```

- `exit when` exits with condition

```
loop
...
-- If it's time to go then exit
exit when Time_to_Go;
...
end loop;
```

Exit Statement Examples

- Equivalent to C's `do while`

```
loop
  Do_Something;
  exit when Finished;
end loop;
```

- Nested named loops and exit

```
Outer : loop
  Do_Something;
  Inner : loop
    ...
    exit Outer when Finished; -- will exit all the way out
    ...
  end loop Inner;
end loop Outer;
```


While-loop Statements

■ Syntax

```
while boolean_expression loop
    sequence_of_statements
end loop;
```

■ Identical to

```
loop
    exit when not boolean_expression;
    sequence_of_statements
end loop;
```

■ Example

```
while Count < Largest loop
    Count := Count + 2;
    Display (Count);
end loop;
```

For-loop Statements

- One low-level form
 - General-purpose (looping, array indexing, etc.)
 - Explicitly specified sequences of values
 - Precise control over sequence
- Two high-level forms
 - Ada 2012
 - Focused on objects
 - Seen later with Arrays

For in Statements

- Successive values of a **discrete** type

- eg. enumerations values

- Syntax

```
for name in [reverse] discrete_subtype_definition loop
...
end loop;
```

- Example

```
for Day in Days_T loop
    Refresh_Planning (Day);
end loop;
```

Variable and Sequence of Values

- Variable declared implicitly by loop statement
 - Has a view as constant
 - No assignment or update possible
- Initialized as 'First, incremented as 'Succ
- Syntactic sugar: several forms allowed

-- All values of a type or subtype

```
for Day in Days_T loop
```

```
for Day in Days_T range Mon .. Fri -- anonymous subtype
```

-- Constant and variable range

```
for Day in Mon .. Fri loop
```

```
Today, Tomorrow : Days_T;
```

```
...
```

```
for Day in Today .. Tomorrow loop
```

Low-Level For-loop Parameter Type

- The type can be implicit
 - As long as it is clear for the compiler
 - Warning: same name can belong to several enums

```
-- Error if Red and Green in Color_T and Stoplight_T  
for Color in Red .. Green loop
```

- Type **Integer** by default
 - Each bound must be a **universal_integer**

Null Ranges

- **Null range** when lower bound $>$ upper bound
 - `1 .. 0, Fri .. Mon`
 - Literals and variables can specify null ranges
- No iteration at all (not even one)
- Shortcut for upper bound validation

```
-- Null range: loop not entered  
for Today in Fri .. Mon loop
```

Reversing Low-Level Iteration Direction

- Keyword **reverse** reverses iteration values
 - Range must still be ascending
 - Null range still cause no iteration

```
for This_Day in reverse Mon .. Fri loop
```

For-Loop Parameter Visibility

- Scope rules don't change
- Inner objects can hide outer objects

```
Block: declare
```

```
  Counter : Float := 0.0;
```

```
begin
```

```
  -- For_Loop.Counter hides Block.Counter
```

```
  For_Loop : for Counter in Integer range A .. B loop
```

```
    ...
```

```
  end loop;
```

```
end;
```


Referencing Hidden Names

- Must copy for-loop parameter to some other object if needed after the loop exits
- Use dot notation with outer scope name when hiding occurs

Foo:

declare

Counter : Float := 0.0;

begin

...

for Counter **in** Integer range 1 .. Number_Read **loop**

-- set declared "Counter" to loop counter

Foo.Counter := Float (Counter);

...

end loop;

...

end Foo;

Iterations Exit Statements

- Early loop exit

- Syntax

```
exit [<loop_name>] [when <condition>]
```

- No name: Loop exited **entirely**

- Not only current iteration

```
for K in 1 .. 1000 loop  
    exit when K > F(K);  
end loop;
```

- With name: Specified loop exited

```
for J in 1 .. 1000 loop  
    Inner: for K in 1 .. 1000 loop  
        exit Inner when K > F(K);  
    end loop;  
end loop;
```

For-Loop with Exit Statement Example

```
-- find position of Key within Table
Found := False;
-- iterate over Table
Search : for Index in Table'Range loop
    if Table(Index) = Key then
        Found := True;
        Position := Index;
        exit Search;
    elsif Table(Index) > Key then
        -- no point in continuing
        exit Search;
    end if;
end loop Search;
```

Quiz

A, B : Integer := 123;

Which loop block is illegal?

A for A in 1 .. 10 loop
 A := A + 1;
end loop;

B for B in 1 .. 10 loop
 Put_Line (Integer'Image (B));
end loop;

C for C in reverse 1 .. 10 loop
 Put_Line (Integer'Image (C));
end loop;

D for D in 10 .. 1 loop
 Put_Line (Integer'Image (D));
end loop;

Quiz

A, B : Integer := 123;

Which loop block is illegal?

A `for A in 1 .. 10 loop
 A := A + 1;
end loop;`

B `for B in 1 .. 10 loop
 Put_Line (Integer'Image (B));
end loop;`

C `for C in reverse 1 .. 10 loop
 Put_Line (Integer'Image (C));
end loop;`

D `for D in 10 .. 1 loop
 Put_Line (Integer'Image (D));
end loop;`

Explanations

- A** Cannot assign to a loop parameter
- B** Legal - 10 iterations
- C** Legal - 10 iterations
- D** Legal - 0 iterations

GOTO Statements

GOTO Statements

■ Syntax

```
goto_statement ::= goto label;  
label ::= << identifier >>
```

■ Rationale

- Historic usage
- Arguably cleaner for some situations

■ Restrictions

- Based on common sense
- Example: cannot jump into a **case** statement

GOTO Use

- Mostly discouraged
- May simplify control flow
- For example in-loop **continue** construct

```
loop
  -- lots of code
  ...
  goto continue;
  -- lots more code
  ...
  <<continue>>
end loop;
```

- As always maintainability beats hard set rules

Lab

Statements Lab

■ Requirements

- Create a simple algorithm to count number of hours worked in a week
 - Use **Ada.Text_IO.Get_Line** to ask user for hours worked on each day
 - Any hours over 8 gets counted as 1.5 times number of hours (e.g. 10 hours worked will get counted as 11 hours towards total)
 - Saturday hours get counted at 1.5 times number of hours
 - Sunday hours get counted at 2 times number of hours
- Print total number of hours "worked"

■ Hints

- Use **for** loop to iterate over days of week
- Use **if** statement to determine overtime hours
- Use **case** statement to determine weekend bonus

Statements Lab Extra Credit

- Use an inner loop when getting hours worked to check validity
 - Less than 0 should exit outer loop
 - More than 24 should not be allowed

Statements Lab Solution

```
with Ada.Text_IO; use Ada.Text_IO;
procedure Main is
  type Days_Of_Week_T is
    (Sunday, Monday, Tuesday, Wednesday, Thursday, Friday, Saturday);
  type Hours_Worked is digits 6;

  Total_Worked : Hours_Worked := 0.0;
  Hours_Today  : Hours_Worked;
  Overtime     : Hours_Worked;
begin
  Day_Loop :
  for Day in Days_Of_Week_T loop
    Put_Line (Day'Image);
    Input_Loop :
    loop
      Hours_Today := Hours_Worked'Value (Get_Line);
      exit Day_Loop when Hours_Today < 0.0;
      if Hours_Today > 24.0 then
        Put_Line ("I don't believe you");
      else
        exit Input_Loop;
      end if;
    end loop Input_Loop;
    if Hours_Today > 8.0 then
      Overtime := Hours_Today - 8.0;
      Hours_Today := Hours_Today + 0.5 * Overtime;
    end if;
    case Day is
      when Monday .. Friday => Total_Worked := Total_Worked + Hours_Today;
      when Saturday      => Total_Worked := Total_Worked + Hours_Today * 1.5;
      when Sunday        => Total_Worked := Total_Worked + Hours_Today * 2.0;
    end case;
  end loop Day_Loop;

  Put_Line (Total_Worked'Image);
end Main;
```

Summary

Summary

- Assignments must satisfy any constraints of LHS
 - Invalid assignments don't alter target
- Intent to do nothing must be explicitly specified
- Case statements alternatives don't fall through
- Any kind of loop can be expressed with building blocks

Array Types

Introduction

Introduction

- Traditional array concept supported to any dimension

declare

```
type Hours is digits 6;
```

```
type Days is (Mon, Tue, Wed, Thu, Fri, Sat, Sun);
```

```
type Schedule is array (Days) of Hours;
```

```
Workdays : Schedule;
```

begin

```
...
```

```
Workdays (Mon) := 8.5;
```

Terminology

- *Index type*
 - Specifies the values to be used to access the array components
- *Component type*
 - Specifies the type of values contained by objects of the array type
 - All components are of this same type

```
type Array_T is array (Index_T) of Component_T;
```

Array Type Index Constraints

- Must be of an integer or enumeration type
- May be dynamic
- Default to predefined **Integer**
 - Same rules as for-loop parameter default type
- Allowed to be null range
 - Defines an empty array
 - Meaningful when bounds are computed at run-time
- Can be applied on **type** or **subtype**

```
type Schedule is array (Days range Mon .. Fri) of Float;  
type Flags_T is array ( -10 .. 10 ) of Boolean;  
-- this may or may not be null range  
type Dynamic is array (1 .. N) of Integer;  
  
subtype Line is String (1 .. 80);  
subtype Translation is Matrix (1..3, 1..3);
```

Run-Time Index Checking

- Array indices are checked at run-time as needed
- Invalid index values result in `Constraint_Error`

```
procedure Test is
  type Int_Arr is array (1..10) of Integer;
  A : Int_Arr;
  K : Integer;
begin
  A := (others => 0);
  K := FOO;
  A (K) := 42; -- runtime error if Foo returns < 1 or > 10
  Put_Line (A(K)'Image);
end Test;
```

Kinds of Array Types

- **Constrained** Array Types
 - Bounds specified by type declaration
 - **All** objects of the type have the same bounds
- **Unconstrained** Array Types
 - Bounds not constrained by type declaration
 - Objects share the type, but not the bounds
 - More flexible

```
type Unconstrained is array (Positive range <>)
  of Integer;
```

```
U1 : Unconstrained (1 .. 10);
```

```
S1 : String (1 .. 50);
```

```
S2 : String (35 .. 95);
```

Constrained Array Types

Examples

```
package Constrained_Array_Types is

  type Array_Of_Integers_T is array (1 .. 10) of Integer;
  type Array_Of_Bits_T is
    array (Natural range 0 .. 31) of Boolean;

  type Color_T is (Red, Green, Blue);
  type Color_Range_T is mod 256;
  type Rgb_T is array (Color_T) of Color_Range_T;

  Ten_Integers : Array_Of_Integers_T;
  One_Word      : Array_Of_Bits_T;
  Color         : Rgb_T;

end Constrained_Array_Types;
```

Constrained Array Type Declarations

■ Syntax

```
constrained_array_definition ::=  
    array index_constraint of subtype_indication  
index_constraint ::= ( discrete_subtype_definition  
    {, discrete_subtype_indication} )  
discrete_subtype_definition ::=  
    discrete_subtype_indication | range  
subtype_indication ::= subtype_mark [constraint]  
range ::= range_attribute_reference |  
    simple_expression .. simple_expression
```

■ Examples

```
type Full_Week_T is array (Days) of Float;  
type Work_Week_T is array (Days range Mon .. Fri) of Float;  
type Weekdays is array (Mon .. Fri) of Float;  
type Workdays is array (Weekdays'Range) of Float;
```


Multiple-Dimensioned Array Types

- Declared with more than one index definition
 - Constrained array types
 - Unconstrained array types
- Components accessed by giving value for each index

```
type Three_Dimensioned is
  array (
    Boolean,
    12 .. 50,
    Character range 'a' .. 'z')
  of Integer;
TD : Three_Dimensioned;
...
begin
  TD (True, 42, 'b') := 42;
  TD (Flag, Count, Char) := 42;
```

Tic-Tac-Toe Winners Example

```

-- 9 positions on a board
type Move_Number is range 1 .. 9;
-- 8 ways to win
type Winning_Combinations is
    range 1 .. 8;
-- need 3 positions to win
type Required_Positions is
    range 1 .. 3;
Winning : constant array (
    Winning_Combinations,
    Required_Positions)
of Move_Number := (1 => (1,2,3),
                    2 => (1,4,7),
                    ...

```

1	X	2	X	3	X
4		5		6	
7		8		9	

1	X	2		3	
4	X	5		6	
7	X	8		9	

1	X	2		3	
4		5	X	6	
7		8		9	X

Quiz

```
type Array1_T is array ( 1 .. 8 ) of boolean;  
type Array2_T is array ( 0 .. 7 ) of boolean;  
X1, Y1 : Array1_T;  
X2, Y2 : Array2_T;
```

Which statement is not legal?

- A. X1(1) := Y1(1);
- B. X1 := Y1;
- C. X1(1) := X2(1);
- D. X2 := X1;

Quiz

```
type Array1_T is array ( 1 .. 8 ) of boolean;  
type Array2_T is array ( 0 .. 7 ) of boolean;  
X1, Y1 : Array1_T;  
X2, Y2 : Array2_T;
```

Which statement is not legal?

- A. X1(1) := Y1(1);
- B. X1 := Y1;
- C. X1(1) := X2(1);
- D. X2 := X1;

Explanations

- A. Legal - elements are Boolean
- B. Legal - object types match
- C. Legal - elements are Boolean
- D. Although the sizes are the same and the elements are the same, the type is different

Unconstrained Array Types

Examples

```
package Unconstrained_Array_Types is

    type Index_T is range 1 .. 100;
    type Vector_T is array (Index_T range <>) of Character;
    Wrong : Vector_T (0 .. 10); -- runtime error
    Right : Vector_T (11 .. 20);

    type Array_Of_Bits_T is array (Natural range <>) of Boolean;
    Bits8 : Array_Of_Bits_T (0 .. 7);
    Bits16 : Array_Of_Bits_T (1 .. 16);

    type Days_T is (Sun, Mon, Tues, Wed, Thu, Fri, Sat);
    type Schedule_T is array (Days_T range <>) of Float;
    Schedule : Schedule_T (Mon .. Fri);

    Name : String (1 .. 10);

    type Roman_Digit is ('I', 'V', 'X', 'L', 'C', 'D', 'M');
    type Roman_Number is array (Natural range <>) of Roman_Digit;
    Orwellian : constant Roman_Number := "MCMLXXXIV";

end Unconstrained_Array_Types;
```

Unconstrained Array Type Declarations

- Do not specify bounds for objects
- Thus different objects of the same type may have different bounds
- Bounds cannot change once set
- Syntax (with simplifications)

```
unconstrained_array_definition ::=  
    array ( index_subtype_definition  
            {, index_subtype_definition} )  
    of subtype_indication  
index_subtype_definition ::= subtype_mark range <>
```

- Examples

```
type Index is range 1 .. Integer'Last;  
type Char_Arr is array (Index range <>) of Character;
```

Supplying Index Constraints for Objects

- Bounds set by:
 - Object declaration
 - Constant's value
 - Variable's initial value
 - Further type definitions (shown later)
 - Actual parameter to subprogram (shown later)
- Once set, bounds never change

```
type Schedule is array (Days range <>) of Float;  
Work : Schedule (Mon .. Fri);  
All_Days : Schedule (Days);
```


Bounds Must Satisfy Type Constraints

- Must be somewhere in the range of possible values specified by the type declaration
- `Constraint_Error` otherwise

```
type Index is range 1 .. 100;
type Char_Arr is array (Index range <>) of Character;
...
Wrong : Char_Arr (0 .. 10);  -- runtime error
OK : Char_Arr (50 .. 75);
```

"String" Types

- Language-defined unconstrained array types
 - Allow double-quoted literals as well as aggregates
 - Always have a character component type
 - Always one-dimensional

- Language defines various types

- **String**, with **Character** as component

```
subtype Positive is Integer range 1 .. Integer'Last;  
type String is array (Positive range <>) of Character;
```

- **Wide_String**, with **Wide_Character** as component
 - **Wide_Wide_String**, with **Wide_Wide_Character** as component

- Can be defined by applications too

Application-Defined String Types

- Like language-defined string types
 - Always have a character component type
 - Always one-dimensional
- Recall character types are enumeration types with at least one character literal value

```
type Roman_Digit is ('I', 'V', 'X', 'L', 'C', 'D', 'M');  
type Roman_Number is array (Positive range <>)  
  of Roman_Digit;  
Orwellian : constant Roman_Number := "MCMLXXXIV";
```

Specifying Constraints via Initial Value

- Lower bound is `Index_subtype'First`
- Upper bound is taken from number of items in value

```
subtype Positive is Integer range 1 .. Integer'Last;  
type String is array (Positive range <>)  
  of Character;
```

...

```
M : String := "Hello World!";  
-- M'first is positive'first (1)
```

```
type Another_String is array (Integer range <>)  
  of Character;
```

...

```
M : Another_String := "Hello World!";  
-- M'first is integer'first
```

No Unconstrained Component Types

- Arrays: consecutive elements of the exact **same type**
- Component size must be **defined**
 - No unconstrained types
 - Constrained subtypes allowed

```
type Good is array (1 .. 10) of String (1 .. 20); -- OK
type Bad is array (1 .. 10) of String; -- Illegal
```

Arrays of Arrays

- Allowed (of course!)
 - As long as the "component" array type is constrained
- Indexed using multiple parenthesized values
 - One per array

declare

type Array_of_10 **is array** (1..10) **of** Integer;

type Array_of_Array **is array** (Boolean) **of** Array_of_10;

A : Array_of_Array;

begin

...

A (True)(3) := 42;

Quiz

```
type Array_T is array (Integer range <>) of Integer;  
subtype Array1_T is Array_T (1 .. 4);  
subtype Array2_T is Array_T (0 .. 3);  
X : Array_T := (1, 2, 3, 4);  
Y : Array1_T := (1, 2, 3, 4);  
Z : Array2_T := (1, 2, 3, 4);
```

Which statement is illegal?

- A. X (1) := Y (1);
- B. Y (1) := Z (1);
- C. Y := X;
- D. Z := X;

Quiz

```
type Array_T is array (Integer range <>) of Integer;  
subtype Array1_T is Array_T (1 .. 4);  
subtype Array2_T is Array_T (0 .. 3);  
X : Array_T := (1, 2, 3, 4);  
Y : Array1_T := (1, 2, 3, 4);  
Z : Array2_T := (1, 2, 3, 4);
```

Which statement is illegal?

- A. `X (1) := Y (1);`
- B. `Y (1) := Z (1);`
- C. `Y := X;`
- D. `Z := X;`

Explanations

- A. Array_T starts at Integer'First not 1
- B. OK, both in range
- C. OK, same type and size
- D. OK, same type and size

Quiz

```
type My_Array is array (Boolean range <>) of Boolean;
```

```
O : My_Array (False .. False) := (others => True);
```

What is the value of O (True)?

- ☐ A. False
- ☐ B. True
- ☐ C. None: Compilation error
- ☐ D. None: Runtime error

Quiz

```
type My_Array is array (Boolean range <>) of Boolean;
```

```
O : My_Array (False .. False) := (others => True);
```

What is the value of O (True)?

- ☐ A. False
- ☐ B. True
- ☐ C. None: Compilation error
- ☒ D. **None: Runtime error**

True is not a valid index for O.

NB: GNAT will emit a warning by default.

Quiz

```
type My_Array is array (Integer range <>) of Boolean;
```

```
O : My_Array (0 .. -1) := (others => True);
```

What is the value of O.Length?

- A. 1
- B. 0
- C. None: Compilation error
- D. None: Runtime error

Quiz

```
type My_Array is array (Integer range <>) of Boolean;
```

```
0 : My_Array (0 .. -1) := (others => True);
```

What is the value of 0'Length?

- A. 1
- B. 0
- C. None: Compilation error
- D. None: Runtime error

Valid index for empty array, and **others** initialization allowed for empty range.

Quiz

```
type I_0 is range 0 .. 0;
```

```
type My_Array is array (I_0 range <>) of Boolean;
```

How to declare an **empty** object of type My_Array ?

- ☐ A. 0 : My_Array (null);
- ☐ B. 0 : My_Array (I_0'First .. I_0'First);
- ☐ C. 0 : My_Array (I_0'First + 1 .. I_0'First);
- ☐ D. 0 : My_Array (I_0'Last .. I_0'First);

Quiz

```
type I_0 is range 0 .. 0;
```

```
type My_Array is array (I_0 range <>) of Boolean;
```

How to declare an **empty** object of type My_Array ?

- ☐ A. `0 : My_Array (null);`
- ☐ B. `0 : My_Array (I_0'First .. I_0'First);`
- ☐ C. `0 : My_Array (I_0'First + 1 .. I_0'First);`
- ☐ D. `0 : My_Array (I_0'Last .. I_0'First);`

For initializing empty arrays, index values out of the range are allowed.

NB: for enumerated index type, this may be impossible.

Attributes

Examples

```
procedure Attributes is

  type Array_Of_Bits_T is array (Natural range <>) of Boolean;
  Bits8 : Array_Of_Bits_T (0 .. 7);

  type Array_Of_Bitstrings_T is
    array (Natural range <>, Natural range <>) of Boolean;
  Bitstrings : Array_Of_Bitstrings_T (1 .. 10, 0 .. 16);

  Value : Natural;

begin

  Value := 0;
  for Index in Bits8'First .. Bits8'Last loop
    if Bits8 (Index) then
      Value := Value + 2**(Index - Bits8'First);
    end if;
  end loop;

  for String_Index in Bitstrings'Range (1) loop
    Value := 0;
    for Bit_Index in Bitstrings'Range (2) loop
      if Bitstrings (String_Index, Bit_Index) then
        Value := Value + 2**(Bit_Index - Bitstrings'First (2));
      end if;
    end loop;
  end loop;

end Attributes;
```


Array Attributes

- Return info about array index bounds
 - `O'Length` number of array components
 - `O'First` value of lower index bound
 - `O'Last` value of upper index bound
 - `O'Range` another way of saying `T'First .. T'Last`
- Meaningfully applied to constrained array types
 - Only constrained array types provide index bounds
 - Returns index info specified by the type (hence all such objects)
- Meaningfully applied to array objects
 - Returns index info for the object
 - Especially useful for objects of unconstrained array types

Attributes' Benefits

- Allow code to be more robust
 - Relationships are explicit
 - Changes are localized
- Optimizer can identify redundant checks

```
declare
```

```
  type Int_Arr is array (5 .. 15) of Integer;
```

```
  L : Int_Arr;
```

```
  Int_Arr_Index : Integer range Int_Arr'Range := Int_Arr'First;
```

```
  Count : Integer range 0 .. Int_Arr'Length := 0;
```

```
begin
```

```
  ...
```

```
  for K in L'Range loop
```

```
    L (K) := K * 2;
```

```
  end loop;
```

Nth Dimension Array Attributes

- Attribute with **parameter**

T'Length (n)

T'First (n)

T'Last (n)

T'Range (n)

- n is the dimension

- defaults to 1

```
type Two_Dimensioned is array
```

```
  (1 .. 10, 12 .. 50) of T;
```

```
TD : Two_Dimensioned;
```

- TD'First (2) = 12

- TD'Last (2) = 50

- TD'Length (2) = 39

- TD'First = TD'First (1) = 1

Quiz

```
subtype Index1_T is Integer range 0 .. 7;  
subtype Index2_T is Integer range 1 .. 8;  
type Array_T is array (Index1_T, Index2_T) of Integer;  
X : Array_T;
```

Which comparison is False?

- ☐ A. $X'Last(2) = Index2_T'Last$
- ☐ B. $X'Last(1) * X'Last(2) = X'Length(1) * X'Length(2)$
- ☐ C. $X'Length(1) = X'Length(2)$
- ☐ D. $X'Last(1) = 7$

Quiz

```
subtype Index1_T is Integer range 0 .. 7;  
subtype Index2_T is Integer range 1 .. 8;  
type Array_T is array (Index1_T, Index2_T) of Integer;  
X : Array_T;
```

Which comparison is False?

- A. $X'Last(2) = Index2_T'Last$
- B. $X'Last(1)*X'Last(2) = X'Length(1)*X'Length(2)$
- C. $X'Length(1) = X'Length(2)$
- D. $X'Last(1) = 7$

Explanations

- A. $8 = 8$
- B. $7*8 \neq 8*8$
- C. $8 = 8$
- D. $7 = 7$

Operations

Examples

```
with Ada.Text_IO; use Ada.Text_IO;
procedure Operations is

  type Boolean_Array_T is array (0 .. 15) of Boolean;
  Bool1, Bool2, Bool3 : Boolean_Array_T;

  type Integer_Array_T is array (1 .. 100) of Integer;
  Int1, Int2 : Integer_Array_T;

  Str1 : String (1 .. 10) := (others => 'X');
  Str2 : String (2 .. 9)  := (others => '-');

  Flag : Boolean;

begin

  Bool3 := Bool1 or Bool2;
  Flag  := Int1 > Int2;
  Put_Line (Flag'Image);

  declare
    Str3 : String := Str1 & Str2;
  begin
    Str3
      (Str3'First .. Str3'First + 1) := "**";
    Str3 (1 .. 4)                    := Str1 (1 .. 2) & Str2 (8 .. 9);
    Put_Line (Str3);
  end;

  if Int1 (1) in Bool3'Range then
    Bool3 (Int1 (1)) := Int1 (1) > Int2 (1);
    Put_Line (Boolean'Image (Bool3 (Int1 (1))));
  end if;

end Operations;
```

https://ada.education.com/learning_examples/ada95/ada95_000_array_types.html#operations

Object-Level Operations

- Assignment of array objects

`A := B;`

- Equality and inequality

`if A = B then`

- Conversions

`C := Foo (B);`

- Component types must be the same type
- Index types must be the same or convertible
- Dimensionality must be the same
- Bounds must be compatible (not necessarily equal)

Extra Object-Level Operations

- *Only for 1-dimensional arrays!*

- Concatenation

```
type String_Type is array
  (Integer range <>) of Character;
A : constant String_Type := "foo";
B : constant String_Type := "bar";
C : constant String_Type := A & B;
-- C now contains "foobar"
```

- Relational (for discrete component types)
- Logical (for Boolean component type)
- Slicing

- Portion of array

Examples

```
with Ada.Text_IO; use Ada.Text_IO;
procedure Slices is
  procedure Explicit_Indices is
    Full_Name : String (1 .. 20) := "Barney   Rubble   ";
  begin
    Put_Line (Full_Name);
    Full_Name (1 .. 10) := "Betty   ";
    Put_Line (Full_Name (1 .. 10)); -- first half of name
    Put_Line (Full_Name (11 .. 20)); -- second half of name
  end Explicit_Indices;

  procedure Subtype_Indices is
    subtype First_Name is Positive range 1 .. 10;
    subtype Last_Name is Positive range 11 .. 20;
    Full_Name : String (First_Name'First .. Last_Name'Last) :=
      "Fred       Flintstone";
  begin
    Put_Line (Full_Name);
    Full_Name (First_Name) := "Wilma   ";
    Put_Line (Full_Name (First_Name)); -- first half of name
    Put_Line (Full_Name (Last_Name)); -- second half of name
  end Subtype_Indices;
begin
  Explicit_Indices;
  Subtype_Indices;
end Slices;
```

Slicing

- Contiguous subsection of an array
- On any **one-dimensional** array type
 - Any component type

```
procedure Test is
```

```
  S1 : String (1 .. 9) := "Hi Adam!!";
```

```
  S2 : String := "We love      !";
```

```
begin
```

```
  S2 (9..11) := S1 (4..6);
```

```
  Put_Line (S2);
```

```
end Test;
```

Result: We love Ada!

Slicing With Explicit Indexes

- Imagine a requirement to have a name with two parts: first and last

declare

```
Full_Name : String (1 .. 20);
```

begin

```
Put_Line (Full_Name);
```

```
Put_Line (Full_Name (1..10));  -- first half of name
```

```
Put_Line (Full_Name (11..20)); -- second half of name
```

Slicing With Named Subtypes for Indexes

- Subtype name indicates the slice index range
 - Names for constraints, in this case index constraints
- Enhances readability and robustness

```
procedure Test is
  subtype First_Name is Positive range 1 .. 10;
  subtype Last_Name is Positive range 11 .. 20;
  Full_Name : String(First_Name'First..Last_Name'Last);
begin
  Put_Line(Full_Name(First_Name)); -- Full_Name(1..10)
  if Full_Name (Last_Name) = SomeString then ...
```

Dynamic Subtype Constraint Example

- Useful when constraints not known at compile-time
- Example: remove file name extension

```
File_Name  
  (File_Name'First  
  ..  
  Index (File_Name, '.', Direction => Backward));
```

Quiz

```
type Index_T is range 1 .. 10;  
type OneD_T is array (Index_T) of Boolean;  
type ThreeD_T is array (Index_T, Index_T, Index_T) of OneD_T;  
A : ThreeD_T;  
B : OneD_T;
```

Which statement is illegal?

- ☐ A. `B(1) := A(1,2,3)(1) or A(4,3,2)(1);`
- ☐ B. `B := A(2,3,4) and A(4,3,2);`
- ☐ C. `A(1,2,3..4) := A(2,3,4..5);`
- ☐ D. `B(3..4) := B(4..5)`

Quiz

```
type Index_T is range 1 .. 10;  
type OneD_T is array (Index_T) of Boolean;  
type ThreeD_T is array (Index_T, Index_T, Index_T) of OneD_T;  
A : ThreeD_T;  
B : OneD_T;
```

Which statement is illegal?

- ☐ A. `B(1) := A(1,2,3)(1) or A(4,3,2)(1);`
- ☐ B. `B := A(2,3,4) and A(4,3,2);`
- ☐ C. `A(1,2,3..4) := A(2,3,4..5);`
- ☐ D. `B(3..4) := B(4..5)`

Explanations

- ☐ A. All three objects are just boolean values
- ☐ B. An element of A is the same type as B
- ☐ C. No slicing of multi-dimensional arrays
- ☐ D. Slicing allowed on single-dimension arrays

Operations Added for Ada2012

Examples

```
with Ada.Text_IO; use Ada.Text_IO;
procedure Operations_Added_For_Ada2012 is

  type Integer_Array_T is array (1 .. 10) of Integer with
    Default_Component_Value => -1;
  Int_Array : Integer_Array_T;

  type Matrix_T is array (1 .. 3, 1 .. 3) of Integer with
    Default_Component_Value => -1;
  Matrix : Matrix_T;

begin

  for Index in Int_Array'First + 1 .. Int_Array'Last - 1 loop
    Int_Array (Index) := Index * 10;
  end loop;
  for Item of Int_Array loop
    Put_Line (Integer'Image (Item));
  end loop;

  for Index1 in Matrix_T'First (1) + 1 .. Matrix'Last (1) loop
    for Index2 in Matrix_T'First (2) + 1 .. Matrix'Last (2) loop
      Matrix (Index1, Index2) := Index1 * 100 + Index2;
    end loop;
  end loop;
  for Item of reverse Matrix loop
    Put_Line (Integer'Image (Item));
  end loop;

end Operations_Added_For_Ada2012;
```

Default Initialization for Array Types

Ada 2012

- Supports constrained and unconstrained array types
- Supports arrays of any dimensionality
 - No matter how many dimensions, there is only one component type
- Uses aspect **Default_Component_Value**

```
type Vector is array (Positive range <>) of Float
  with Default_Component_Value => 0.0;
```

Two High-Level For-Loop Kinds

Ada 2012

- For arrays and containers
 - Arrays of any type and form
 - Iterable containers
 - Those that define iteration (most do)
 - Not all containers are iterable (e.g., priority queues)!
- For iterator objects
 - Known as "generalized iterators"
 - Language-defined, e.g., most container data structures
- User-defined iterators too
- We focus on the arrays/containers form for now

Array/Container For-Loops

Ada 2012

- Work in terms of elements within an object
- Syntax hides indexing/iterator controls

```
for name of [reverse] array_or_container_object loop  
  ...  
end loop;
```

- Starts with "first" element unless you reverse it
- Loop parameter name is a constant if iterating over a constant, a variable otherwise

Array Component For-Loop Example

Ada 2012

- Given an array

```
Primes : constant array (1 .. 5) of Integer :=  
    (2, 3, 5, 7, 11);
```

- Component-based looping would look like

```
for P of Primes loop  
    Put_Line (Integer'Image (P));  
end loop;
```

- While index-based looping would look like

```
for P in Primes'range loop  
    Put_Line (Integer'Image (Primes(P)));  
end loop;
```

For-Loops with Multidimensional Arrays

Ada 2012

- Same syntax, regardless of number of dimensions
- As if a set of nested loops, one per dimension
 - Last dimension is in innermost loop, so changes fastest
- In low-level format looks like

```
for each row loop
  for each column loop
    print Identity (
      row, column)
  end loop
end loop
```

```
declare
  subtype Rows is Positive;
  subtype Columns is Positive;
  type Matrix is array
    (Rows range <>,
     Columns range <>) of Float;
  Identity : constant Matrix
    (1..3, 1..3) :=
    ((1.0, 0.0, 0.0),
     (0.0, 1.0, 0.0),
     (0.0, 0.0, 1.0));
begin
  for C of Identity loop
    Put_Line (Float'Image(C));
  end loop;
```

Quiz

```
declare
    type Array_T is array (1..3, 1..3) of Integer
        with Default_Component_Value => 1;
    A : Array_T;
begin
    for I in Index_T range 2 .. 3 loop
        for J in Index_T range 2 .. 3 loop
            A (I, J) := I * 10 + J;
        end loop;
    end loop;
    for I of reverse A loop
        Put (I'Image);
    end loop;
end;
```

Which output is correct?

- ☐ A 1 1 1 1 22 23 1 32 33
- ☐ B 33 32 1 23 22 1 1 1 1
- ☐ C 0 0 0 0 22 23 0 32 33
- ☐ D 33 32 0 23 22 0 0 0 0

NB: Without Default_Component_Value, init. values are random

Quiz

```
declare
    type Array_T is array (1..3, 1..3) of Integer
        with Default_Component_Value => 1;
    A : Array_T;
begin
    for I in Index_T range 2 .. 3 loop
        for J in Index_T range 2 .. 3 loop
            A (I, J) := I * 10 + J;
        end loop;
    end loop;
    for I of reverse A loop
        Put (I'Image);
    end loop;
end;
```

Which output is correct?

- ☐ A 1 1 1 1 22 23 1 32 33
- ☒ B 33 32 1 23 22 1 1 1 1
- ☐ C 0 0 0 0 22 23 0 32 33
- ☐ D 33 32 0 23 22 0 0 0 0

Explanations

- ☐ A There is a **reverse**
- ☐ B Yes
- ☐ C Default value is 1
- ☐ D No

NB: Without Default_Component_Value, init. values are random

Aggregates

Examples

```

procedure Aggregates is

    type Days_T is (Mon, Tue, Wed, Thu, Fri, Sat, Sun);
    type Working_T is array (Days_T) of Float;
    Week : Working_T := (others => 0.0);

    Start, Finish : Days_T;

    type Array_T is array (Days_T range <>) of Boolean;
    Vector : Array_T (Mon .. Start) := (others => False);

begin

    Week := (8.0, 8.0, 8.0, 8.0, 8.0, 0.0, 0.0);
    Week := (Sat => 0.0, Sun => 0.0, Mon .. Fri => 8.0);
    Week := (Sat | Sun => 0.0, Mon .. Fri => 8.0);
    -- Compile error
    -- Week := (8.0, 8.0, 8.0, 8.0, 8.0, Sat => 0.0, Sun => 0.0);

    if Week = (10.0, 10.0, 10.0, 10.0, 0.0, 0.0, 0.0) then
        null; -- four-day week
    end if;

    Week := (8.0, others => 0.0);
    Week := (8.0, others => <>); -- Ada2012: use previously set values

    -- Compile error
    -- Week := (Week'First .. Start => 0.0, Start .. Finish => 8.0,
    --         Finish .. Week'Last => 0.0);

end Aggregates;

```

Aggregates

- Literals for composite types

- Array types
- Record types

- Two distinct forms

- Positional
- Named

- Syntax (simplified):

```
component_expr ::=  
    expression -- Defined value  
    | <>      -- Default value
```

```
array_aggregate ::= (  
    {component_expr ,} -- Positional  
    | {discrete_choice_list => component_expr ,}) -- Named  
    -- Default "others" indices  
    [others => expression]
```

Aggregate "Positional" Form

- Specifies array component values explicitly
- Uses implicit ascending index values

```
type Days is (Mon, Tue, Wed, Thu, Fri, Sat, Sun);  
type Working is array (Days) of Boolean;  
Week : Working;  
...  
-- Saturday and Sunday are False, everything else true  
Week := (True, True, True, True, True, False, False);
```

Aggregate "Named" Form

- Explicitly specifies both index and corresponding component values
- Allows any order to be specified
- Ranges and choice lists are allowed (like case choices)

```
type Days is (Mon, Tue, Wed, Thu, Fri, Sat, Sun);
```

```
type Working is array (Days) of Boolean;
```

```
Week : Working;
```

```
...
```

```
Week := (Sat => False, Sun => False, Mon..Fri => True);
```

```
Week := (Sat | Sun => False, Mon..Fri => True);
```

Combined Aggregate Forms Not Allowed

- Some cases lead to ambiguity, therefore never allowed for array types
- Are only allowed for record types (shown in subsequent section)

```
type Days is (Mon, Tue, Wed, Thu, Fri, Sat, Sun);
type Working is array (Days) of Boolean;
Week : Working;
...
Week := (True, True, True, True, True, False, False);
Week := (Sat => False, Sun => False, Mon..Fri => True);
Week := (True, True, True, True, True,
         Sat => False, Sun => False); -- invalid
Week := (Sat | Sun => False, Mon..Fri => True);
```

Aggregates Are True Literal Values

- Used any place a value of the type may be used

```
type Schedule is array (Mon .. Fri) of Float;  
Work : Schedule;  
Normal : constant Schedule := (8.0, 8.0, 8.0, 8.0, 8.0);  
...  
Work := (8.5, 8.5, 8.5, 8.5, 6.0);  
...  
if Work = Normal then ...  
...  
if Work = (10.0, 10.0, 10.0, 10.0, 0.0) then -- 4-day week .
```


Aggregate Consistency Rules

- Must always be complete
 - They are literals, after all
 - Each component must be given a value
 - But defaults are possible (more in a moment)
- Must provide only one value per index position
 - Duplicates are detected at compile-time
- Compiler rejects incomplete or inconsistent aggregates

```
Week := (Sat => False,  
         Sun => False,  
         Mon .. Fri => True,  
         Wed => False);
```

"Others"

- Indicates all components not yet assigned a value
- All remaining components get this single value
- Similar to case statement's **others**
- Can be used to apply defaults too

```
type Schedule is array (Days) of Float;
```

```
Work : Schedule;
```

```
Normal : constant Schedule := (8.0, 8.0, 8.0, 8.0, 8.0,  
                                others => 0.0);
```

Nested Aggregates

- For multiple dimensions
- For arrays of composite component types

```
type Matrix is array (Positive range <>,
                      Positive range <>) of Float;
Mat_4x2 : Matrix (1..4, 1..2) := (1 => (2.5, 3.0),
                                   2 => (1.5, 0.0),
                                   3 => (2.1, 0.0),
                                   4 => (9.0, 0.0) );
```

Tic-Tac-Toe Winners Example

```
type Move_Number is range 1 .. 9;
-- 8 ways to win
type Winning_Combinations is range 1 .. 8;
-- need 3 places to win
type Required_Positions is range 1 .. 3;
Winning : constant array (Winning_Combinations,
                           Required_Positions) of
    Move_Number := ( -- rows
                      1 => (1, 2, 3),
                      2 => (4, 5, 6),
                      3 => (7, 8, 9),
                      -- columns
                      4 => (1, 4, 7),
                      5 => (2, 5, 8),
                      6 => (3, 6, 9),
                      -- diagonals
                      7 => (1, 5, 9),
                      8 => (3, 5, 7) );
```

Defaults Within Array Aggregates

Ada 2005

- Specified via the box notation
- Value for component is thus taken as for stand-alone object declaration
 - So there may or may not be a defined default!
- Can only be used with "named association" form
 - But **others** counts as named form

- Syntax

```
discrete_choice_list => <>
```

- Example

```
type Int_Arr is array (1 .. N) of Integer;  
Primes : Int_Arr := (1 => 2, 2 .. N => <>);
```

Named Format Aggregate Rules

- Bounds cannot overlap
 - Index values must be specified once and only once
- All bounds must be static
 - Avoids run-time cost to verify coverage of all index values
 - Except for single choice format

```
type Float_Arr is array (Integer range <>) of Float;  
Ages : Float_Arr (1 .. 10) := (1 .. 3 => X, 4 .. 10 => Y);  
-- illegal: 3 appears twice  
Overlap : Float_Arr (1 .. 10) := (1 .. 4 => X, 3 .. 10 => Y);  
N, M, K, L : Integer;  
-- illegal: cannot determine if  
-- every index covered at compile time  
Not_Static : Float_Arr (1 .. 10) := (M .. N => X, K .. L => Y);  
-- This is legal  
Values : Float_Arr (1 .. N) := (1 .. N => X);
```

Quiz

```
type Array_T is array (1 .. 5) of Integer;  
X : Array_T;  
J : Integer := X'First;
```

Which statement is correct?

- ☐ A. `X := (1, 2, 3, 4 => 4, 5 => 5);`
- ☐ B. `X := (1..3 => 100, 4..5 => -100, others => -1);`
- ☐ C. `X := (J => -1, J + 1..X'Last => 1);`
- ☐ D. `X := (1..3 => 100, 3..5 => 200);`

Quiz

```
type Array_T is array (1 .. 5) of Integer;  
X : Array_T;  
J : Integer := X'First;
```

Which statement is correct?

- ☐ A. `X := (1, 2, 3, 4 => 4, 5 => 5);`
- ☒ B. `X := (1..3 => 100, 4..5 => -100, others => -1);`
- ☐ C. `X := (J => -1, J + 1..X'Last => 1);`
- ☐ D. `X := (1..3 => 100, 3..5 => 200);`

Explanations

- ☐ A. Cannot mix positional and named notation
- ☒ B. Correct - others not needed but is allowed
- ☐ C. Dynamic values must be the only choice. (This could be fixed by making J a constant.)
- ☐ D. Overlapping index values (3 appears more than once)

Anonymous Array Types

Anonymous Array Types

- Array objects need not be of a named type

A : **array** (1 .. 3) **of** B;

- Without a type name, no object-level operations
 - Cannot be checked for type compatibility
 - Operations on components are still ok if compatible

declare

-- These are not same type!

A, B : **array** (Foo) **of** Bar;

begin

A := B; *-- illegal*

B := A; *-- illegal*

-- legal assignment of value

A(J) := B(K);

end;

Lab

Array Lab

■ Requirements

- Create an array type whose index is days of the week and each element is a number
- Create two objects of the array type, one of which is constant
- Perform the following operations
 - Copy the constant object to the non-constant object and
 - Print the contents of the non-constant object
 - Use an array aggregate to initialize the non-constant object
 - For each element of the array, print the array index and the value
 - Move part ("source") of the non-constant object to another part ("destination"), and then clear the source location
 - Print the contents of the non-constant object

■ Hints

- When you want to combine multiple strings (which are arrays!) use the concatenation operator (&)
- Slices are how you access part of an array
- Use aggregates (either named or positional) to initialize data

Multiple Dimensions

■ Requirements

- For each day of the week, you need an array of three strings containing names of workers for that day
- Two sets of workers: weekend and weekday, but the store is closed on Wednesday (no workers)
- Initialize the array and then print it hierarchically

Array Lab Solution - Declarations

```
with Ada.Text_IO; use Ada.Text_IO;  
procedure Main is
```

```
    type Days_Of_Week_T is  
        (Mon, Tue, Wed, Thu, Fri, Sat, Sun);  
    type Unconstrained_Array_T is  
        array (Days_Of_Week_T range <>) of Natural;
```

```
    Const_Arr : constant Unconstrained_Array_T := (1, 2, 3, 4, 5, 6, 7);  
    Array_Var : Unconstrained_Array_T (Days_Of_Week_T);
```

```
    type Name_T is array (1 .. 6) of Character;  
    Weekly_Staff : array (Days_Of_Week_T, 1 .. 3) of Name_T;
```

Array Lab Solution - Implementation

```
begin
  Array_Var := Const_Arr;
  for Item of Array_Var loop
    Put_Line (Item'Image);
  end loop;
  New_Line;

  Array_Var :=
    (Mon => 111, Tue => 222, Wed => 333, Thu => 444, Fri => 555, Sat => 666,
     Sun => 777);
  for Index in Array_Var'Range loop
    Put_Line (Index'Image & " => " & Array_Var (Index)'Image);
  end loop;
  New_Line;

  Array_Var (Mon .. Wed) := Const_Arr (Wed .. Fri);
  Array_Var (Wed .. Fri) := (others => Natural'First);
  for Item of Array_Var loop
    Put_Line (Item'Image);
  end loop;
  New_Line;

  Weekly_Staff := (Mon | Tue | Thu | Fri => ("Fred ", "Barney", "Wilma "),
                  Wed   => ("closed", "closed", "closed"),
                  others => ("Pinky ", "Inky  ", "Blinky"));

  for Day in Weekly_Staff'Range (1) loop
    Put_Line (Day'Image);
    for Staff in Weekly_Staff'Range (2) loop
      Put_Line (" " & String (Weekly_Staff (Day, Staff)));
    end loop;
  end loop;
end Main;
```

Summary

Final Notes on Type **String**

- Any single-dimensioned array of some character type is a *string type*
 - Language defines types **String**, **Wide_String**, etc.
- Just another array type: no null termination
- Language-defined support defined in Appendix A
 - **Ada.Strings.***
 - Fixed-length, bounded-length, and unbounded-length
 - Searches for pattern strings and for characters in program-specified sets
 - Transformation (replacing, inserting, overwriting, and deleting of substrings)
 - Translation (via a character-to-character mapping)

Summary

- Any dimensionality directly supported
- Component types can be any (constrained) type
- Index types can be any discrete type
 - Integer types
 - Enumeration types
- Constrained array types specify bounds for all objects
- Unconstrained array types leave bounds to the objects
 - Thus differently-sized objects of the same type
- Default initialization for large arrays may be expensive!
- Anonymously-typed array objects used in examples for brevity but that doesn't mean you should in real programs

Record Types

Introduction

Syntax and Examples

■ Syntax (simplified)

```
type T is record
  Component_Name : Type [:= Default_Value];
  ...
end record;
```

```
type T_Empty is null record;
```

■ Example

```
type Record1_T is record
  Field1 : integer;
  Field2 : boolean;
end record;
```

■ Records can be **discriminated** as well

```
type T ( Size : Natural := 0 ) is record
  Text : String (1 .. Size);
end record;
```

Components Rules

Examples

```
with Ada.Text_IO; use Ada.Text_IO;
procedure Components_Rules is
  type File_T is record
    Name      : String (1 .. 12);
    Mode      : File_Mode;
    Size      : Integer range 0 .. 1_024;
    Is_Open   : Boolean;
    -- Anonymous_Component : array (1 .. 3) of Integer;
    -- Constant_Component  : constant Integer := 123;
    -- Self_Reference       : File_T;
  end record;
  File : File_T;
begin
  File.Name      := "Filename.txt";
  File.Mode      := In_File;
  File.Size      := 0;
  File.Is_Open   := False;
  Put_Line (File.Name);
end Components_Rules;
```

Characteristics of Components

- **Heterogeneous** types allowed
- Referenced **by name**
- May be no components, for **empty records**
- **No** anonymous types (e.g., arrays) allowed
- **No** constant components
- **No** recursive definitions

Components Declarations

- Multiple declarations are allowed (like objects)

```
type Several is record  
    A, B, C : Integer;  
end record;
```

- Recursive definitions are not allowed

```
type Not_Legal is record  
    A, B : Some_Type;  
    C : Not_Legal;  
end record;
```

"Dot" Notation for Components Reference

```
type Months_T is (January, February, ..., December);
type Date is record
    Day : Integer range 1 .. 31;
    Month : Months_T;
    Year : Integer range 0 .. 2099;
end record;
Arrival : Date;
...
Arrival.Day := 27;  -- components referenced by name
Arrival.Month := November;
Arrival.Year := 1990;
```

- Can reference nested components

```
Employee
    .Birth_Date
        .Month := March;
```

Quiz

```
type Record_T is record
    -- Definition here
end record;
```

Which record definition is legal?

- ☐ A. Component_1 : array (1 .. 3) of Boolean
- ☐ B. Component_2, Component_3 : Integer
- ☐ C. Component_1 : Record_T
- ☐ D. Component_1 : constant Integer := 123

Quiz

```
type Record_T is record
    -- Definition here
end record;
```

Which record definition is legal?

- ☐ A. Component_1 : array (1 .. 3) of Boolean
 - ☒ B. *Component_2, Component_3 : Integer*
 - ☐ C. Component_1 : Record_T
 - ☐ D. Component_1 : constant Integer := 123
-
- ☐ A. Anonymous types not allowed
 - ☒ B. Correct
 - ☐ C. No recursive definition
 - ☐ D. No constant component

Quiz

```
type Cell is record  
  Val : Integer;  
  Message : String;  
end record;
```

Is the definition legal?

- ☐ A. Yes
- ☐ B. No

Quiz

```
type Cell is record
  Val : Integer;
  Message : String;
end record;
```

Is the definition legal?

- A. Yes
- B. **No**

A **record** definition cannot have a component of an indefinite type. **String** is indefinite if you don't specify its size.

Operations

Examples

```
with Ada.Text_IO; use Ada.Text_IO;
procedure Operations is
  type Date_T is record
    Day   : Integer range 1 .. 31;
    Month : Positive range 1 .. 12;
    Year  : Natural range 0 .. 2_099;
  end record;
  type Personal_Information_T is record
    Name       : String (1 .. 10);
    Birthdate  : Date_T;
  end record;
  type Employee_Information_T is record
    Number      : Positive;
    Personal_Information : Personal_Information_T;
  end record;
  Employee : Employee_Information_T;
begin
  Employee.Number           := 1_234;
  Employee.Personal_Information.Name := "Fred Smith";
  Employee.Personal_Information.Birthdate.Year := 2_020;
  Put_Line (Employee.Number'Image);
end Operations;
```


Available Operations

- Predefined

- Equality (and thus inequality)

- ```
if A = B then
```

- Assignment

- ```
A := B;
```

- Component-level operations

- Based on components' types

- ```
if A.component < B.component then
```

- User-defined

- Subprograms

# Assignment Examples

```
declare
 type Complex is record
 Real : Float;
 Imaginary : Float;
 end record;
 ...
 Phase1 : Complex;
 Phase2 : Complex;
begin
 ...
 -- object reference
 Phase1 := Phase2; -- entire object reference
 -- component references
 Phase1.Real := 2.5;
 Phase1.Real := Phase2.Real;
end;
```

# Limited Types - Quick Intro

- A **record** type can be limited
  - And some other types, described later
- **limited** types cannot be **copied** or **compared**
  - As a result then cannot be assigned
  - May still be modified component-wise

```
type Lim is limited record
 A, B : Integer;
end record;
```

```
L1, L2 : Lim := (1, 2); -- Initial value OK
```

```
L1 := L2; -- Illegal
if L1 /= L2 then -- Illegal
[...]
```

## Aggregates

# Examples

```

with Ada.Text_IO; use Ada.Text_IO;
procedure Aggregates is

 type Date_T is record
 Day : Integer range 1 .. 31;
 Month : Positive range 1 .. 12;
 Year : Natural range 0 .. 2_099;
 end record;
 type Personal_Information_T is record
 Name : String (1 .. 10);
 Birthdate : Date_T;
 end record;
 type Employee_Information_T is record
 Number : Positive;
 Personal_Information : Personal_Information_T;
 end record;
 Birthdate : Date_T;
 Personal_Information : Personal_Information_T;
 Employee : Employee_Information_T;
begin
 Birthdate := (25, 12, 2_001);
 Put_Line
 (Birthdate.Year'Image & Birthdate.Month'Image & Birthdate.Day'Image);
 Personal_Information := (Name => "Jane Smith", Birthdate => (14, 2, 2_002));
 Put_Line
 (Personal_Information.Birthdate.Year'Image &
 Personal_Information.Birthdate.Month'Image &
 Personal_Information.Birthdate.Day'Image);
 Employee := (1_234, Personal_Information => Personal_Information);
 Put_Line
 (Employee.Personal_Information.Birthdate.Year'Image &
 Employee.Personal_Information.Birthdate.Month'Image &
 Employee.Personal_Information.Birthdate.Day'Image);
 Birthdate := (Month => 1, others => 2);
 Put_Line
 (Birthdate.Year'Image & Birthdate.Month'Image & Birthdate.Day'Image);
end Aggregates;

```

[https://lean.stanford.edu/lean/example\\_repository/Ada\\_95/Ada\\_Record\\_Type/Aggregates](https://lean.stanford.edu/lean/example_repository/Ada_95/Ada_Record_Type/Aggregates)

# Aggregates

- Literal values for composite types
  - As for arrays
  - Default value / selector: `<>`, **others**
- Can use both **named** and **positional**
  - Unambiguous
- Example:

```
(Pos_1_Value,
Pos_2_Value,
Component_3 => Pos_3_Value,
Component_4 => <>, -- Default value (Ada 2005)
others => Remaining_Value)
```

# Record Aggregate Examples

```
type Color_T is (Red);
type Car_T is record
 Color : Color_T;
 Plate_No : String (1 .. 6);
 Year : Natural;
end record;
type Complex_T is record
 Real : Float;
 Imaginary : Float;
end record;

declare
 Car : Car_T := (Red, "ABC123", Year => 2_022);
 Phase : Complex_T := (1.2, 3.4);
begin
 Phase := (Real => 5.6, Imaginary => 7.8);
end;
```

# Aggregate Completeness

- All component values must be accounted for
  - Including defaults via box
- Allows compiler to check for missed components
- Type definition

```
type Struct is record
```

```
 A : Integer;
```

```
 B : Integer;
```

```
 C : Integer;
```

```
 D : Integer;
```

```
end record;
```

```
S : Struct;
```

- Compiler will not catch the missing component

```
S.A := 10;
```

```
S.B := 20;
```

```
S.C := 12;
```

```
Send (S);
```

- Aggregate must be complete  
- compiler error

```
S := (10, 20, 12);
```

```
Send (S);
```



# Named Associations

- **Any** order of associations
- Provides more information to the reader
  - Can mix with positional
- Restriction
  - Must stick with named associations **once started**

```
type Complex is record
 Real : Float;
 Imaginary : Float;
end record;
Phase : Complex := (0.0, 0.0);
...
Phase := (10.0, Imaginary => 2.5);
Phase := (Imaginary => 12.5, Real => 0.212);
Phase := (Imaginary => 12.5, 0.212); -- illegal
```

## Nested Aggregates

```
type Months_T is (January, February, ..., December);
type Date is record
 Day : Integer range 1 .. 31;
 Month : Months_T;
 Year : Integer range 0 .. 2099;
end record;
type Person is record
 Born : Date;
 Hair : Color;
end record;
John : Person := ((21, November, 1990), Brown);
Julius : Person := ((2, August, 1995), Blond);
Heather : Person := ((2, March, 1989), Hair => Blond);
Megan : Person := (Hair => Blond,
 Born => (16, December, 2001));
```

## Aggregates with Only One Component

- **Must** use named form
- Same reason as array aggregates

```
type Singular is record
 A : Integer;
end record;
```

```
S : Singular := (3); -- illegal
S : Singular := (3 + 1); -- illegal
S : Singular := (A => 3 + 1); -- required
```

## Aggregates with **others**

- Indicates all components not yet specified (like arrays)
- All **others** get the same value
  - They must be the **exact same** type

```
type Poly is record
 A : Float;
 B, C, D : Integer;
end record;
```

```
P : Poly := (2.5, 3, others => 0);
```

```
type Homogeneous is record
 A, B, C : Integer;
end record;
```

```
Q : Homogeneous := (others => 10);
```

# Quiz

What is the result of building and running this code?

```
procedure Main is
 type Record_T is record
 A, B, C : Integer := 0;
 end record;

 V : Record_T := (A => 1);
begin
 Put_Line (Integer'Image (V.A));
end Main;
```

- ☐ A. 0
- ☐ B. 1
- ☐ C. Compilation error
- ☐ D. Runtime error

# Quiz

What is the result of building and running this code?

```
procedure Main is
 type Record_T is record
 A, B, C : Integer := 0;
 end record;

 V : Record_T := (A => 1);
begin
 Put_Line (Integer'Image (V.A));
end Main;
```

- ☐ A. 0
- ☐ B. 1
- ☒ C. *Compilation error*
- ☐ D. Runtime error

The aggregate is incomplete. The aggregate must specify all components, you could use box notation (A => 1, **others** => <>)

# Quiz

What is the result of building and running this code?

```
procedure Main is
 type My_Integer is new Integer;
 type Record_T is record
 A, B, C : Integer := 0;
 D : My_Integer := 0;
 end record;

 V : Record_T := (others => 1);
begin
 Put_Line (Integer'Image (V.A));
end Main;
```

- ☐ A. 0
- ☐ B. 1
- ☐ C. Compilation error
- ☐ D. Runtime error

# Quiz

What is the result of building and running this code?

```
procedure Main is
 type My_Integer is new Integer;
 type Record_T is record
 A, B, C : Integer := 0;
 D : My_Integer := 0;
 end record;

 V : Record_T := (others => 1);
begin
 Put_Line (Integer'Image (V.A));
end Main;
```

- ☐ A. 0
- ☐ B. 1
- ☒ C. *Compilation error*
- ☐ D. Runtime error

All components associated to a value using **others** must be of the same **type**.



# Quiz

What is the result of building and running this code?

```
procedure Main is
 type My_Integer is new Integer;
 type Record_T is record
 A, B, C : Integer := 0;
 D : My_Integer := 0;
 end record;

 V : Record_T := (others => <>);
begin
 Put_Line (Integer'Image (V.A));
end Main;
```

- ☒ A. 0
- ☐ B. 1
- ☐ C. Compilation error
- ☐ D. Runtime error

# Quiz

What is the result of building and running this code?

```
procedure Main is
 type My_Integer is new Integer;
 type Record_T is record
 A, B, C : Integer := 0;
 D : My_Integer := 0;
 end record;

 V : Record_T := (others => <>);
begin
 Put_Line (Integer'Image (V.A));
end Main;
```

- ☒ A. 0
- ☐ B. 1
- ☐ C. Compilation error
- ☐ D. Runtime error

<> is an exception to the rule for **others**, it can apply to several components of a different type.

# Quiz

What is the result of building and running this code?

```
procedure Main is
 type My_Integer is new Integer;
 type Record_T is record
 A : Integer := 0;
 end record;

 V : Record_T := (1);
begin
 Put_Line (Integer'Image (V.A));
end Main;
```

- ☐ A. 0
- ☐ B. 1
- ☐ C. Compilation error
- ☐ D. Runtime error

# Quiz

What is the result of building and running this code?

```
procedure Main is
 type My_Integer is new Integer;
 type Record_T is record
 A : Integer := 0;
 end record;

 V : Record_T := (1);
begin
 Put_Line (Integer'Image (V.A));
end Main;
```

- ☐ A. 0
- ☐ B. 1
- ☒ C. *Compilation error*
- ☐ D. Runtime error

Single-valued aggregate must use named association.

# Quiz

```
type Nested_T is record
 Field : Integer := 1_234;
end record;
type Record_T is record
 One : Integer := 1;
 Two : Character;
 Three : Integer := -1;
 Four : Nested_T;
end record;
X, Y : Record_T;
Z : constant Nested_T := (others => -1);
```

Which assignment(s) is(are) illegal?

- ☒ A. X := (1, '2', Three => 3, Four => (6))
- ☒ B. X := (Two => '2', Four => Z, others => 5)
- ☒ C. X := Y
- ☒ D. X := (1, '2', 4, (others => 5))

# Quiz

```
type Nested_T is record
 Field : Integer := 1_234;
end record;
type Record_T is record
 One : Integer := 1;
 Two : Character;
 Three : Integer := -1;
 Four : Nested_T;
end record;
X, Y : Record_T;
Z : constant Nested_T := (others => -1);
```

Which assignment(s) is(are) illegal?

- ☒ A. `X := (1, '2', Three => 3, Four => (6))`
- ☐ B. `X := (Two => '2', Four => Z, others => 5)`
- ☐ C. `X := Y`
- ☐ D. `X := (1, '2', 4, (others => 5))`

- ☐ A. Four **must** use named association
- ☐ B. **others** valid: One and Three are **Integer**
- ☐ C. Valid but Two is not initialized
- ☐ D. Positional for all components

## Default Values

# Examples

```
with Ada.Text_IO; use Ada.Text_IO;
procedure Default_Values is

 type Complex is record
 Real : Float := -1.0;
 Imaginary : Float := -1.0;
 end record;

 Phasor : Complex;
 I : constant Complex := (0.0, 1.0);

begin
 Put_Line
 (Float'Image (Phasor.Real) & " " & Float'Image (Phasor.Imaginary) & "i");
 Put_Line (Float'Image (I.Real) & " " & Float'Image (I.Imaginary) & "i");
 Phasor := (12.34, others => <>);
 Put_Line
 (Float'Image (Phasor.Real) & " " & Float'Image (Phasor.Imaginary) & "i");
end Default_Values;
```



## Component Default Values

```
type Complex is
 record
 Real : Float := 0.0;
 Imaginary : Float := 0.0;
 end record;
-- all components use defaults
Phasor : Complex;
-- all components must be specified
I : constant Complex := (0.0, 1.0);
```

## Default Component Value Evaluation

- Occurs when object is elaborated
  - Not when the type is elaborated
- Not evaluated if explicitly overridden

```
type Structure is
 record
 A : Integer;
 R : Time := Clock;
 end record;
-- Clock is called for S1
S1 : Structure;
-- Clock is not called for S2
S2 : Structure := (A => 0, R => Yesterday);
```

# Defaults Within Record Aggregates

Ada 2005

- Specified via the `box` notation
- Value for the component is thus taken as for a stand-alone object declaration
  - So there may or may not be a defined default!
- Can only be used with "named association" form
  - But can mix forms, unlike array aggregates

```
type Complex is
 record
 Real : Float := 0.0;
 Imaginary : Float := 0.0;
 end record;
Phase := (42.0, Imaginary => <>);
```

# Default Initialization Via Aspect Clause

Ada 2012

- Not definable for entire record type
- Components of scalar types take type's default if no explicit default value specified by record type

```
type Toggle_Switch is (Off, On)
 with Default_Value => Off;
type Controller is record
 -- Off unless specified during object initialization
 Override : Toggle_Switch;
 -- default for this component
 Enable : Toggle_Switch := On;
end record;
C : Controller; -- Override => off, Enable => On
D : Controller := (On, Off); -- All defaults replaced
```

# Quiz

Ada 2012

```
function Next return Natural; -- returns next number starting with 1

type Record_T is record
 A, B : Integer := Next;
 C : Integer := Next;
end record;
R : Record_T := (C => 100, others => <>);
```

What is the value of R?

- ☐ A. (1, 2, 3)
- ☐ B. (1, 1, 100)
- ☐ C. (1, 2, 100)
- ☐ D. (100, 101, 102)

# Quiz

Ada 2012

```
function Next return Natural; -- returns next number starting with 1
```

```
type Record_T is record
 A, B : Integer := Next;
 C : Integer := Next;
end record;
R : Record_T := (C => 100, others => <>);
```

What is the value of R?

- ☐ A. (1, 2, 3)
- ☐ B. (1, 1, 100)
- ☒ C. (1, 2, 100)
- ☐ D. (100, 101, 102)

Explanations

- ☒ A. C => 100
- ☐ B. Multiple declaration calls Next twice
- ☐ C. Correct
- ☐ D. C => 100 has no effect on A and B

## Discriminated Records

# Discriminated Record Types

- *Discriminated record* type
  - Different **objects** may have **different** components
  - All object **still** share the same type
- Kind of *storage overlay*
  - Similar to **union** in C
  - But preserves **type checking**
  - And object size **is related to** discriminant
- Aggregate assignment is allowed



# Discriminants

```
type Person_Group is (Student, Faculty);
type Person (Group : Person_Group) is record
 Name : String (1 .. 10);
 case Group is
 when Student => -- 1st variant
 Gpa : Float range 0.0 .. 4.0;
 when Faculty => -- 2nd variant
 Pubs : Integer;
 end case;
end record;
```

- Group is the *discriminant*
- Run-time check for component **consistency**
  - eg `A_Person.Pubs := 1` checks `A_Person.Group = Faculty`
  - `Constraint_Error` if check fails
- Discriminant is **constant**
  - Unless object is **mutable**

# Semantics

- Person objects are **constrained** by their discriminant
  - **Unless** mutable
  - Assignment from same variant **only**
  - **Representation** requirements

```
Pat : Person(Student); -- No Pat.Pubs
```

```
Prof : Person(Faculty); -- No Prof.GPA
```

```
Soph : Person := (Group => Student,
 Name => "John Jones",
 GPA => 3.2);
```

```
X : Person; -- Illegal: must specify discriminant
```

```
Pat := Soph; -- OK
```

```
Soph := Prof; -- Constraint_Error at run time
```

# Mutable Discriminated Record

- When discriminant has a **default value**
  - Objects instantiated **using the default** are **mutable**
  - Objects specifying an **explicit** value are **not** mutable
- Mutable records have **variable** discriminants
- Use **same** storage for **several** variant

*-- Potentially mutable*

```
type Person (Group : Person_Group := Student) is record
```

*-- Use default value: mutable*

```
S : Person;
```

*-- Explicit value: \*not\* mutable*

*-- even if Student is also the default*

```
S2 : Person (Group => Student);
```

*...*

```
S := (Group => Student, Gpa => 0.0);
```

```
S := (Group => Faculty, Pubs => 10);
```

# Quiz

```
type T (Sign : Integer) is record
 case Sign is
 when Integer'First .. -1 =>
 I : Integer;
 B : Boolean;
 when others =>
 N : Natural;
 end case;
end record;
```

O : T (1);

Which component does O contain?

- ☐ A. O.I, O.B
- ☐ B. O.N
- ☐ C. None: Compilation error
- ☐ D. None: Runtime error

# Quiz

```
type T (Sign : Integer) is record
 case Sign is
 when Integer'First .. -1 =>
 I : Integer;
 B : Boolean;
 when others =>
 N : Natural;
 end case;
end record;
```

O : T (1);

Which component does O contain?

- ☐ A. O.I, O.B
- ☒ B. O.N
- ☐ C. None: Compilation error
- ☐ D. None: Runtime error

# Quiz

```
type T (Floating : Integer) is record
 case Floating is
 when 0 =>
 I : Integer;
 when 1 =>
 F : Float;
 end case;
end record;
```

O : T (1);

Which component does O contain?

- ☐ A. O.F, O.I
- ☐ B. O.F
- ☐ C. None: Compilation error
- ☐ D. None: Runtime error

# Quiz

```
type T (Floating : Integer) is record
 case Floating is
 when 0 =>
 I : Integer;
 when 1 =>
 F : Float;
 end case;
end record;
```

O : T (1);

Which component does O contain?

- ☐ A. O.F, O.I
- ☐ B. O.F
- ☒ C. **None: Compilation error**
- ☐ D. None: Runtime error

The variant **case** must cover all the possible values of **Integer**.

# Quiz

```
type T (Floating : Boolean) is record
 case Floating is
 when False =>
 I : Integer;
 when True =>
 F : Float;
 end case;
 I2 : Integer;
end record;
```

O : T (True);

Which component does O contain?

- ☐ A. O.F, O.I2
- ☐ B. O.F
- ☐ C. None: Compilation error
- ☐ D. None: Runtime error



# Quiz

```
type T (Floating : Boolean) is record
 case Floating is
 when False =>
 I : Integer;
 when True =>
 F : Float;
 end case;
 I2 : Integer;
end record;
```

O : T (True);

Which component does O contain?

- ☐ A. O.F, O.I2
- ☐ B. O.F
- ☒ C. **None: Compilation error**
- ☐ D. None: Runtime error

The variant part cannot be followed by a component declaration  
(i2 : integer there)

Lab

# Record Types Lab

## ■ Requirements

- Create a simple First-In/First-Out (FIFO) queue record type and object
- Allow the user to:
  - Add ("push") items to the queue
  - Remove ("pop") the next item to be serviced from the queue (Print this item to ensure the order is correct)
- When the user is done manipulating the queue, print out the remaining items in the queue

## ■ Hints

- Queue record should at least contain:
  - Array of items
  - Index into array where next item will be added

# Record Types Lab Solution - Declarations

```
with Ada.Text_IO; use Ada.Text_IO;
procedure Main is

 type Name_T is array (1 .. 6) of Character;
 type Index_T is range 0 .. 1_000;
 type Queue_T is array (Index_T range 1 .. 1_000) of Name_T;

 type Fifo_Queue_T is record
 Next_Available : Index_T := 1;
 Last_Served : Index_T := 0;
 Queue : Queue_T := (others => (others => ' '));
 end record;

 Queue : Fifo_Queue_T;
 Choice : Integer;
```

# Record Types Lab Solution - Implementation

```
begin

 loop
 Put ("1 = add to queue | 2 = remove from queue | others => done: ");
 Choice := Integer'Value (Get_Line);
 if Choice = 1 then
 Put ("Enter name: ");
 Queue.Queue (Queue.Next_Available) := Name_T (Get_Line);
 Queue.Next_Available := Queue.Next_Available + 1;
 elsif Choice = 2 then
 if Queue.Next_Available = 1 then
 Put_Line ("Nobody in line");
 else
 Queue.Last_Served := Queue.Last_Served + 1;
 Put_Line ("Now serving: " & String (Queue.Queue (Queue.Last_Served)));
 end if;
 else
 exit;
 end if;
 New_Line;
 end loop;

 Put_Line ("Remaining in line: ");
 for Index in Queue.Last_Served + 1 .. Queue.Next_Available - 1 loop
 Put_Line (" " & String (Queue.Queue (Index)));
 end loop;

end Main;
```

## Summary

# Summary

- Heterogeneous types allowed for components
- Default initial values allowed for components
  - Evaluated when each object elaborated, not the type
  - Not evaluated if explicit initial value specified
- Aggregates express literals for composite types
  - Can mix named and positional forms

# Type Derivation



## Introduction

# Type Derivation

- Type *derivation* allows for reusing code
- Type can be **derived** from a **base type**
- Base type can be substituted by the derived type
- Subprograms defined on the base type are **inherited** on derived type
- This is **not** OOP in Ada
  - Tagged derivation **is** OOP in Ada

# Ada Mechanisms for Type Inheritance

- *Primitive* operations on types
  - Standard operations like  $+$  and  $-$
  - Any operation that acts on the type
- Type derivation
  - Define types from other types that can add limitations
  - Can add operations to the type
- Tagged derivation
  - **This** is OOP in Ada
  - Seen in other chapter

## Primitives

# Examples

```
package Primitives_Example is

 type Record_T is record
 Field : Integer;
 end record;
 type Access_To_Record_T is access Record_T;
 type Array_T is array (1 .. 10) of Integer;

 procedure Primitive_Of_Record_T (P : in out Record_T) is null;
 function Primitive_Of_Record_T (P : Integer) return Record_T is
 ((Field => P));
 procedure Primitive_Of_Record_T (I : Integer;
 P : access Record_T) is null;
 procedure Not_A_Primitive_Of_Record_T
 (I : Integer; P : Access_To_Record_T) is null;

 procedure Primitive_Of_Record_T_And_Array_T
 (P1 : in out Record_T; P2 : in out Array_T) is null;
end Primitives_Example;
```

# Primitive Operations

- A type is characterized by two elements
  - Its data structure
  - The set of operations that applies to it
- The operations are called **primitive operations** in Ada

```
type T is new Integer;
procedure Attrib_Function(Value : T);
```

# General Rule For a Primitive

- Primitives are subprograms
- **S** is a primitive of type **T** iff
  - **S** is declared in the scope of **T**
  - **S** "uses" type **T**
    - As a parameter
    - As its return type (for **function**)
  - **S** is above *freeze-point*
- Rule of thumb
  - Primitives must be declared **right after** the type itself
  - In a scope, declare at most a **single** type with primitives

```
package P is
 type T is range 1 .. 10;
 procedure P1 (V : T);
 procedure P2 (V1 : Integer; V2 : T);
 function F return T;
end P;
```

## Simple Derivation



## Examples

```

package Simple_Derivation is
 type Parent_T is range 1 .. 10;
 function Primitive1 (V : Parent_T) return String is
 ("Primitive1 of Parent_T" & V'Image);
 function Primitive2 (V : Parent_T) return String is
 ("Primitive2 of Parent_T" & V'Image);
 function Primitive3 (V : Parent_T) return String is
 ("Primitive3 of Parent_T" & V'Image);

 type Child_T is new Parent_T; -- implicitly gets access to Primitive1

 -- new behavior for Primitive2
 overriding function Primitive2 (V : Child_T) return String is
 ("Primitive2 of Child_T" & V'Image);

 -- remove behavior for Primitive3 from Child_T
 overriding function Primitive3 (V : Child_T) return String is abstract;

 -- add primitive only for Child_T
 not overriding function Primitive4 (V : Child_T) return String is
 ("Primitive4 of Child_T" & V'Image);
end Simple_Derivation;

with Ada.Text_IO; use Ada.Text_IO;
with Simple_Derivation; use Simple_Derivation;
procedure Test_Simple_Derivation is
 function Not_A_Primitive (V : Parent_T) return String is
 ("Not_A_Primitive" & V'Image);
 Parent_V : Parent_T := 1;
 Child_V : Child_T := 2;
begin
 Put_Line ("Parent_V = " & Primitive1 (Parent_V));
 Put_Line ("Parent_V = " & Primitive2 (Parent_V));
 Put_Line ("Parent_V = " & Primitive3 (Parent_V));
 -- Put_Line ("Parent_V = " & Primitive4 (Parent_V)); -- illegal

 Put_Line ("Child_V = " & Primitive1 (Child_V));
 Put_Line ("Child_V = " & Primitive2 (Child_V));
 -- Put_Line ("Child_V = " & Primitive3 (Child_V)); -- illegal
 Put_Line ("Child_V = " & Primitive4 (Child_V));

 Put_Line (Not_A_Primitive (Parent_V));
 Put_Line (Not_A_Primitive (Parent_T (Child_V)));
end Test_Simple_Derivation;

```

# Simple Type Derivation

- Any type (except **tagged**) can be derived

```
type Child is new Parent;
```

- Child inherits from:

- The data **representation** of the parent
- The **primitives** of the parent

- Conversions are possible from child to parent

```
type Parent is range 1 .. 10;
procedure Prim (V : Parent);
type Child is new Parent; -- Freeze Parent
procedure Not_A_Primitive (V : Parent);
C : Child;
...
Prim (C); -- Implicitly declared
Not_A_Primitive (Parent (C));
```

# Simple Derivation and Type Structure

- The type "structure" can not change

- **array** cannot become **record**
- Integers cannot become floats

- But can be **constrained** further

- Scalar ranges can be reduced

```
type Tiny_Int is range -100 .. 100;
type Tiny_Positive is new Tiny_Int range 1 .. 100;
```

- Unconstrained types can be constrained

```
type Arr is array (Integer range <>) of Integer;
type Ten_Elem_Arr is new Arr (1 .. 10);
type Rec (Size : Integer) is record
 Elem : Arr (1 .. Size);
end record;
type Ten_Elem_Rec is new Rec (10);
```

# Overriding Indications

Ada 2005

- **Optional** indications
- Checked by compiler

```
type Root is range 1 .. 100;
procedure Prim (V : Root);
type Child is new Root;
```

- **Replacing** a primitive: **overriding** indication

```
overriding procedure Prim (V : Child);
```

- **Adding** a primitive: **not overriding** indication

```
not overriding procedure Prim2 (V : Child);
```

- **Removing** a primitive: **overriding** as **abstract**

```
overriding procedure Prim (V : Child) is abstract;
```

# Quiz

```
type T1 is range 1 .. 100;
procedure Proc_A (X : in out T1);
```

```
type T2 is new T1 range 2 .. 99;
procedure Proc_B (X : in out T1);
procedure Proc_B (X : in out T2);
```

```
-- Other scope
procedure Proc_C (X : in out T2);
```

```
type T3 is new T2 range 3 .. 98;
```

```
procedure Proc_C (X : in out T3);
```

Which are T1's primitives

- ☐ A. Proc\_A
- ☐ B. Proc\_B
- ☐ C. Proc\_C
- ☐ D. No primitives of T1

# Quiz

```
type T1 is range 1 .. 100;
procedure Proc_A (X : in out T1);
```

```
type T2 is new T1 range 2 .. 99;
procedure Proc_B (X : in out T1);
procedure Proc_B (X : in out T2);
```

```
-- Other scope
procedure Proc_C (X : in out T2);
```

```
type T3 is new T2 range 3 .. 98;
```

```
procedure Proc_C (X : in out T3);
```

Which are T1's primitives

- ☒ A. *Proc\_A*
- ☐ B. Proc\_B
- ☐ C. Proc\_C
- ☐ D. No primitives of T1

Explanations

- ☒ A. Correct
- ☐ B. Freeze: T1 has been derived
- ☐ C. Freeze: scope change
- ☐ D. Incorrect

## Summary

# Summary

- *Primitive* of a type
  - Subprogram above **freeze-point** that takes or return the type
  - Can be a primitive for **multiple types**
- Freeze point rules can be tricky
- Simple type derivation
  - Types derived from other types can only **add limitations**
    - Constraints, ranges
    - Cannot change underlying structure



# Subprograms

## Introduction

# Introduction

- Are syntactically distinguished as **function** and **procedure**
  - Functions represent *values*
  - Procedures represent *actions*

```
function Is_Leaf (T : Tree) return Boolean
procedure Split (T : in out Tree;
 Left : out Tree;
 Right : out Tree)
```

- Provide direct syntactic support for separation of specification from implementation

```
function Is_Leaf (T : Tree) return Boolean;
function Is_Leaf (T : Tree) return Boolean is
begin
 ...
end Is_Leaf;
```

# Recognizing Procedures and Functions

- Functions' results must be treated as values
  - And cannot be ignored
- Procedures cannot be treated as values
- You can always distinguish them via the call context

```
10 Open (Source, "SomeFile.txt");
11 while not End_of_File (Source) loop
12 Get (Next_Char, From => Source);
13 if Found (Next_Char, Within => Buffer) then
14 Display (Next_Char);
15 end if;
16 end loop;
```

# A Little "Preaching" About Names

- Procedures are abstractions for actions
- Functions are abstractions for values
- Use names that reflect those facts!
  - Imperative verbs for procedure names
  - Nouns for function names, as for mathematical functions
  - Questions work for boolean functions

```
procedure Open (V : in out Valve);
procedure Close (V : in out Valve);
function Square_Root (V: Float) return Float;
function Is_Open (V: Valve) return Boolean;
```

## Syntax

# Specification and Body

- Subprogram specification is the external (user) **interface**
  - **Declaration** and **specification** are used synonymously
- Specification may be required in some cases
  - eg. recursion
- Subprogram body is the **implementation**

## Procedure Specification Syntax (Simplified)

```
procedure Swap (A, B : in out Integer);
```

```
procedure_specification ::=
```

```
 procedure program_unit_name
 (parameter_specification
 { ; parameter_specification });
```

```
parameter_specification ::=
```

```
 identifier_list : mode subtype_mark [:= expression]
```

```
mode ::= [in] | out | in out
```



# Function Specification Syntax (Simplified)

```
function F (X : Float) return Float;
```

- Close to **procedure** specification syntax
  - With **return**
  - Can be an operator: + - \* / **mod rem** ...

```
function_specification ::=
 function designator
 (parameter_specification
 { ; parameter_specification })
 return result_type;
```

```
designator ::= program_unit_name | operator_symbol
```

# Body Syntax

```
subprogram_specification is
 [declarations]
begin
 sequence_of_statements
end [designator];

procedure Hello is
begin
 Ada.Text_IO.Put_Line ("Hello World!");
 Ada.Text_IO.New_Line (2);
end Hello;

function F (X : Float) return Float is
 Y : constant Float := X + 3.0;
begin
 return X * Y;
end F;
```

# Completions

- Bodies **complete** the specification
  - There are **other** ways to complete
- Separate specification is **not required**
  - Body can act as a specification
- A declaration and its body must **fully** conform
  - Mostly **semantic** check
  - But parameters **must** have same name

```
procedure P (J, K : Integer)
procedure P (J : Integer; K : Integer)
procedure P (J, K : in Integer)
-- Invalid
procedure P (A : Integer; B : Integer)
```

# Completion Examples

## ■ Specifications

```
procedure Swap (A, B : in out Integer);
function Min (X, Y : Person) return Person;
```

## ■ Completions

```
procedure Swap (A, B : in out Integer) is
 Temp : Integer := A;
begin
 A := B;
 B := Temp;
end Swap;
```

```
-- Completion as specification
function Less_Than (X, Y : Person) return boolean is
begin
 return X.Age < Y.Age;
endf Less_Than
```

```
function Min (X, Y : Person) return Person;
begin
 if Less_Than (X, Y) then
 return X;
 else
 return Y;
 end if;
end Min;
```

## Direct Recursion - No Declaration Needed

- When **is** is reached, the subprogram becomes **visible**
  - It can call **itself** without a declaration

```
type Vector is array (Natural range <>) of Integer;
Empty_List : constant List (1 .. 0) := (others => 0);
```

```
function Get_List return List is
```

```
 Next : Integer;
```

```
begin
```

```
 Get (Next);
```

```
 if Next = 0 then
```

```
 return Empty_List;
```

```
 else
```

```
 return Get_List & Next;
```

```
 end if;
```

```
end Input;
```

# Indirect Recursion Example

- Elaboration in **linear order**

```
procedure P;
```

```
procedure F is
begin
 P;
end F;
```

```
procedure P is
begin
 F;
end P;
```

# Quiz

Which profile is semantically different from the others?

- A. `procedure P ( A : Integer; B : Integer );`
- B. `procedure P ( A, B : Integer );`
- C. `procedure P ( B : Integer; A : Integer );`
- D. `procedure P ( A : in Integer; B : in Integer );`

# Quiz

Which profile is semantically different from the others?

- A. `procedure P ( A : Integer; B : Integer );`
- B. `procedure P ( A, B : Integer );`
- C. `procedure P ( B : Integer; A : Integer );`
- D. `procedure P ( A : in Integer; B : in Integer );`

Parameter names are important in Ada. The other selections have the names in the same order with the same mode and type.



## Parameters

## Examples

[https://learn.adacore.com/training\\_examples/fundamentals\\_of\\_ada/000\\_subprograms.html#parameters](https://learn.adacore.com/training_examples/fundamentals_of_ada/000_subprograms.html#parameters)

# Subprogram Parameter Terminology

- *Actual parameters* are values passed to a call
  - Variables, constants, expressions
- *Formal parameters* are defined by specification
  - Receive the values passed from the actual parameters
  - Specify the types required of the actual parameters
  - Type **cannot** be anonymous

```
procedure Something (Formal1 : in Integer);
```

```
ActualX : Integer;
```

```
...
```

```
Something (ActualX);
```

## Parameter Associations In Calls

- Associate formal parameters with actuals
- Both positional and named association allowed

```
Something (ActualX, Formal2 => ActualY);
```

```
Something (Formal2 => ActualY, Formal1 => ActualX);
```

- Having named **then** positional is forbidden

```
-- Compilation Error
```

```
Something (Formal1 => ActualX, ActualY);
```

# Actual Parameters Respect Constraints

- Must satisfy any constraints of formal parameters
- `Constraint_Error` otherwise

**declare**

Q : Integer := ...

P : Positive := ...

**procedure** Foo (This : Positive);

**begin**

Foo (Q); *-- runtime error if Q <= 0*

Foo (P);

# Parameter Modes and Return

## ■ Mode **in**

- Actual parameter is **constant**
- Can have **default**, used when **no value** is provided

```
procedure P (N : in Integer := 1; M : in Positive);
[...]
P (M => 2);
```

## ■ Mode **out**

- Writing is **expected**
- Reading is **allowed**
- Actual **must** be a writable object

## ■ Mode **in out**

- Actual is expected to be **both** read and written
- Actual **must** be a writable object

## ■ Function **return**

- **Must** always be handled

## Why Read Mode **out** Parameters?

- **Convenience** of writing the body
  - No need for readable temporary variable
- Warning: initial value is **not defined**

```
procedure Compute (Value : out Integer) is
begin
 Value := 0;
 for K in 1 .. 10 loop
 Value := Value + K; -- this is a read AND a write
 end loop;
end Compute;
```

# Parameter Passing Mechanisms

## ■ *By-Copy*

- The formal denotes a separate object from the actual
- **in**, **in out**: actual is copied into the formal **on entry to** the subprogram
- **out**, **in out**: formal is copied into the actual **on exit from** the subprogram

## ■ *By-Reference*

- The formal denotes a view of the actual
- Reads and updates to the formal directly affect the actual
- More efficient for large objects

## ■ Parameter **types** control mechanism selection

- Not the parameter **modes**
- Compiler determines the mechanism



# By-Copy vs By-Reference Types

- By-Copy
  - Scalar types
  - **access** types
- By-Reference
  - **tagged** types
  - **task** types and **protected** types
  - **limited** types
- **array**, **record**
  - By-Reference when they have by-reference **components**
  - By-Reference for **implementation-defined** optimizations
  - By-Copy otherwise
- **private** depends on its full definition

# Unconstrained Formal Parameters or Return

- Unconstrained **formals** are allowed
  - Constrained by **actual**
- Unconstrained **return** is allowed too
  - Constrained by the **returned object**

```
type Vector is array (Positive range <>) of Float;
procedure Print (Formal : Vector);
```

```
Phase : Vector (X .. Y);
```

```
State : Vector (1 .. 4);
```

```
...
```

```
begin
```

```
 Print (Phase); -- Formal'Range is X .. Y
```

```
 Print (State); -- Formal'Range is 1 .. 4
```

```
 Print (State (3 .. 4)); -- Formal'Range is 3 .. 4
```

# Unconstrained Parameters Surprise

- Assumptions about formal bounds may be **wrong**

```
type Vector is array (Positive range <>) of Float;
function Subtract (Left, Right : Vector) return Vector;
```

```
V1 : Vector (1 .. 10); -- length = 10
```

```
V2 : Vector (15 .. 24); -- length = 10
```

```
R : Vector (1 .. 10); -- length = 10
```

```
...
```

```
-- What are the indices returned by Subtract?
```

```
R := Subtract (V2, V1);
```

# Naive Implementation

- **Assumes** bounds are the same everywhere
- Fails when `Left'First /= Right'First`
- Fails when `Left'First /= 1`

```
function Subtract (Left, Right : Vector)
 return Vector is
 Result : Vector (1 .. Left'Length);
begin
 ...
 for K in Result'Range loop
 Result (K) := Left (K) - Right (K);
 end loop;
```

## Correct Implementation

- Covers **all** bounds
- **return** indexed by Left'Range

```
function Subtract (Left, Right : Vector) return Vector is
 Result : Vector (Left'Range);
 Offset : constant Integer := Right'First - Result'First;
begin
 ...
 for K in Result'Range loop
 Result (K) := Left (K) - Right (K + Offset);
 end loop;
```

# Quiz

```
function F (P1 : in Integer := 0;
 P2 : in out Integer;
 P3 : in Character := ' ';
 P4 : out Character)
 return Integer;
J1, J2 : Integer;
C : Character;
```

Which call is legal?

- ☐ A. J1 := F (P1 => 1, P2 => J2, P3 => '3', P4 => '4');
- ☐ B. J1 := F (P1 => 1, P3 => '3', P4 => C);
- ☐ C. J1 := F (1, J2, '3', C);
- ☐ D. F (J1, J2, '3', C);

# Quiz

```
function F (P1 : in Integer := 0;
 P2 : in out Integer;
 P3 : in Character := ' ';
 P4 : out Character)
 return Integer;
J1, J2 : Integer;
C : Character;
```

Which call is legal?

- ☐ A. J1 := F (P1 => 1, P2 => J2, P3 => '3', P4 => '4');
- ☐ B. J1 := F (P1 => 1, P3 => '3', P4 => C);
- ☒ C. J1 := F (1, J2, '3', C);
- ☐ D. F (J1, J2, '3', C);

Explanations

- ☐ A. P4 is **out**, it **must** be a variable
- ☐ B. P2 has no default value, it **must** be specified
- ☒ C. Correct
- ☐ D. F is a function, its **return must** be handled

## Null Procedures



# Null Procedure Declarations

Ada 2005

- Shorthand for a procedure body that does nothing
- Longhand form

```
procedure NOP is
begin
 null;
end NOP;
```

- Shorthand form

```
procedure NOP is null;
```

- The `null` statement is present in both cases
- Explicitly indicates nothing to be done, rather than an accidental removal of statements

# Null Procedures As Completions

Ada 2005

- Completions for a distinct, prior declaration

```
procedure NOP;
...
procedure NOP is null;
```

- A declaration and completion together

- A body is then not required, thus not allowed

```
procedure NOP is null;
...
procedure NOP is -- compile error
begin
 null;
end NOP;
```

# Typical Use for Null Procedures: OOP

Ada 2005

- When you want a method to be concrete, rather than abstract, but don't have anything for it to do
  - The method is then always callable, including places where an abstract routine would not be callable
  - More convenient than full null-body definition

# Null Procedure Summary

Ada 2005

- Allowed where you can have a full body
  - Syntax is then for shorthand for a full null-bodied procedure
- Allowed where you can have a declaration!
  - Example: package declarations
  - Syntax is shorthand for both declaration and completion
    - Thus no body required/allowed
- Formal parameters are allowed

```
procedure Do_Something (P : in integer) is null;
```

## Nested Subprograms

# Subprograms within Subprograms

- Subprograms can be placed in any declarative block
  - So they can be nested inside another subprogram
  - Or even within a **declare** block
- Useful for performing sub-operations without passing parameter data

## Nested Subprogram Example

```
1 procedure Main is
2
3 function Read (Prompt : String) return Types.Line_T is
4 begin
5 Put ("> ");
6 return Types.Line_T'Value (Get_Line);
7 end Read;
8
9 Lines : Types.Lines_T (1 .. 10);
10 begin
11 for J in Lines'Range loop
12 Lines (J) := Read ("Line " & J'Image);
13 end loop;
```

## Procedure Specifics



# Return Statements In Procedures

- Returns immediately to caller
- Optional
  - Automatic at end of body execution
- Fewer is traditionally considered better

```
procedure P is
begin
 ...
 if Some_Condition then
 return; -- early return
 end if;
 ...
end P; -- automatic return
```

## Function Specifics

# Return Statements In Functions

- Must have at least one
  - Compile-time error otherwise
  - Unless doing machine-code insertions
- Returns a value of the specified (sub)type
- Syntax

```
function defining_designator [formal_part]
 return subtype_mark is
declarative_part
begin
 {statements}
 return expression;
end designator;
```

## No Path Analysis Required By Compiler

- Running to the end of a function without hitting a **return** statement raises `Program_Error`
- Compilers can issue warning if they suspect that a **return** statement will not be hit

```
function Greater (X, Y : Integer) return Boolean is
begin
 if X > Y then
 return True;
 end if;
end Greater; -- possible compile warning
```

# Multiple Return Statements

- Allowed
- Sometimes the most clear

```
function Truncated (R : Float) return Integer is
 Converted : Integer := Integer (R);
begin
 if R - Float (Converted) < 0.0 then -- rounded up
 return Converted - 1;
 else -- rounded down
 return Converted;
 end if;
end Truncated;
```

## Multiple Return Statements Versus One

- Many can detract from readability
- Can usually be avoided

```
function Truncated (R : Float) return Integer is
 Result : Integer := Integer (R);
begin
 if R - Float (Result) < 0.0 then -- rounded up
 Result := Result - 1;
 end if;
 return Result;
end Truncated;
```

## Composite Result Types Allowed

```
function Identity (Order : Positive := 3) return Matrix is
 Result : Matrix (1 .. Order, 1 .. Order);
begin
 for K in 1 .. Order loop
 for J in 1 .. Order loop
 if K = J then
 Result (K,J) := 1.0;
 else
 Result (K,J) := 0.0;
 end if;
 end loop;
 end loop;
 return Result;
end Identity;
```

## Function Dynamic-Size Results

```
is
 function Char_Mult (C : Character; L : Natural)
 return String is
 R : String (1 .. L) := (others => C);
 begin
 return R;
 end Char_Mult;

 X : String := Char_Mult ('x', 4);
begin
 -- OK
 pragma Assert (X'Length = 4 and X = "xxxx");
```



## Expression Functions

# Examples

```
with Ada.Text_IO; use Ada.Text_IO;
procedure Expression_Functions is

 function Square1 (X : Integer) return Integer is (X * 2);
 function Square2 (X : Integer) return Integer is
begin
 return X * 2;
end Square2;

 function Square3 (X : Integer) return Integer;
 function Square3 (X : Integer) return Integer is (X * 2);

 function Square4 (X : Integer) return Integer is (X * 2);
 -- illegal: Square4 already complete function Square4 (X : Integer) return
 -- Integer is begin
 -- return X * 2;
 -- end Square4;

begin
 Put_Line (Integer'Image (Square1 (2)));
 Put_Line (Integer'Image (Square2 (3)));
 Put_Line (Integer'Image (Square3 (4)));
 Put_Line (Integer'Image (Square4 (5)));
end Expression_Functions;
```

# Expression Functions

Ada 2012

- Functions whose implementations are pure expressions
  - No other completion is allowed
  - No **return** keyword
- May exist only for sake of pre/postconditions

```
function function_specification is (expression);
```

NB: Parentheses around expression are **required**

- Can complete a prior declaration

```
function Squared (X : Integer) return Integer;
function Squared (X : Integer) return Integer is
 (X ** 2);
```

# Expression Functions Example

Ada 2012

- Expression function

```
function Square (X : Integer) return Integer is (X ** 2);
```

- Is equivalent to

```
function Square (X : Integer) return Integer is
begin
 return X ** 2;
end Square;
```

# Quiz

Which statement is True?

- A. Expression functions cannot be nested functions.
- B. Expression functions require a specification and a body.
- C. Expression functions must have at least one "return" statement.
- D. Expression functions can have "out" parameters.

# Quiz

Which statement is True?

- A. Expression functions cannot be nested functions.
- B. Expression functions require a specification and a body.
- C. Expression functions must have at least one "return" statement.
- D. *Expression functions can have "out" parameters.*

Explanations

- A. False, they can be declared just like regular function
- B. False, an expression function cannot have a body
- C. False, expression functions cannot contain a no **return**
- D. Correct, but it can assign to **out** parameters only by calling another function.

## Potential Pitfalls

# Examples

```
with Ada.Text_IO; use Ada.Text_IO;
procedure Potential_Pitfalls is
 Global_I : Integer := 0;
 Global_P : Positive := 1;
 Global_S : String := "Hello";

 procedure Unassigned_Out (A : in Integer; B : out Positive) is
 begin
 if A > 0 then
 B := A;
 end if;
 end Unassigned_Out;

 function Cause_Side_Effect return Integer is
 begin
 Global_I := Global_I + 1;
 return Global_I;
 end Cause_Side_Effect;

 procedure Order_Dependent_Code (X, Y : Integer) is
 begin
 Put_Line (Integer'Image (X) & " / " & Integer'Image (Y));
 end Order_Dependent_Code;

 procedure Aliasing (Param : in String;
 I1 : in out Integer;
 I2 : in out Integer) is
 begin
 Global_S := "World";
 I1 := I1 * 2;
 I2 := I2 * 3;
 Put_Line ("Aliasing string: " & Param);
 end Aliasing;

begin
 Unassigned_Out (-1, Global_P);
 Put_Line ("Global_P = " & Positive'Image (Global_P));

 Order_Dependent_Code (Global_I, Cause_Side_Effect);

 Global_P := Positive'First;
 -- Aliasing (Global_S, Global_I, Global_I); -- compile error
 Aliasing (Global_S, Global_I, Global_P);
 Put_Line ("Global_S: " & Global_S);
 Put_Line ("Global_P: " & Global_P'Image);
end Potential_Pitfalls;
```

[https://ada-lang.org/en/stdlib/stdlib\\_packages.html](https://ada-lang.org/en/stdlib/stdlib_packages.html)



## Mode **out** Risk for Scalars

- Always assign value to **out** parameters
- Else "By-copy" mechanism will copy something back
  - May be junk
  - `Constraint_Error` or unknown behaviour further down

```
procedure P
 (A, B : in Some_Type; Result : out Scalar_Type) is
begin
 if Some_Condition then
 return; -- Result not set
 end if;
 ...
 Result := Some_Value;
end P;
```

# "Side Effects"

- Any effect upon external objects or external environment
  - Typically alteration of non-local variables or states
  - Can cause hard-to-debug errors
  - Not legal for **function** in SPARK
- Can be there for historical reasons
  - Or some design patterns

```
Global : Integer := 0;
```

```
function F (X : Integer) return Integer is
begin
 Global := Global + X;
 return Global;
end F;
```

# Order-Dependent Code And Side Effects

```
Global : Integer := 0;
```

```
function Inc return Integer is
begin
 Global := Global + 1;
 return Global;
end Inc;
```

```
procedure Assert_Equals (X, Y : in Integer);
...
Assert_Equals (Global, Inc);
```

- Language does **not** specify parameters' order of evaluation
- Assert\_Equals could get called with
  - $X \rightarrow 0, Y \rightarrow 1$  (if Global evaluated first)
  - $X \rightarrow 1, Y \rightarrow 1$  (if Inc evaluated first)

# Parameter Aliasing

- **Aliasing**: Multiple names for an actual parameter inside a subprogram body
- Possible causes:
  - Global object used is also passed as actual parameter
  - Same actual passed to more than one formal
  - Overlapping **array** slices
  - One actual is a component of another actual
- Can lead to code dependent on parameter-passing mechanism
- Ada detects some cases and raises `Program_Error`

```
procedure Update (Doubled, Tripled : in out Integer);
```

```
...
```

```
Update (Doubled => A,
 Tripled => A); -- illegal in Ada 2012
```

# Functions' Parameter Modes

Ada 2012

- Can be mode **in** **out** and **out** too
- **Note:** operator functions can only have mode **in**
  - Including those you overload
  - Keeps readers sane
- Justification for only mode **in** prior to Ada 2012
  - No side effects: should be like mathematical functions
  - But side effects are still possible via globals
  - So worst possible case: side effects are possible and necessarily hidden!

## Easy Cases Detected and Not Legal

```
procedure Example (A : in out Positive) is
 function Increment (This : Integer) return Integer is
 begin
 A := A + This;
 return A;
 end Increment;
 X : array (1 .. 10) of Integer;
begin
 -- order of evaluating A not specified
 X (A) := Increment (A);
end Example;
```

## Extended Examples

# Tic-Tac-Toe Winners Example (Spec)

```
package TicTacToe is
 type Players is (Nobody, X, O);
 type Move is range 1 .. 9;
 type Game is array (Move) of
 Players;
 function Winner (This : Game)
 return Players;
 ...
end TicTacToe;
```

|   |   |   |   |   |   |
|---|---|---|---|---|---|
| 1 | N | 2 | N | 3 | N |
| 4 | N | 5 | N | 6 | N |
| 7 | N | 8 | N | 9 | N |



# Tic-Tac-Toe Winners Example (Body)

```
function Winner (This : Game) return Players is
 type Winning_Combinations is range 1 .. 8;
 type Required_Positions is range 1 .. 3;
 Winning : constant array
 (Winning_Combinations, Required_Positions)
 of Move := (-- rows
 (1, 2, 3), (4, 5, 6), (7, 8, 9),
 -- columns
 (1, 4, 7), (2, 5, 8), (3, 6, 9),
 -- diagonals
 (1, 5, 9), (3, 5, 7));

begin
 for K in Winning_Combinations loop
 if This (Winning (K, 1)) /= Nobody and then
 (This (Winning (K, 1)) = This (Winning (K, 2)) and
 This (Winning (K, 2)) = This (Winning (K, 3)))
 then
 return This (Winning (K, 1));
 end if;
 end loop;
 return Nobody;
end Winner;
```

# Set Example

```

-- some colors
type Color is (Red, Orange, Yellow, Green, Blue, Violet);
-- truth table for each color
type Set is array (Color) of Boolean;
-- unconstrained array of colors
type Set_Literal is array (Positive range <>) of Color;

-- Take an array of colors and set table value to True
-- for each color in the array
function Make (Values : Set_Literal) return Set;
-- Take a color and return table with color value set to true
function Make (Base : Color) return Set;
-- Return True if the color has the truth value set
function Is_Member (C : Color; Of_Set: Set) return Boolean;

Null_Set : constant Set := (Set'Range => False);
RGB : Set := Make (
 Set_Literal'(Red, Blue, Green));
Domain : Set := Make (Green);

if Is_Member (Red, Of_Set => RGB) then ...

-- Type supports operations via Boolean operations,
-- as Set is a one-dimensional array of Boolean
S1, S2 : Set := Make (...);
Union : Set := S1 or S2;
Intersection : Set := S1 and S2;
Difference : Set := S1 xor S2;

```

# Set Example (Implementation)

```
function Make (Base : Color) return Set is
 Result : Set := Null_Set;
begin
 Result (Base) := True;
 return Result;
end Make;

function Make (Values : Set_Literal) return Set is
 Result : Set := Null_Set;
begin
 for K in Values'Range loop
 Result (Values (K)) := True;
 end loop;
 return Result;
end Make;

function Is_Member (C: Color;
 Of_Set: Set)
 return Boolean is

begin
 return Of_Set(C);
end Is_Member;
```

## Lab

# Subprograms Lab

## ■ Requirements

- Allow the user to fill a list with values and then check to see if a value is in the list
- Create at least two subprograms:
  - Sort a list of items
  - Search a list of items and return TRUE if found
  - You can create additional subprograms if desired

## ■ Hints

- Subprograms can be nested inside other subprograms
  - Like inside **main**
- Try a binary search algorithm if you want to use recursion
  - Unconstrained arrays may be needed

# Subprograms Lab Solution - Search

```
function Is_Found (List : List_T;
 Item : Integer)
 return Boolean is
begin
 if List'Length = 0 then
 return False;
 elsif List'Length = 1 then
 return List (List'First) = Item;
 else
 declare
 Midpoint : constant Integer := (List'First + List'Last) / 2;
 begin
 if List (Midpoint) = Item then
 return True;
 elsif List (Midpoint) > Item then
 return Is_Found (List
 (List'First .. Midpoint - 1), Item);
 else -- List(Midpoint) < item
 return Is_Found (List
 (Midpoint + 1 .. List'Last), Item);
 end if;
 end;
 end if;
end Is_Found;
```

# Subprograms Lab Solution - Sort

```
procedure Sort (List : in out List_T) is
 Swapped : Boolean;
 procedure Swap (I, J : in Integer) is
 Temp : constant Integer := List (I);
 begin
 List (I) := List (J);
 List (J) := Temp;
 Swapped := True;
 end Swap;
begin
 for I in List'First .. List'Last loop
 Swapped := False;
 for J in 1 .. List'Last - I loop
 if List (J) > List (J + 1)
 then
 Swap (J, J + 1);
 end if;
 end loop;
 if not Swapped then
 return;
 end if;
 end loop;
end Sort;
```

# Subprograms Lab Solution - Main

```
procedure Fill (List : out List_T) is
begin
 Put_Line ("Enter values for list: ");
 for I in List'First .. List'Last
 loop
 List (I) := Integer'Value (Get_Line);
 end loop;
end Fill;

Number : Integer;

begin

 Put ("Enter number of elements in list: ");
 Number := Integer'Value (Get_Line);

 declare
 List : List_T (1 .. Number);
 begin
 Fill (List);
 Sort (List);
 loop
 Put ("Enter number to look for: ");
 Number := Integer'Value (Get_Line);
 exit when Number < 0;
 Put_Line (Boolean'Image (Is_Found (List, Number)));
 end loop;
 end;

end Main;
```



## Summary

# Summary

- **procedure** is abstraction for actions
- **function** is abstraction for value computations
- A **function** may return values of variable size
- Separate declarations are sometimes necessary
  - Mutual recursion
  - Visibility from packages (i.e., exporting)
- Modes allow spec to define effects on actuals
  - Don't have to see the implementation: abstraction maintained
- Parameter-passing mechanism is based on the type
- Watch those side effects!

# Expressions

## Introduction

# Advanced Expressions

- Different categories of expressions above simple assignment and conditional statements
  - Constraining types to sub-ranges to increase readability and flexibility
    - Allows for simple membership checks of values
  - Embedded conditional assignments
    - Equivalent to C's `A ? B : C` and even more elaborate
  - Universal / Existential checks
    - Ability to easily determine if one or all of a set match a condition

## Membership Tests

# Examples

```
with Ada.Text_IO; use Ada.Text_IO;
procedure Membership_Tests is
 subtype Index_T is Integer range 1 .. 100;
 X : constant Integer := Integer (Line);
 B : Boolean := X in 1 .. 100;
 C : Boolean := not (X in Index_T);
 D : Boolean := X not in Index_T;

 type Calendar_Days is (Sun, Mon, Tues, Wed, Thur, Fri, Sat);
 subtype Weekdays is Calendar_Days range Mon .. Fri;
 Day : Calendar_Days := Calendar_Days'Val (X);

begin

 if Day in Sun | Sat then
 -- identical expressions
 B := Day in Mon .. Fri;
 C := Day in Weekdays;
 Day := Wed;
 elsif Day = Mon or Day = Tues then
 D := D and (B or C);
 Day := Thur;
 end if;

 Put_Line (D'Image & " " & B'Image & " " & C'Image);
 Put_Line (Day'Image);

end Membership_Tests;
```

# "Membership" Operation

## ■ Syntax

```
simple_expression [not] in membership_choice_list
membership_choice_list ::= membership_choice
 { | membership_choice }
membership_choice ::= expression | range | subtype_mark
```

## ■ Acts like a boolean function

## ■ Usable anywhere a boolean value is allowed

```
X : Integer := ...
B : Boolean := X in 0..5;
C : Boolean := X not in 0..5; -- also "not (X in 0..5)"
```



## Testing Constraints via Membership

```
type Calendar_Days is
 (Mon, Tues, Wed, Thur, Fri, Sat, Sun);
subtype Weekdays is Calendar_Days range Mon .. Fri;
Day : Calendar_Days := Today;
...
if Day in Mon .. Fri then ...
if Day in Weekdays then ... - same as above
```

# Testing Non-Contiguous Membership

Ada 2012

- Uses vertical bar "choice" syntax

```
declare
```

```
 M : Month_Number := Month (Clock);
```

```
begin
```

```
 if M in 9 | 4 | 6 | 11 then
```

```
 Put_Line ("31 days in this month");
```

```
 elsif M = 2 then
```

```
 Put_Line ("It's February, who knows?");
```

```
 else
```

```
 Put_Line ("30 days in this month");
```

```
 end if;
```

# Quiz

```
type Days_T is (Sun, Mon, Tue, Wed, Thu, Fri, Sat);
subtype Weekdays_T is Days_T range Mon .. Fri;
Today : Days_T;
```

Which condition is illegal?

- A. if Today = Mon or Wed or Fri then
- B. if Today in Days\_T then
- C. if Today not in Weekdays\_T then
- D. if Today in Tue | Thu then

# Quiz

```
type Days_T is (Sun, Mon, Tue, Wed, Thu, Fri, Sat);
subtype Weekdays_T is Days_T range Mon .. Fri;
Today : Days_T;
```

Which condition is illegal?

- A. *if Today = Mon or Wed or Fri then*
- B. *if Today in Days\_T then*
- C. *if Today not in Weekdays\_T then*
- D. *if Today in Tue | Thu then*

Explanations

- A. To use **or**, both sides of the comparison must be duplicated (e.g. Today = Mon **or** Today = Wed)
- B. Legal - should always return True
- C. Legal - returns True if Today is Sat or Sun
- D. Legal - returns True if Today is Tue or Thu

## Qualified Names

# Qualification

- Explicitly indicates the subtype of the value
- Syntax

```
qualified_expression ::= subtype_mark'(expression) |
 subtype_mark'aggregate
```

- Similar to conversion syntax
  - Mnemonic - "qualification uses quote"
- Various uses shown in course
  - Testing constraints
  - Removing ambiguity of overloading
  - Enhancing readability via explicitness

# Testing Constraints via Qualification

- Asserts value is compatible with subtype
  - Raises exception `Constraint_Error` if not true

```
subtype Weekdays is Days range Mon .. Fri;
This_Day : Days;
...
case Weekdays'(This_Day) is --runtime error if out of range
 when Mon =>
 Arrive_Late;
 Leave_Early;
 when Tue .. Thur =>
 Arrive_Early;
 Leave_Late;
 when Fri =>
 Arrive_Early;
 Leave_Early;
end case; -- no 'others' because all subtype values covered
```

# Index Constraints

- Specify bounds for unconstrained array types

```
type Vector is array (Positive range <>) of Float;
subtype Position_Vector is Vector (1..3);
V : Position_Vector;
```

- Index constraints must not already be specified

```
type String is array (Positive range <>) of Character;
subtype Full_Name is String(1 .. Max);
subtype First_Name is Full_Name(1 .. N); -- compile error
```



## Conditional Expressions

# Examples

```

with Ada.Text_IO; use Ada.Text_IO;
procedure Conditional_Expressions is

 type Months_T is
 (Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec);
 Year : constant Integer := 2_020;

 procedure If_Expression is
 Counter : Natural := 5;
 begin
 while Counter > 0 loop
 Put_Line
 ("Self-destruct in" & Natural'Image (Counter) &
 (if Counter = 1 then " second" else " seconds"));
 delay 1.0;
 Counter := Counter - 1;
 end loop;
 Put_Line ("Boom! (goodbye Nostromo)");
 end If_Expression;

 procedure Case_Expression is
 Leap_Year : constant Boolean :=
 (Year mod 4 = 0 and Year mod 100 /= 0) or else (Year mod 400 = 0);
 begin
 for M in Months_T loop
 Put_Line
 (M'Image & " => " &
 Integer'Image
 (case M is when Sep | Apr | Jun | Nov => 30,
 when Feb => (if Leap_Year then 29 else 28),
 when others => 31));
 end loop;
 end Case_Expression;

begin
 If_Expression;
 Case_Expression;
end Conditional_Expressions;

```

<https://ada-core.github.io/ada/ada-2020-expressions.html#conditional-expressions>

# Conditional Expressions

Ada 2012

- Ultimate value depends on a controlling condition
- Allowed wherever an expression is allowed
  - Assignment RHS, formal parameters, aggregates, etc.
- Similar intent as in other languages
  - Java, C/C++ ternary operation **A ? B : C**
  - Python conditional expressions
  - etc.
- Two forms:
  - *If expressions*
  - *Case expressions*

# If Expressions

Ada 2012

- Syntax looks like an if-statement without **end if**

```
if_expression ::=
 (if condition then dependent_expression
 {elsif condition then dependent_expression}
 [else dependent_expression])
condition ::= boolean_expression
```

- The conditions are always Boolean values

```
(if Today > Wednesday then 1 else 0)
```

## Result Must Be Compatible with Context

- The **dependent\_expression** parts, specifically

```
X : Integer :=
 (if Day_Of_Week (Clock) > Wednesday then 1 else 0);
```

## If Expression Example

```
declare
 Remaining : Natural := 5; -- arbitrary
begin
 while Remaining > 0 loop
 Put_Line ("Warning! Self-destruct in" &
 Remaining'Image &
 (if Remaining = 1 then " second" else " seconds"));
 delay 1.0;
 Remaining := Remaining - 1;
 end loop;
 Put_Line ("Boom! (goodbye Nostromo)");
```

# Boolean If-Expressions

- Return a value of either True or False
  - `(if P then Q)` - assuming **P** and **Q** are **Boolean**
  - "If P is True then the result of the if-expression is the value of Q"
- But what is the overall result if all conditions are False?
- Answer: the default result value is True
  - Why?
    - Consistency with mathematical proving

## The **else** Part When Result Is Boolean

- Redundant because the default result is True

- `(if P then Q else True)`

- So for convenience and elegance it can be omitted

```
Acceptable : Boolean := (if P1 > 0 then P2 > 0 else True
```

```
Acceptable : Boolean := (if P1 > 0 then P2 > 0);
```

- Use **else** if you need to return False at the end



## Rationale for Parentheses Requirement

- Prevents ambiguity regarding any enclosing expression
- Problem:

```
X : integer := if condition then A else B + 1;
```

- Does that mean
  - If condition, then **X := A + 1**, else **X := B + 1 OR**
  - If condition, then **X := A**, else **X := B + 1**
- But not required if parentheses already present
  - Because enclosing construct includes them

```
Subprogram_Call(if A then B else C);
```

## When To Use *If Expressions*

- When you need computation to be done prior to sequence of statements
  - Allows constants that would otherwise have to be variables
- When an enclosing function would be either heavy or redundant with enclosing context
  - You'd already have written a function if you'd wanted one
- Preconditions and postconditions
  - All the above reasons
  - Puts meaning close to use rather than in package body
- Static named numbers
  - Can be much cleaner than using `Boolean'Pos(condition)`

# If Expression Example for Constants

## ■ Starting from

```

End_of_Month : array (Months) of Days
:= (Sep | Apr | Jun | Nov => 30,
 Feb => 28,
 others => 31);
begin
 if Leap (Today.Year) then -- adjust for leap year
 End_of_Month (Feb) := 29;
 end if;
 if Today.Day = End_of_Month(Today.Month) then
 ...

```

## ■ Using if-expression to call Leap (Year) as needed

```

End_Of_Month : constant array (Months) of Days
:= (Sep | Apr | Jun | Nov => 30,
 Feb => (if Leap (Today.Year)
 then 29 else 28),
 others => 31);
begin
 if Today.Day /= End_of_Month(Today.Month) then
 ...

```

# Case Expressions

Ada 2012

- Syntax similar to **case** statements
  - Lighter: no closing **end case**
  - Commas between choices
- Same general rules as *if expressions*
  - Parentheses required unless already present
  - Type of "result" must match context
- Advantage over *if expressions* is completeness checked by compiler
- Same as with **case** statements (unless **others** is used)

*-- compile error if not all days covered*

```
Hours : constant Integer :=
 (case Day_of_Week is
 when Mon .. Thurs => 9,
 when Fri => 4,
 when Sat | Sun => 0);
```

## Case Expression Example

```
Leap : constant Boolean :=
 (Today.Year mod 4 = 0 and Today.Year mod 100 /= 0)
 or else
 (Today.Year mod 400 = 0);
End_Of_Month : array (Months) of Days;
...
-- initialize array
for M in Months loop
 End_Of_Month (M) :=
 (case M is
 when Sep | Apr | Jun | Nov => 30,
 when Feb => (if Leap then 29 else 28),
 when others => 31);
end loop;
```

# Quiz

```
function Sqrt (X : Float) return Float;
F : Float;
B : Boolean;
```

Which statement is illegal?

- ☐ A. `F := if X < 0.0 then Sqrt (-1.0 * X) else Sqrt (X);`
- ☐ B. `F := Sqrt( if X < 0.0 then -1.0 * X else X );`
- ☐ C. `B := (if X < 0.0 then Sqrt (-1.0 * X) < 10.0 else True);`
- ☐ D. `B := (if X < 0.0 then Sqrt (-1.0 * X) < 10.0);`

# Quiz

```
function Sqrt (X : Float) return Float;
F : Float;
B : Boolean;
```

Which statement is illegal?

- A. `F := if X < 0.0 then Sqrt (-1.0 * X) else Sqrt (X);`
- B. `F := Sqrt( if X < 0.0 then -1.0 * X else X );`
- C. `B := (if X < 0.0 then Sqrt (-1.0 * X) < 10.0 else True);`
- D. `B := (if X < 0.0 then Sqrt (-1.0 * X) < 10.0);`

Explanations

- A. Missing parentheses around expression
- B. Legal - Expression is already enclosed in parentheses so you don't need to add more
- C. Legal - `else True` not needed but is allowed
- D. Legal - B will be True if  $X \geq 0.0$

Lab



# Expressions Lab

## ■ Requirements

- Allow the user to fill a list with dates
- After the list is created, create functions to print True/False if ...
  - Any date is not legal (taking into account leap years!)
  - All dates are in the same calendar year
- Use *expression functions* for all validation routines

## ■ Hints

- Use subtype membership for range validation
- You will need *conditional expressions* in your functions
- You *can* use component-based iterations for some checks
  - But you *must* use indexed-based iterations for others

# Expressions Lab Solution - Checks

```
subtype Year_T is Positive range 1_900 .. 2_099;
subtype Month_T is Positive range 1 .. 12;
subtype Day_T is Positive range 1 .. 31;

type Date_T is record
 Year : Positive;
 Month : Positive;
 Day : Positive;
end record;

List : array (1 .. 5) of Date_T;
Item : Date_T;

function Is_Leap_Year (Year : Positive)
 return Boolean is
 (Year mod 400 = 0 or else (Year mod 4 = 0 and Year mod 100 /= 0));

function Days_In_Month (Month : Positive;
 Year : Positive)
 return Day_T is
 (case Month is when 4 | 6 | 9 | 11 => 30,
 when 2 => (if Is_Leap_Year (Year) then 29 else 28), when others => 31);

function Is_Valid (Date : Date_T)
 return Boolean is
 (Date.Year in Year_T and then Date.Month in Month_T
 and then Date.Day <= Days_In_Month (Date.Month, Date.Year));

function Any_Invalid return Boolean is
begin
 for Date of List loop
 if not Is_Valid (Date) then
 return True;
 end if;
 end loop;
 return False;
end Any_Invalid;

function Same_Year return Boolean is
begin
 for Index in List'range loop
 if List (Index).Year /= List (List'first).Year then
 return False;
 end if;
 end loop;
 return True;
end Same_Year;
```

# Expressions Lab Solution - Main

```
function Number (Prompt : String)
 return Positive is
begin
 Put (Prompt & "> ");
 return Positive'Value (Get_Line);
end Number;

begin

 for I in List'Range loop
 Item.Year := Number ("Year");
 Item.Month := Number ("Month");
 Item.Day := Number ("Day");
 List (I) := Item;
 end loop;

 Put_Line ("Any invalid: " & Boolean'image (Any_Invalid));
 Put_Line ("Same Year: " & Boolean'image (Same_Year));

end Main;
```

## Summary

# Summary

- Conditional expressions are allowed wherever expressions are allowed, but beware over-use
  - Especially useful when a constant is intended
  - Especially useful when a static expression is required

# Overloading

## Introduction

# Introduction

- *Overloading* is the use of an already existing name to define a **new** entity
- Historically, only done as part of the language **implementation**
  - Eg. on operators
  - Float vs integer vs pointers arithmetic
- Several languages allow **user-defined** overloading
  - C++
  - Python (limited to operators)
  - Haskell



# Visibility and Scope

- Overloading is **not** re-declaration
- Both entities **share** the name
  - No hiding
  - Compiler performs **name resolution**
- Allowed to be declared in the **same scope**
  - Remember this is forbidden for "usual" declarations

# Overloadable Entities In Ada

- Identifiers for subprograms
  - Both procedure and function names
- Identifiers for enumeration values (enumerals)
- Language-defined operators for functions

```
procedure Put (Str : in String);
procedure Put (C : in Complex);
function Max (Left, Right : Integer) return Integer;
function Max (Left, Right : Float) return Float;
function "+" (Left, Right : Rational) return Rational;
function "+" (Left, Right : Complex) return Complex;
function "*" (Left : Natural; Right : Character)
 return String;
```

## Function Operator Overloading Example

```
-- User-defined overloading
function "+" (L,R : Complex) return Complex is
begin
 return (L.Real_Part + R.Real_Part,
 L.Imaginary + R.Imaginary);
end "+";

A, B, C : Complex;
I, J, K : Integer;

I := J + K; -- overloaded operator (predefined)
A := B + C; -- overloaded operator (user-defined)
```

# Benefits and Risk of Overloading

- Management of the name space
  - Support for abstraction
  - Linker will not simply take the first match and apply it globally
- Safe: compiler will reject ambiguous calls
- Sensible names are the programmer's job

```
function "+" (L, R : Integer) return String is
begin
 return Integer'Image (L - R);
end "+";
```

## Enumerals and Operators

# Examples

```

with Ada.Text_IO; use Ada.Text_IO;
procedure Enumerals_And_Operators is
 type Colors_T is (Blue, Yellow, Black, Green, Red);
 type Rgb_T is (Red, Green, Blue);
 type Stoplight_T is (Green, Yellow, Red);

 Color : constant Colors_T := Red;
 Rgb : constant Rgb_T := Red;
 Light : constant Stoplight_T := Red;

 type Miles_T is digits 6;
 type Hour_T is digits 6;
 type Speed_T is digits 6;
 function "/" (M : Miles_T; H : Hour_T) return Speed_T is
 (Speed_T (Float (M) / Float (H)));
 function "*" (Mph : Speed_T; H : Hour_T) return Miles_T is
 (Miles_T (Float (Mph) * Float (H)));

 M : Miles_T := Miles_T (Col);
 H : constant Hour_T := Hour_T (Line);
 Mph : Speed_T;

begin
 Put_Line (Color'Image & " " & Rgb'Image & " " & Light'Image);
 Mph := M / H;
 M := Mph * H;
 Put_Line (Mph'Image & M'Image);

 Mph := "/" (M => M, H => H);
 M := "*" (Mph, H);
 Put_Line (Mph'Image & M'Image);
end Enumerals_And_Operators;

```

# Overloading Enumerals

- Each is treated as if a function name (identifier)
- Thus same rules as for function identifier overloading

```
type Stop_Light is (Red, Yellow, Green);
```

```
type Colors is (Red, Blue, Green);
```

```
Shade : Colors := Red;
```

```
Current_Value : Stop_Light := Red;
```

# Overloadable Operator Symbols

- Only those defined by the language already
  - Users cannot introduce new operator symbols
- Note that assignment ( $:=$ ) is not an operator
- Operators (in precedence order)

Logicals and, or, xor

Relationals  $<$ ,  $<=$ ,  $=$ ,  $>=$ ,  $>$

Unary  $+$ ,  $-$

Binary  $+$ ,  $-$ ,  $\&$

Multiplying  $*$ ,  $/$ , mod, rem

Highest precedence  $**$ , abs, not



# Parameters for Overloaded Operators

- Must not change syntax of calls
  - Number of parameters must remain same (unary, binary...)
  - No default expressions allowed for operators
- Infix calls use positional parameter associations
  - Left actual goes to first formal, right actual goes to second formal
  - Definition

```
function "*" (Left, Right : Integer) return Integer;
```

- Usage

```
X := 2 * 3;
```

- Named parameter associations allowed but ugly
  - Requires prefix notion for call

```
X := "*" (Left => 2, Right => 3);
```

## Call Resolution

# Examples

```
with Ada.Text_IO; use Ada.Text_IO;
procedure Call_Resolution is
 type Colors_T is (Red, Orange, Yellow, Green, Blue, Indigo, Violet);
 type Rgb_T is (Red, Green, Blue);
 function Str (P : Colors_T) return String is (Colors_T'Image (P));
 function Str (P : Rgb_T) return String is (Rgb_T'Image (P));
 procedure Print (Color : Colors_T) is
 begin
 Put_Line (Str (Color));
 end Print;
 procedure Print (Rgb : Rgb_T) is
 begin
 Put_Line (Str (Rgb));
 end Print;
 procedure Print (P1 : Colors_T; P2 : Rgb_T) is null;

begin
 Put_Line (Str (Yellow));
 -- Put_Line (Str (Red)); -- compile error
 Print (Orange);
 Print (Rgb => Red);
 Print (Color => Blue);
 Print (Red, Red);
end Call_Resolution;
```

# Call Resolution

- Compilers must reject ambiguous calls
- **Resolution** is based on the calling context
  - Compiler attempts to find a matching **profile**
  - Based on **Parameter** and **Result** Type
- Overloading is not re-definition, or hiding
  - More than one matching profile is ambiguous

```
type Complex is ...
function "+" (L, R : Complex) return Complex;
A, B : Complex := some_value;
C : Complex := A + B;
D : Float := A + B; -- illegal!
E : Float := 1.0 + 2.0;
```

## Profile Components Used

- Significant components appear in the call itself
  - **Number** of parameters
  - **Order** of parameters
  - **Base type** of parameters
  - **Result** type (for functions)
- Insignificant components might not appear at call
  - Formal parameter **names** are optional
  - Formal parameter **modes** never appear
  - Formal parameter **subtypes** never appear
  - **Default** expressions never appear

```
Display (X);
```

```
Display (Foo => X);
```

```
Display (Foo => X, Bar => Y);
```

# Manually Disambiguating Calls

- Qualification can be used
- Named parameter association can be used
  - Unless name is ambiguous

```
type Stop_Light is (Red, Yellow, Green);
type Colors is (Red, Blue, Green);
procedure Put (Light : in Stop_Light);
procedure Put (Shade : in Colors);
```

```
Put (Red); -- ambiguous call
```

```
Put (Yellow); -- not ambiguous: only 1 Yellow
```

```
Put (Colors'(Red)); -- using type to distinguish
```

```
Put (Light => Green); -- using profile to distinguish
```

# Overloading Example

```
function "+" (Left : Position; Right : Offset)
 return Position is
begin
 return Position'(Left.Row + Right.Row, Left.Column + Right.Col);
end "+";
```

```
function Acceptable (P : Position) return Boolean;
type Positions is array (Moves range <>) of Position;
```

```
function Next (Current : Position) return Positions is
 Result : Positions (Moves range 1 .. 4);
 Count : Moves := 0;
 Test : Position;
begin
 for K in Offsets'Range loop
 Test := Current + Offsets(K);
 if Acceptable (Test) then
 Count := Count + 1;
 Result (Count) := Test;
 end if;
 end loop;
 return Result (1 .. Count);
end Next;
```

# Quiz

```
type Vertical_T is (Top, Middle, Bottom);
type Horizontal_T is (Left, Middle, Right);
function "*" (H : Horizontal_T; V : Vertical_T) return Positive;
function "*" (V : Vertical_T; H : Horizontal_T) return Positive;
P : Positive;
```

Which statement is not legal?

- ☒ A. P := Horizontal\_T'(Middle) \* Middle;
- ☐ B. P := Top \* Right;
- ☐ C. P := "\*" (Middle, Top);
- ☐ D. P := "\*" (H => Middle, V => Top);



## Quiz

```
type Vertical_T is (Top, Middle, Bottom);
type Horizontal_T is (Left, Middle, Right);
function "*" (H : Horizontal_T; V : Vertical_T) return Positive;
function "*" (V : Vertical_T; H : Horizontal_T) return Positive;
P : Positive;
```

Which statement is not legal?

- A. `P := Horizontal_T'(Middle) * Middle;`
- B. `P := Top * Right;`
- C. `P := "*" (Middle, Top);`
- D. `P := "*" (H => Middle, V => Top);`

Explanations

- A. Qualifying one parameter resolves ambiguity
- B. No overloaded names
- C. Use of Top resolves ambiguity
- D. When overloading subprogram names, best to not just switch the order of parameters

## User-Defined Equality

# Examples

```

with Ada.Text_IO; use Ada.Text_IO;
procedure User_Defined_Equality is
 type Array_T is array (1 .. 10) of Integer;
 type Vector_T is record
 Vector : Array_T;
 Count : Integer := 0;
 end record;

 function "=" (L, R : Vector_T) return Boolean is
 begin
 if L.Count /= R.Count then
 Put_Line ("Count is off");
 return False;
 else
 for I in 1 .. L.Count loop
 if L.Vector (I) /= R.Vector (I) then
 Put_Line ("elements don't match");
 return False;
 end if;
 end loop;
 end if;
 return True;
 end "=";
 L, R : Vector_T := (Vector => (others => 1), Count => 3);
begin
 Put_Line (Boolean'Image (L = R));
 L.Vector (2) := 0;
 Put_Line (Boolean'Image (L = R));
 R.Count := 1;
 Put_Line (Boolean'Image (L = R));
end User_Defined_Equality;

```

# User-Defined Equality

- Allowed like any other operator
  - Must remain a binary operator
- Typically declared as `return Boolean`
- Hard to do correctly for composed types
  - Especially **user-defined** types
  - Issue of *Composition of equality*

## Lab

# Overloading Lab

## ■ Requirements

- Create multiple functions named "Convert" to convert between digits and text representation
  - One routine should take a digit and return the text version (e.g. **3** would return **three**)
  - One routine should take text and return the digit (e.g. **two** would return **2**)
- Query the user to enter text or a digit and print it's equivalent
- If the user enters consecutive entries that are equivalent, print a message
  - e.g. **4** followed by **four** should get the message

## ■ Hints

- You can use enumerals for the text representation
  - Then use *'image / 'value* where needed
- Use an equivalence function two compare different types

# Overloading Lab Solution - Conversion Functions

```
type Digit_T is range 0 .. 9;
type Digit_Name_T is
 (Zero, One, Two, Three, Four, Five, Six, Seven, Eight, Nine);

function Convert (Value : Digit_T) return Digit_Name_T;
function Convert (Value : Digit_Name_T) return Digit_T;
function Convert (Value : Character) return Digit_Name_T;
function Convert (Value : String) return Digit_T;

function "=" (L : Digit_Name_T; R : Digit_T) return Boolean is (Convert (L) = R);

function Convert (Value : Digit_T) return Digit_Name_T is
 (case Value is when 0 => Zero, when 1 => One,
 when 2 => Two, when 3 => Three,
 when 4 => Four, when 5 => Five,
 when 6 => Six, when 7 => Seven,
 when 8 => Eight, when 9 => Nine);

function Convert (Value : Digit_Name_T) return Digit_T is
 (case Value is when Zero => 0, when One => 1,
 when Two => 2, when Three => 3,
 when Four => 4, when Five => 5,
 when Six => 6, when Seven => 7,
 when Eight => 8, when Nine => 9);

function Convert (Value : Character) return Digit_Name_T is
 (case Value is when '0' => Zero, when '1' => One,
 when '2' => Two, when '3' => Three,
 when '4' => Four, when '5' => Five,
 when '6' => Six, when '7' => Seven,
 when '8' => Eight, when '9' => Nine,
 when others => Zero);

function Convert (Value : String) return Digit_T is
 (Convert (Digit_Name_T'Value (Value)));
```

# Overloading Lab Solution - Main

```
Last_Entry : Digit_T := 0;

begin
 loop
 Put ("Input: ");
 declare
 Str : constant String := Get_Line;
 begin
 exit when Str'Length = 0;
 if Str(Str'First) in '0' .. '9' then
 declare
 Converted : constant Digit_Name_T := Convert (Str (Str'First));
 begin
 Put (Digit_Name_T'Image (Converted));
 if Converted = Last_Entry then
 Put_Line (" - same as previous");
 else
 Last_Entry := Convert (Converted);
 New_Line;
 end if;
 end;
 else
 declare
 Converted : constant Digit_T := Convert (Str);
 begin
 Put (Digit_T'Image (Converted));
 if Converted = Last_Entry then
 Put_Line (" - same as previous");
 else
 Last_Entry := Converted;
 New_Line;
 end if;
 end;
 end if;
 end loop;
 end Main;
```



## Summary

# Summary

- Ada allows user-defined overloading
  - Identifiers and operator symbols
- Benefits easily outweigh danger of senseless names
  - Can have nonsensical names without overloading
- Compiler rejects ambiguous calls
- Resolution is based on the calling context
  - *Parameter and Result Type Profile*
- Calling context is those items present at point of call
  - Thus modes etc. don't affect overload resolution
- User-defined equality is allowed
  - But is tricky

# Library Units

## Introduction

# Modularity

- Ability to split large system into subsystems
- Each subsystem can have its own components
- And so on ...

## Library Units

# Examples

```
package Named_Common is
 X : Integer; -- valid object for life of application
 Y : Float; -- valid object for life of application
end Named_Common;

procedure Library_Procedure (Parameter : in out Integer);

with Ada.Text_IO; use Ada.Text_IO;
procedure Library_Procedure (Parameter : in out Integer) is
 -- X is visible to Library_Procedure and Nested_Procedure
 X : constant Integer := Parameter;
 procedure Nested_Procedure is
 -- Y is only visible to Nested_Procedure
 Y : constant Integer := X * 2;
 begin
 Parameter := X * Y;
 end Nested_Procedure;
begin
 Nested_Procedure;
 Put_Line ("parameter = " & Parameter'Image);
end Library_Procedure;

with Library_Procedure;
with Named_Common;
procedure Main is
begin
 Named_Common.X := 123;
 Library_Procedure (Named_Common.X);
end Main;
```

# Library Units

- Those not nested within another program unit
- Candidates
  - Subprograms
  - Packages
  - Generic Units
  - Generic Instantiations
  - Renamings
- Restrictions
  - No library level tasks
    - They are always nested within another unit
  - No overloading at library level
  - No library level functions named as operators



# Library Units

```
package Operating_System is
 procedure Foo(...);
 procedure Bar(...);
 package Process_Manipulation is
 ...
 end Process_Manipulation;
 package File_System is
 ...
 end File_System;
end Operating_System;
```

- **Operating\_System** is library unit
- **Foo**, **Bar**, etc - not library units

## No 'Object' Library Items

```
package Library_Package is
 ...
end Library_Package;

-- Illegal: no such thing as "file scope"
Library_Object : Integer;

procedure Library_Procedure;

function Library_Function (Formal : in out Integer) is
 Local : Integer;
begin
 ...
end Library_Function;
```

## Declared Object "Lifetimes"

- Same as their enclosing declarative region
  - Objects are always declared within some declarative region
- No static etc. directives as in C
- Objects declared within any subprogram
  - Exist only while subprogram executes

```
procedure Library_Subprogram is
 X : Integer;
 Y : Float;
begin
 ...
end Library_Subprogram;
```

# Objects In Library Packages

- Exist as long as program executes (i.e., "forever")

```
package Named_Common is
```

```
 X : Integer; -- valid object for life of application
```

```
 Y : Float; -- valid object for life of application
```

```
end Named_Common;
```

## Objects In Non-library Packages

- Exist as long as region enclosing the package

```
procedure P is
```

```
 X : Integer; -- available while in P and Inner
```

```
 package Inner is
```

```
 Z : Boolean; -- available while in Inner
```

```
 end Inner;
```

```
 Y : Float; -- available while in P
```

```
begin
```

```
 ...
```

```
end P;
```

# Program "Lifetime"

- Run-time library is initialized
- All (any) library packages are elaborated
  - Declarations in package declarative part are elaborated
  - Declarations in package body declarative part are elaborated
  - Executable part of package body is executed (if present)
- Main program's declarative part is elaborated
- Main program's sequence of statements executes
- Program executes until all threads terminate
- All objects in library packages cease to exist
- Run-time library shuts down

# Library Unit Subprograms

- Recall: separate declarations are optional
  - Body can act as declaration if no declaration provided
- Separate declaration provides usual benefits
  - Changes/recompilation to body only require relinking clients
- File 1 (p.ads for GNAT)

```
procedure P (F : in Integer);
```

- File 2 (p.adb for GNAT)

```
procedure P (F : in Integer) is
begin
 . . .
end P;
```

# Library Unit Subprograms

- Specifications in declaration and body must conform

- Example

- Spec for P

```
procedure P (F : in integer);
```

- Body for P

```
procedure P (F : in float) is
begin
 ...
end P;
```

- Declaration creates subprogram **P** in library

- Declaration exists so body does not act as declaration

- Compilation of file "p.adb" must fail

- New declaration with same name replaces old one

- Thus cannot overload library units



# Main Subprograms

- Must be library subprograms
- No special program unit name required
- Can be many per program library
- Always can be procedures
- Can be functions if implementation allows it
  - Execution environment must know how to handle result

```
with Ada.Text_IO;
procedure Hello is
begin
 Ada.Text_IO.Put("Hello World");
end Hello;
```

## Dependencies

# Examples

```
with Ada.Text_IO;
package Base_Types is
 type Position_T is record
 Line : Ada.Text_IO.Positive_Count;
 Column : Ada.Text_IO.Positive_Count;
 end record;
end Base_Types;

-- no need to "with" ada.text_io
with Base_Types;
package Files is
 subtype Name_T is String (1 .. 12);
 type File_T is record
 Name : Name_T := (others => ' ');
 Position : Base_Types.Position_T := (Line => 1, Column => 1);
 end record;
 function Create (Name : Name_T) return File_T;
end Files;

package body Files is
 -- "with" of base_types inherited from spec
 Default_Position : constant Base_Types.Position_T := (1, 1);
 function Create (Name : Name_T) return File_T is
 (Name => Name, Position => Default_Position);
end Files;
```

## with Clauses

- Specify the library units that a compilation unit depends upon
  - The "context" in which the unit is compiled
- Syntax (simplified)

```
context_clause ::= { context_item }
context_item ::= with_clause | use_clause
with_clause ::= with library_unit_name
 { , library_unit_name };
```

```
with Ada.Text_IO; -- dependency
procedure Hello is
begin
 Ada.Text_IO.Put ("Hello World");
end Hello;
```

## with Clauses Syntax

- Helps explain restrictions on library units
  - No overloaded library units
  - If overloading allowed, which **P** would **with** P; refer to?
  - No library unit functions names as operators
    - Mostly because of no overloading

# What To Import

- Need only name direct dependencies
  - Those actually referenced in the corresponding unit
- Will not cause compilation of referenced units
  - Unlike "include directives" of some languages

```
package A is
 type Something is ...
end A;

with A;
package B is
 type Something is record
 Field : A.Something;
 end record;
end B;

with B; -- no "with" of A
procedure Foo is
 X : B.Something;
begin
 X.Field := ...
```

## Summary

# Summary

- Library Units are "standalone" entities
  - Can contain subunits with similar structure
- **with** clauses interconnect library units
  - Express dependencies of the one being compiled
  - Not textual inclusion!



# Packages

## Introduction

# Packages

- Enforce separation of client from implementation
  - In terms of compile-time visibility
  - For data
  - For type representation, when combined with `private` types
    - Abstract Data Types
- Provide basic namespace control
- Directly support software engineering principles
  - Especially in combination with `private` types
  - Modularity
  - Information Hiding (Encapsulation)
  - Abstraction
  - Separation of Concerns

# Separating Interface and Implementation

- *Implementation* and *specification* are textually distinct from each other
  - Typically in separate files
- Clients can compile their code before body exists
  - All they need is the package specification
  - Full client/interface consistency is guaranteed

```
package Float_Stack is
 Max : constant := 100;
 procedure Push (X : in Float);
 procedure Pop (X : out Float);
end Float_Stack;
```

# Uncontrolled Visibility Problem

- Clients have too much access to representation
  - Data
  - Type representation
- Changes force clients to recode and retest
- Manual enforcement is not sufficient
- Why fixing bugs introduces new bugs!

# Basic Syntax and Nomenclature

```
package_declaration ::= package_specification;
```

## ■ Spec

```
package_specification ::=
 package name is
 {basic_declarative_item}
 end [name];
```

## ■ Body

```
package_body ::=
 package body name is
 declarative_part
 end [name];
```

## Declarations

# Examples

```
package Global_Data is
 Object : Integer := 100;
 type Float_T is digits 6;
end Global_Data;

with Global_Data;
package Float_Stack is
 Max : constant Integer := Global_Data.Object;
 procedure Push (X : in Global_Data.Float_T);
 function Pop return Global_Data.Float_T;
end Float_Stack;

package body Float_Stack is
 Local_Object : Global_Data.Float_T;
 procedure Not_Exported is null;
 procedure Push (X : in Global_Data.Float_T) is
 begin
 Not_Exported;
 Local_Object := X;
 end Push;
 function Pop return Global_Data.Float_T is (Local_Object);
end Float_Stack;
```



# Package Declarations

- Required in all cases
  - Cannot have a package without the declaration
- Describe the client's interface
  - Declarations are exported to clients
  - Effectively the "pin-outs" for the black-box
- When changed, requires clients recompilation
  - The "pin-outs" have changed

```
package Float_Stack is
 Max : constant := 100;
 procedure Push (X : in Float);
 procedure Pop (X : out Float);
end Float_Stack;
```

```
package Data is
 Object : integer;
end Data;
```

# Compile-Time Visibility Control

- Items in the declaration are visible to users

```
package name is
 -- exported declarations of
 -- types, variables, subprograms ...
end name;
```

- Items in the body are never externally visible
  - Compiler prevents external references

```
package body name is
 -- hidden declarations of
 -- types, variables, subprograms ...
 -- implementations of exported subprograms etc.
end name;
```

## Example of Exporting To Clients

- Variables, types, exception, subprograms, etc.
  - The primary reason for separate subprogram declarations

```
package P is
 procedure This_Is_Exported;
end P;

package body P is
 procedure Not_Exported is
 ...
 procedure This_Is_Exported is
 ...
end P;
```

# Referencing Exported Items

- Achieved via "dot notation"
- Package Specification

```
package Float_Stack is
 Max : constant := 100;
 procedure Push (X : in Float);
 procedure Pop (X : out Float);
end Float_Stack;
```

- Package Reference

```
with Float_Stack;
procedure Test is
 X : Float;
begin
 Float_Stack.Pop (X);
 Float_Stack.Push (12.0);
 if Count < Float_Stack.Max then ...
```

## Bodies

# Examples

```

package Body_Not_Allowed is
 type My_Float is digits 12;
 type Device_Coordinates is record
 X, Y : Integer;
 end record;
 type Normalized_Coordinates is record
 X, Y : My_Float range 0.0 .. 1.0;
 end record;
 -- nothing to implement, so no body allowed
end Body_Not_Allowed;

package Body_Required is
 subtype Rows is Integer range 1 .. 24;
 subtype Columns is Integer range 1 .. 80;
 type Position is record
 Row : Rows := Rows'First;
 Col : Columns := Columns'First;
 end record;
 -- The following need to be defined in the body
 procedure Move_Cursor (To : in Position);
 procedure Home;
end Body_Required;

with Ada.Text_IO; use Ada.Text_IO;
package body Body_Required is
 -- This function is not visible outside this package
 function Unsigned (Input : Integer) return String is
 Str : constant String := Integer'Image (Input);
 begin
 return Str (2 .. Str'Length);
 end Unsigned;
 procedure Move_Cursor (To : in Position) is
 begin
 Put (ASCII.ESC & "I" & Unsigned(To.Row) & ";" & Unsigned(To.Col) & "H");
 end Move_Cursor;
 procedure Home is null; -- not yet implemented
end Body_Required;

```

[https://chap.ada-lang.org/draft\\_examples/Implementations\\_of\\_ada\\_130\\_packages.html#Bodies](https://chap.ada-lang.org/draft_examples/Implementations_of_ada_130_packages.html#Bodies)

# Package Bodies

- Dependent on corresponding package specification
  - Obsolete if specification changed
- Clients need only to relink if body changed
  - Any code that would require editing would not have compiled in the first place
- Necessary for specifications that require a completion, for example:
  - Subprogram bodies
  - Task bodies
  - Incomplete types in **private** part
  - Others...

# Bodies Are Never Optional

- Either required for a given spec or not allowed at all
  - Based on declarations in that spec
- A change from Ada 83
- A (nasty) justification example will be shown later



## Example Spec That Cannot Have A Body

```
package Graphics_Primitives is
 type Coordinate is digits 12;
 type Device_Coordinates is record
 X, Y : Integer;
 end record;
 type Normalized_Coordinates is record
 X, Y : Coordinate range 0.0 .. 1.0;
 end record;
 type Offset is record
 X, Y : Coordinate range -1.0 .. 1.0;
 end record;
 -- nothing to implement, so no body allowed
end Graphics_Primitives;
```

## Example Spec Requiring A Package Body

```
package VT100 is
 subtype Rows is Integer range 1 .. 24;
 subtype Columns is Integer range 1 .. 80;
 type Position is record
 Row : Rows := Rows'First;
 Col : Columns := Columns'First;
 end record;
 -- The following need to be defined in the body
 procedure Move_Cursor (To : in Position);
 procedure Home;
 procedure Clear_Screen;
 procedure Cursor_Up (Count : in Positive := 1);
end VT100;
```

# Required Body Example

```
package body VT100 is
 -- This function is not visible outside this package
 function Unsigned (Input : Integer) return String is
 Str : constant String := Integer'Image (Input);
 begin
 return Str (2 .. Str'length);
 end Unsigned;
 procedure Move_Cursor (To : in Position) is
 begin
 Text_IO.Put (ASCII.Esc & 'I' &
 Unsigned(To.Row) & ';' &
 Unsigned(To.Col) & 'H');
 end Move_Cursor;
 procedure Home is
 begin
 Text_IO.Put (ASCII.Esc & "iH");
 end Home;
 procedure Cursor_Up (Count : in Positive := 1) is ...
 ...
end VT100;
```

# Quiz

```
package P is
 Object_One : Integer;
 procedure One (P : out Integer);
end P;
```

Which completion(s) is(are) correct for package P?

- ☒ No completion is needed
- ☒ package body P is
 

```
 procedure One (P : out Integer) is null;
end P;
```
- ☒ package body P is
 

```
 Object_One : Integer;
 procedure One (P : out Integer) is
 begin
 P := Object_One;
 end One;
end P;
```
- ☒ package body P is
 

```
 procedure One (P : out Integer) is
 begin
 P := Object_One;
 end One;
end P;
```

```
package P is
 Object_One : Integer;
 procedure One (P : out Integer);
end P;
```

Which is a valid completion of package P?

- ☒ No completion needed
- ☒ package body P is
 

```
 procedure One (P : out Integer) is null;
end P;
```
- ☒ package body P is
 

```
 Object_One : Integer;
 procedure One (P : out Integer) is
 begin
 P := Object_One;
 end One;
end P;
```
- ☒ package body P is
 

```
 procedure One (P : out Integer) is
 begin
 P := Object_One;
 end One;
end P;
```

# Quiz

```
package P is
 Object_One : Integer;
 procedure One (P : out Integer);
end P;
```

Which completion(s) is(are) correct for package P?

- ☐ No completion is needed
- ☒

```
package body P is
 procedure One (P : out Integer) is null;
end P;
```
- ☐

```
package body P is
 Object_One : Integer;
 procedure One (P : out Integer) is
 begin
 P := Object_One;
 end One;
end P;
```
- ☒

```
package body P is
 procedure One (P : out Integer) is
 begin
 P := Object_One;
 end One;
end P;
```
- ☐ Procedure One must have a body
- ☐ Parameter P is out but not assigned
- ☐ Redclaration of Object\_One

```
package P is
 Object_One : Integer;
 procedure One (P : out Integer);
end P;
```

Which is a valid completion of package P?

- ☐ No completion needed
- ☒

```
package body P is
 procedure One (P : out Integer) is null;
end P;
```
- ☐

```
package body P is
 Object_One : integer;
 procedure One (P : out Integer) is
 begin
 P := Object_One;
 end One;
end P;
```
- ☒

```
package body P is
 procedure One (P : out Integer) is
 begin
 P := Object_One;
 end One;
end P;
```

Explanations

- ☐ Procedure One must have a body
- ☐ No assignment of a value to out parameter
- ☐ Cannot duplicate Object\_One
- ☒ Correct

## Executable Parts

# Examples

```
package Executable_Part is
 Visible_Seed : Integer;
 function Number return Float;
end Executable_Part;

with Ada.Text_IO; use Ada.Text_IO;
package body Executable_Part is
 Hidden_Seed : Integer;
 procedure Initialize (Seed1 : out Integer; Seed2 : out Integer) is
 begin
 Seed1 := Integer'First;
 Seed2 := Integer'Last;
 end Initialize;
 function Number return Float is (0.0); -- not yet implemented
begin
 Put_Line ("Elaborating Executable_Part");
 Initialize (Visible_Seed, Hidden_Seed);
end Executable_Part;

package Force_Body is
 pragma Elaborate_Body;
 Global_Data : array (1 .. 10) of Integer;
end Force_Body;

-- without Elaborate_Body, this is illegal
with Ada.Text_IO; use Ada.Text_IO;
package body Force_Body is
begin
 Put_Line ("Elaborating Force_Body");
 for I in Global_Data'Range loop
 Global_Data (I) := I * 100;
 end loop;
end Force_Body;

with Executable_Part;
with Force_Body;
procedure Main is
begin
 null;
end Main;
```

[https://ada-lang.org/en/stdlib/packages/ada\\_executable\\_part/ada\\_executable\\_part.adb](https://ada-lang.org/en/stdlib/packages/ada_executable_part/ada_executable_part.adb)

## Optional Executable Part

```
package_body ::=
 package body name is
 declarative_part
 [begin
 handled_sequence_of_statements]
end [name];
```



# Executable Part Semantics

- Executed only once, when package is elaborated
- Ideal when statements are required for initialization
  - Otherwise initial values in variable declarations would suffice

```
package body Random is
 Seed1, Seed2 : Integer;
 Call_Count : Natural := 0;
 procedure Initialize (Seed1 : out Integer;
 Seed2 : out Integer) is ...
 function Number return Float is ...
begin -- Random
 Initialize (Seed1, Seed2);
end Random;
```

## Requiring/Rejecting Bodies Justification

- Consider the alternative: an optional package body that becomes obsolete prior to building
- Builder could silently choose not to include the package in executable
  - Package executable part might do critical initialization!

```
package P is
 Data : array (L .. U) of
 Integer;
end P;

package body P is
 ...
begin
 for K in Data'Range loop
 Data(K) := ...
 end loop;
end P;
```

# Forcing A Package Body To be Required

- Use

- `pragma Elaborate_Body`

- Says to elaborate body immediately after spec
    - Hence there must be a body!

- Additional pragmas we will examine later

```
package P is
 pragma Elaborate_Body;
 Data : array (L .. U) of
 Integer;
end P;
```

```
package body P is
 ...
begin
 for K in Data'Range loop
 Data(K) := ...
 end loop;
end P;
```

## Idioms

# Examples

```
package Constants is
 Polar_Radius : constant := 20_856_010.51;
 Equatorial_Radius : constant := 20_926_469.20;
 Earth_Diameter : constant :=
 2.0 * ((Polar_Radius + Equatorial_Radius) / 2.0);
end Constants;

package Global_Data is
 Longitudinal_Velocity : Float := 0.0;
 Longitudinal_Acceleration : Float := 0.0;
 Lateral_Velocity : Float := 0.0;
 Lateral_Acceleration : Float := 0.0;
 Vertical_Velocity : Float := 0.0;
 Vertical_Acceleration : Float := 0.0;
end Global_Data;

package Related_Units is
 type Vector is array (Positive range <>) of Float;
 function "+" (L, R : Vector) return Vector;
 function "-" (L, R : Vector) return Vector;
end Related_Units;

package body Related_Units is
 -- nothing is implemented yet!
 function "+" (L, R : Vector) return Vector is (L);
 function "-" (L, R : Vector) return Vector is (L);
end Related_Units;

package Stack_Abstract_Data_Machine is
 procedure Push (X : in Float);
 procedure Pop (X : out Float);
 function Empty return Boolean;
 function Full return Boolean;
end Stack_Abstract_Data_Machine;

package body Stack_Abstract_Data_Machine is
 -- nothing is implemented yet!
 procedure Push (X : in Float) is null;
 procedure Pop (X : out Float) is null;
 function Empty return Boolean is (True);
 function Full return Boolean is (True);
end Stack_Abstract_Data_Machine;
```

<https://ada-core.github.io/AdaCore/packages/stack.html>

# Named Collection of Declarations

- Exports:
  - Objects (constants and variables)
  - Types
  - Exceptions
- Does not export operations

```
package Physical_Constants is
 Polar_Radius_in_feet : constant := 20_856_010.51;
 Equatorial_Radius_in_feet : constant := 20_926_469.20;
 Earth_Diameter_in_feet : constant := 2.0 *
 ((Polar_Radius_in_feet + Equatorial_Radius_in_feet)/2.0)
 Sea_Level_Air_Density : constant := 0.002378; --slugs/foot**3
 Altitude_Of_Tropopause_in_feet : constant := 36089.0;
 Tropopause_Temperature_in_celsius : constant := -56.5;
end Physical_Constants;
```

## Named Collection of Declarations (2)

- Effectively application global data

```
package Equations_of_Motion is
 Longitudinal_Velocity : Float := 0.0;
 Longitudinal_Acceleration : Float := 0.0;
 Lateral_Velocity : Float := 0.0;
 Lateral_Acceleration : Float := 0.0;
 Vertical_Velocity : Float:= 0.0;
 Vertical_Acceleration : Float:= 0.0;
 Pitch_Attitude : Float:= 0.0;
 Pitch_Rate : Float:= 0.0;
 Pitch_Acceleration : Float:= 0.0;
end Equations_of_Motion;
```

## Group of Related Program Units


- Exports:
  - Objects
  - Types
  - Values
  - Operations
- Users have full access to type representations
  - This visibility may be necessary

```
package Linear_Algebra is
 type Vector is array (Positive range <>) of Float;
 function "+" (L,R : Vector) return Vector;
 function "*" (L,R : Vector) return Vector;
 ...
end Linear_Algebra;
```






# Uncontrolled Data Visibility Problem

- Effects of changes are potentially pervasive so one must understand everything before changing anything



# Controlling Data Visibility Using Packages

- Divides global data into separate package bodies
- Visible only to procedures and functions declared in those same packages
  - Clients can only call these visible routines
- Global change effects are much less likely
  - Direct breakage is impossible



# Abstract Data Machines

- Exports:
  - Operations
  - State information queries (optional)
- No direct user access to data

```
package Float_Stack is
```

```
 Max : constant := 100;
```

```
 procedure Push (X : in Float);
```

```
 procedure Pop (X : out Float);
```

```
end Float_Stack;
```

```
package body Float_Stack is
```

```
 type Contents is array (1 .. Max) of Float;
```

```
 Values : Contents;
```

```
 Top : Integer range 0 .. Max := 0;
```

```
 procedure Push (X : in Float) is ...
```

```
 procedure Pop (X : out Float) is ...
```

```
end Float_Stack;
```

# Controlling Type Representation Visibility

- In other words, support for Abstract Data Types
  - No operations visible to clients based on representation
- The fundamental concept for Ada
- Requires **private** types discussed in coming section...

## Lab

# Packages Lab

## ■ Requirements

- Create a program to add and remove integer values from a list
- Program should allow user to do the following as many times as desired
  - Add an integer in a pre-defined range to the list
  - Remove all occurrences of an integer from the list
  - Print the values in the list

## ■ Hints

- Create (at least) three packages
  - 1 minimum/maximum integer values and maximum number of items in list
  - 2 User input (ensure value is in range)
  - 3 List ADT
- Remember: `with package_name;` gives access to `package_name`

# Creating Packages in GNAT STUDIO

- Right-click on the source directory node
  - If you used a prompt, the directory is probably .
  - If you used the wizard, the directory is probably **src**
- **New** → **Ada Package**
  - Fill in name of Ada package
  - Check the box if you want to create the package body in addition to the package spec

# Packages Lab Solution - Constants

```
package Constants is
```

```
 Lowest_Value : constant := 100;
```

```
 Highest_Value : constant := 999;
```

```
 Maximum_Count : constant := 10;
```

```
 subtype Integer_T is Integer
```

```
 range Lowest_Value .. Highest_Value;
```

```
end Constants;
```



# Packages Lab Solution - Input

```
with Constants;
package Input is
 function Get_Value (Prompt : String) return Constants.Integer_T;
end Input;

with Ada.Text_IO; use Ada.Text_IO;
package body Input is

 function Get_Value (Prompt : String) return Constants.Integer_T is
 Ret_Val : Integer;
 begin
 Put (Prompt & "> ");
 loop
 Ret_Val := Integer'Value (Get_Line);
 exit when Ret_Val >= Constants.Lowest_Value
 and then Ret_Val <= Constants.Highest_Value;
 Put ("Invalid. Try Again >");
 end loop;
 return Ret_Val;
 end Get_Value;

end Input;
```

# Packages Lab Solution - List

```
package List is
 procedure Add (Value : Integer);
 procedure Remove (Value : Integer);
 function Length return Natural;
 procedure Print;
end List;

with Ada.Text_IO; use Ada.Text_IO;
with Constants;
package body List is
 Content : array (1 .. Constants.Maximum_Count) of Integer;
 Last : Natural := 0;

 procedure Add (Value : Integer) is
 begin
 if Last < Content'Last then
 Last := Last + 1;
 Content (Last) := Value;
 else
 Put_Line ("Full");
 end if;
 end Add;

 procedure Remove (Value : Integer) is
 I : Natural := 1;
 begin
 while I <= Last loop
 if Content (I) = Value then
 Content (I .. Last - 1) := Content (I + 1 .. Last);
 Last := Last - 1;
 else
 I := I + 1;
 end if;
 end loop;
 end Remove;

 procedure Print is
 begin
 for I in 1 .. Last loop
 Put_Line (Integer'Image (Content (I)));
 end loop;
 end Print;

 function Length return Natural is (Last);
end List;
```

# Packages Lab Solution - Main

```
with Ada.Text_IO; use Ada.Text_IO;
with Input;
with List;
procedure Main is

begin

 loop
 Put ("(A)dd | (R)emove | (P)rint | Q(uit) : ");
 declare
 Str : constant String := Get_Line;
 begin
 exit when Str'Length = 0;
 case Str(Str'First) is
 when 'A' =>
 List.Add (Input.Get_Value ("Value to add"));
 when 'R' =>
 List.Remove (Input.Get_Value ("Value to remove"));
 when 'P' =>
 List.Print;
 when 'Q' =>
 exit;
 when others =>
 Put_Line ("Illegal entry");
 end case;
 end;
 end loop;

end Main;
```

## Summary

# Summary

- Emphasizes separations of concerns
- Solves the global visibility problem
  - Only those items in the specification are exported
- Enforces software engineering principles
  - Information hiding
  - Abstraction
- Implementation can't be corrupted by clients
  - Compiler won't let clients compile references to internals
- Bugs must be in the implementation, not clients
  - Only body implementation code has to be understood

## Private Types

## Introduction


# Introduction

- Why does fixing bugs introduce new ones?
- Control over visibility is a primary factor
  - Changes to an abstraction's internals shouldn't break users
  - Including type representation
- Need tool-enforced rules to isolate dependencies
  - Between implementations of abstractions and their users
  - In other words, "information hiding"



# Information Hiding

- A design technique in which implementation artifacts are made inaccessible to users
- Based on control of visibility to those artifacts
  - A product of "encapsulation"
  - Language support provides rigor
- Concept is "software integrated circuits"



# Views

- Specify legal manipulation for objects of a type
  - Types are characterized by permitted values and operations
- Some views are implicit in language
  - Mode `in` parameters have a view disallowing assignment
- Views may be explicitly specified
  - Disallowing access to representation
  - Disallowing assignment
- Purpose: control usage in accordance with design
  - Adherence to interface
  - Abstract Data Types

## Implementing Abstract Data Types via Views

## AdaCore

[https://learn.adacore.com/training\\_examples/fundamentals\\_of\\_ada/110\\_p10000\\_type.html#implementing-abstract-data-types-via-views](https://learn.adacore.com/training_examples/fundamentals_of_ada/110_p10000_type.html#implementing-abstract-data-types-via-views)

# Implementing Abstract Data Types

- A combination of constructs in Ada
- Not based on single "class" construct, for example
- Constituent parts
  - Packages, with "private part" of package spec
  - "Private types" declared in packages
  - Subprograms declared within those packages

## Package Visible and Private Parts for Views

- Declarations in visible part are exported to users
- Declarations in private part are hidden from users
  - No compilable references to type's actual representation

```
package name is
... exported declarations of types, variables, subprograms .
private
... hidden declarations of types, variables, subprograms ...
end name;
```

# Declaring Private Types for Views

- Partial syntax

```
type defining_identifier is private;
```

- Private type declaration must occur in visible part

- *Partial view*

- Only partial information on the type

- Users can reference the type name

- Full type declaration must appear in private part

- Completion is the *Full view*

- **Never** visible to users

- **Not** visible to designer until reached

```
package Control is
 type Valve is private;
 procedure Open (V : in out Valve);
 procedure Close (V : in out Valve);
 ...
private
 type Valve is ...
end Control;
```

# Partial and Full Views of Types

- Private type declaration defines a *partial view*
  - The type name is visible
  - Only designer's operations and some predefined operations
  - No references to full type representation
- Full type declaration defines the *full view*
  - Fully defined as a record type, scalar, imported type, etc...
  - Just an ordinary type within the package
- Operations available depend upon one's view



# Software Engineering Principles

- Encapsulation and abstraction enforced by views
  - Compiler enforces view effects
- Same protection as hiding in a package body
  - Recall "Abstract Data Machines" idiom
- Additional flexibility of types
  - Unlimited number of objects possible
  - Passed as parameters
  - Components of array and record types
  - Dynamically allocated
  - et cetera

## Users Declare Objects of the Type

- Unlike "abstract data machine" approach
- Hence must specify which stack to manipulate
  - Via parameter

```
X, Y, Z : Stack;
...
Push (42, X);
...
if Empty (Y) then
...
Pop (Counter, Z);
```

## Compile-Time Visibility Protection

- No type representation details available outside the package
- Therefore users cannot compile code referencing representation
- This does not compile

```
with Bounded_Stacks;
procedure User is
 S : Bounded_Stacks.Stack;
begin
 S.Top := 1; -- Top is not visible
end User;
```

# Benefits of Views

- Users depend only on visible part of specification
  - Impossible for users to compile references to private part
  - Physically seeing private part in source code is irrelevant
- Changes to implementation don't affect users
  - No editing changes necessary for user code
- Implementers can create bullet-proof abstractions
  - If a facility isn't working, you know where to look
- Fixing bugs is less likely to introduce new ones

# Quiz

```
package P is
 type Private_T is private;

 type Record_T is record
```

Which component is legal?

- ☐ A. `Field_A : integer := Private_T'Pos  
 (Private_T'First);`
- ☐ B. `Field_B : Private_T := null;`
- ☐ C. `Field_C : Private_T := 0;`
- ☐ D. `Field_D : integer := Private_T'Size;  
 end record;`

# Quiz

```
package P is
 type Private_T is private;

 type Record_T is record
```

Which component is legal?

- ☐ A. `Field_A : integer := Private_T'Pos (Private_T'First);`
- ☐ B. `Field_B : Private_T := null;`
- ☐ C. `Field_C : Private_T := 0;`
- ☒ D. `Field_D : integer := Private_T'Size;`  
`end record;`

Explanations

- ☐ A. Visible part does not know `Private_T` is discrete
- ☐ B. Visible part does not know possible values for `Private_T`
- ☐ C. Visible part does not know possible values for `Private_T`
- ☒ D. Correct - type will have a known size at run-time

## Private Part Construction

# Examples

```

package Sets is
 type Set_T is private;
 Null_Set : constant Set_T;
 type Days_T is (Sun, Mon, Tue, Wed, Thu, Fri, Sat);
 procedure Add (This : in out Set_T; Day : Days_T);
 procedure Remove (This : in out Set_T; Day : Days_T);
 function Str (This : Set_T) return String;
private
 function Length (This : Set_T) return Natural;
 type Set_T is array (Days_T) of Boolean;
 Null_Set : constant Set_T := (others => False);
end Sets;

package body Sets is
 procedure Add (This : in out Set_T; Day : Days_T) is
 begin
 This (Day) := True;
 end Add;
 procedure Remove (This : in out Set_T; Day : Days_T) is null;
 function Str (This : Set_T) return String is
 Ret_Val : String (1 .. Length (This) * 4) := (others => ' ');
 Pos : Natural := 1;
 begin
 for D in This'Range loop
 if This (D) then
 Ret_Val (Pos .. Pos + 2) := D'Image;
 Pos := Pos + 4;
 end if;
 end loop;
 return Ret_Val;
 end Str;
 function Length (This : Set_T) return Natural is
 Ret_Val : Natural := 0;
 begin
 for D in This'Range loop
 Ret_Val := Ret_Val + (if This (D) then 1 else 0);
 end loop;
 return Ret_Val;
 end Length;
end Sets;

with Ada.Text_IO; use Ada.Text_IO;
with Sets; use Sets;
procedure Main is
 Set : Set_T := Null_Set;
begin
 Add (Set, Sun);
 Add (Set, Sat);
 Add (Set, Mon);
 Put_Line (Str (Set));
end Main;

```



# Private Part Location

- Must be in package specification, not body
- Body usually compiled separately after declaration
- Users can compile their code before the package body is compiled or even written

- Package definition

```
package Bounded_Stacks is
 type Stack is private;
 ...
private
 type Stack is ...
end Bounded_Stacks;
```

- Package reference

```
with Bounded_Stacks;
procedure User is
 S : Bounded_Stacks.Stack;
 ...
begin
 ...
end User;
```

# Private Part and Recompile

- Private part is part of the specification
  - Compiler needs info from private part for users' code, e.g., storage layouts for private-typed objects
- Thus changes to private part require user recompilation
- Some vendors avoid "unnecessary" recompilation
  - Comment additions or changes
  - Additions which nobody yet references

# Declarative Regions

- Declarative region of the spec extends to the body
  - Anything declared there is visible from that point down
  - Thus anything declared in specification is visible in body

```
package Foo is
 type Private_T is private;
 procedure X (B : in out Private_T);
private
 -- Y and Hidden_T are not visible to users
 procedure Y (B : in out Private_T);
 type Hidden_T is ...;
 type Private_T is array (1 .. 3) of Hidden_T;
end Foo;
```

```
package body Foo is
 -- Z is not visible to users
 procedure Z (B : in out Private_T) is ...
 procedure Y (B : in out Private_T) is ...
 procedure X (B : in out Private_T) is ...
end Foo;
```

# Full Type Declaration

- May be any type
  - Predefined or user-defined
  - Including references to imported types
- Contents of private part are unrestricted
  - Anything a package specification may contain
  - Types, subprograms, variables, etc.

```
package P is
 type T is private;
 ...
private
 type Vector is array (1.. 10
 of Integer;
 function Initial
 return List;
 type T is record
 A, B : List := Initial;
 end record;
end P;
```

# Deferred Constants

- Visible constants of a hidden representation
  - Value is "deferred" to private part
  - Value must be provided in private part
- Not just for private types, but usually so

```
package P is
 type Set is private;
 Null_Set : constant Set; -- exported name
 ...
private
 type Index is range ...
 type Set is array (Index) of Boolean;
 Null_Set : constant Set := -- definition
 (others => False);
end P;
```

# Quiz

```
package P is
 type Private_T is private;
 Object_A : Private_T;
 procedure Proc (Param : in out Private_T);
private
 type Private_T is new integer;
 Object_B : Private_T;
end package P;

package body P is
 Object_C : Private_T;
 procedure Proc (Param : in out Private_T) is null;
end P;
```

Which object definition is illegal?

- ☐ A. Object\_A
- ☐ B. Object\_B
- ☐ C. Object\_C
- ☐ D. None of the above

# Quiz

```
package P is
 type Private_T is private;
 Object_A : Private_T;
 procedure Proc (Param : in out Private_T);
private
 type Private_T is new integer;
 Object_B : Private_T;
end package P;

package body P is
 Object_C : Private_T;
 procedure Proc (Param : in out Private_T) is null;
end P;
```

Which object definition is illegal?

- ☒ A. *Object\_A*
- ☐ B. Object\_B
- ☐ C. Object\_C
- ☐ D. None of the above

An object cannot be declared until its type is fully declared. `Object_A` could be declared constant, but then it would have to be finalized in the `private` section.

## View Operations



# View Operations

- A matter of inside versus outside the package
  - Inside the package the view is that of the designer
  - Outside the package the view is that of the user
- **User** of package has **Partial** view
  - Operations exported by package
  - Basic operations
- **Designer** of package has **Full** view
  - **Once** completion is reached
  - All operations based upon full definition of type
  - Indexed components for arrays
  - components for records
  - Type-specific attributes
  - Numeric manipulation for numerics
  - et cetera

## Designer View Sees Full Declaration

```
package Bounded_Stacks is
 Capacity : constant := 100;
 type Stack is private;
 procedure Push (Item : in Integer; Onto : in out Stack);
 ...
private
 type Index is range 0 .. Capacity;
 type Vector is array (Index range 1..Capacity) of Integer;
 type Stack is record
 Top : integer;
 ...
 end Bounded_Stacks;
```

## Designer View Allows All Operations

```
package body Bounded_Stacks is
 procedure Push (Item : in Integer;
 Onto : in out Stack) is
 begin
 Onto.Top := Onto.Top + 1;
 ...
 end Push;

 procedure Pop (Item : out Integer;
 From : in out Stack) is
 begin
 Onto.Top := Onto.Top - 1;
 ...
 end Pop;
end Bounded_Stacks;
```

## Users Have the Partial View

- Since they are outside package
- Basic operations
- Exported subprograms

```
package Bounded_Stacks is
 type Stack is private;
 procedure Push (Item : in Integer; Onto : in out Stack);
 procedure Pop (Item : out Integer; From : in out Stack);
 function Empty (S : Stack) return Boolean;
 procedure Clear (S : in out Stack);
 function Top (S : Stack) return Integer;
private
 ...
end Bounded_Stacks;
```

# User View's Activities

- Declarations of objects
  - Constants and variables
  - Must call designer's functions for values

```
C : Complex.Number := Complex.I;
```

- Assignment, equality and inequality, conversions
- Designer's declared subprograms
- User-declared subprograms
  - Using parameters of the exported private type
  - Dependent on designer's operations

## User View Formal Parameters

- Dependent on designer's operations for manipulation
  - Cannot reference type's representation
- Can have default expressions of private types

*-- external implementation of "Top"*

```
procedure Get_Top (
 The_Stack : in out Bounded_Stacks.Stack;
 Value : out Integer) is
 Local : Integer;
begin
 Bounded_Stacks.Pop (Local, The_Stack);
 Value := Local;
 Bounded_Stacks.Push (Local, The_Stack);
end Get_Top;
```

# Limited Private

- **limited** is itself a view
  - Cannot perform assignment, copy, or equality
- **limited private** can restrain user's operation
  - Actual type **does not** need to be **limited**

```
package UART is
 type Instance is limited private;
 function Get_Next_Available return Instance;
[...]
```

```
declare
 A, B := UART.Get_Next_Available;
begin
 if A = B -- Illegal
 then
 A := B; -- Illegal
 end if;
```

## When To Use or Avoid Private Types



# When To Use Private Types

- Implementation may change
  - Allows users to be unaffected by changes in representation
- Normally available operations do not "make sense"
  - Normally available based upon type's representation
  - Determined by intent of ADT

```
A : Valve;
```

```
B : Valve;
```

```
C : Valve;
```

```
...
```

```
C := A + B; -- addition not meaningful
```

- Users have no "need to know"
  - Based upon expected usage

## When To Avoid Private Types

- If the abstraction is too simple to justify the effort
  - But that's the thinking that led to Y2K rework
- If normal user interface requires representation-specific operations that cannot be provided
  - Those that cannot be redefined by programmers
  - Would otherwise be hidden by a private type
  - If **Vector** is private, indexing of elements is annoying

```
type Vector is array (Positive range <>) of Float;
V : Vector (1 .. 3);
...
V (1) := Alpha;
```

## Idioms

# Examples

```

package Complex is
 type Number_T is private;
 function Constructor (Real_Part, Imaginary_Part : Float)
 return Number_T;
 procedure Constructor (This : out Number_T;
 Real_Part : Float;
 Imaginary_Part : Float);
 function Real_Part (This : Number_T) return Float;
 function Imaginary_Part (This : Number_T) return Float;
 function Str (This : Number_T) return String;

private
 type Number_T is record
 Real_Part, Imaginary_Part : Float;
 end record;

 function Constructor (Real_Part, Imaginary_Part : Float)
 return Number_T is
 (Real_Part, Imaginary_Part);

 function Real_Part (This : Number_T) return Float is
 (This.Real_Part);
 function Imaginary_Part (This : Number_T) return Float is
 (This.Imaginary_Part);
end Complex;

package body Complex is
 procedure Constructor (This : out Number_T;
 Real_Part : Float;
 Imaginary_Part : Float) is
 begin
 This := Constructor (Real_Part, Imaginary_Part);
 end Constructor;

 function Str (This : Number_T) return String is
 begin
 return Float'Image (Real_Part (This)) & " " &
 Float'Image (Imaginary_Part (This)) & "i";
 end Str;
end Complex;

with Ada.Text_IO; use Ada.Text_IO;
with Complex; use Complex;
procedure Main is
 Number : Number_T := Constructor (1.2, 3.4);
begin
 Put_Line (Str (Number));
 Constructor (Number, 56.7, 8.9);
 Put_Line (Str (Number));
end Main;

```

# Effects of Hiding Type Representation

- Makes users independent of representation
  - Changes cannot require users to alter their code
  - Software engineering is all about money...
- Makes users dependent upon exported operations
  - Because operations requiring representation info are not available to users
    - Expression of values (aggregates, etc.)
    - Assignment for limited types
- Common idioms are a result
  - *Constructor*
  - *Selector*

# Constructors

- Create designer's objects from user's values
- Usually functions

```
package Complex is
 type Number is private;
 function Make (Real_Part : Float; Imaginary : Float) return Number;
private
 type Number is record ...
end Complex;

package body Complex is
 function Make (Real_Part : Float; Imaginary_Part : Float)
 return Number is ...
end Complex;

...

A : Complex.Number :=
 Complex.Make (Real_Part => 2.5, Imaginary => 1.0);
```

# Procedures As Constructors

## ■ Spec

```
package Complex is
 type Number is private;
 procedure Make (This : out Number; Real_Part, Imaginary : in Float) ;
 ...
private
 type Number is record
 Real_Part, Imaginary : Float;
 end record;
end Complex;
```

## ■ Body (partial)

```
package body Complex is
 procedure Make (This : out Number;
 Real_Part, Imaginary : in Float) is
 begin
 This.Real_Part := Real_Part;
 This.Imaginary := Imaginary;
 end Make;
 ...
```

# Selectors

- Decompose designer's objects into user's values
- Usually functions

```
package Complex is
 type Number is private;
 function Real_Part (This: Number) return Float;
 ...
private
 type Number is record
 Real_Part, Imaginary : Float;
 end record;
end Complex;

package body Complex is
 function Real_Part (This : Number) return Float is
 begin
 return This.Real_Part;
 end Real_Part;
 ...
end Complex;

...
Phase : Complex.Number := Complex.Make (10.0, 5.5);
Object : Float := Complex.Real_Part (Phase);
```



Lab

# Private Types Lab

## ■ Requirements

- Implement a program to create a map such that
  - Map key is a description of a flag
  - Map element content is the set of colors in the flag
- Operations on the map should include: Add, Remove, Modify, Get, Exists, Image
- Main program should print out the entire map before exiting

## ■ Hints

- Should implement a **map** ADT (to keep track of the flags)
  - This **map** will contain all the flags and their color descriptions
- Should implement a **set** ADT (to keep track of the colors)
  - This **set** will be the description of the map element
- Each ADT should be its own package
- At a minimum, the **map** and **set** type should be **private**

# Private Types Lab Solution - Color Set

```

package Colors is
 type Color_T is (Red, Yellow, Green, Blue, Black);
 type Color_Set_T is private;

 Empty_Set : constant Color_Set_T;

 procedure Add (Set : in out Color_Set_T;
 Color : Color_T);
 procedure Remove (Set : in out Color_Set_T;
 Color : Color_T);
 function Image (Set : Color_Set_T) return String;
private
 type Color_Set_Array_T is array (Color_T) of Boolean;
 type Color_Set_T is record
 Values : Color_Set_Array_T := (others => False);
 end record;
 Empty_Set : constant Color_Set_T := (Values => (others => False));
end Colors;

package body Colors is
 procedure Add (Set : in out Color_Set_T;
 Color : Color_T) is
 begin
 Set.Values (Color) := True;
 end Add;
 procedure Remove (Set : in out Color_Set_T;
 Color : Color_T) is
 begin
 Set.Values (Color) := False;
 end Remove;

 function Image (Set : Color_Set_T;
 First : Color_T;
 Last : Color_T)
 return String is
 Str : constant String := (if Set.Values (First) then Color_T'Image (First) else "");
 begin
 if First = Last then
 return Str;
 else
 return Str & " " & Image (Set, Color_T'Succ (First), Last);
 end if;
 end Image;
 function Image (Set : Color_Set_T) return String is
 (Image (Set, Color_T'First, Color_T'Last));
end Colors;

```

# Private Types Lab Solution - Flag Map (Spec)

```
with Colors;
package Flags is
 type Key_T is (USA, England, France, Italy);
 type Map_Element_T is private;
 type Map_T is private;

 procedure Add (Map : in out Map_T;
 Key : Key_T;
 Description : Colors.Color_Set_T;
 Success : out Boolean);

 procedure Remove (Map : in out Map_T;
 Key : Key_T;
 Success : out Boolean);

 procedure Modify (Map : in out Map_T;
 Key : Key_T;
 Description : Colors.Color_Set_T;
 Success : out Boolean);

 function Exists (Map : Map_T; Key : Key_T) return Boolean;
 function Get (Map : Map_T; Key : Key_T) return Map_Element_T;
 function Image (Item : Map_Element_T) return String;
 function Image (Flag : Map_T) return String;
private
 type Map_Element_T is record
 Key : Key_T := Key_T'First;
 Description : Colors.Color_Set_T := Colors.Empty_Set;
 end record;
 type Map_Array_T is array (1 .. 100) of Map_Element_T;
 type Map_T is record
 Values : Map_Array_T;
 Length : Natural := 0;
 end record;
end Flags;
```

# Private Types Lab Solution - Flag Map (Body - 1 of 2)

```
procedure Add (Map : in out Map_T;
 Key : Key_T;
 Description : Colors.Color_Set_T;
 Success : out Boolean) is
begin
 Success := (for all Item of Map.Values
 (1 .. Map.Length) => Item.Key /= Key);
 if Success then
 declare
 New_Item : constant Map_Element_T :=
 (Key => Key, Description => Description);
 begin
 Map.Length := Map.Length + 1;
 Map.Values (Map.Length) := New_Item;
 end;
 end if;
end Add;
procedure Remove (Map : in out Map_T;
 Key : Key_T;
 Success : out Boolean) is
begin
 Success := False;
 for I in 1 .. Map.Length loop
 if Map.Values (I).Key = Key then
 Map.Values
 (I .. Map.Length - 1) := Map.Values
 (I + 1 .. Map.Length);
 Map.Length := Map.Length - 1;
 Success := True;
 exit;
 end if;
 end loop;
end Remove;
```

# Private Types Lab Solution - Flag Map (Body - 2 of 2)

```

procedure Modify (Map : in out Map_T;
 Key : Key_T;
 Description : Colors.Color_Set_T;
 Success : out Boolean) is
begin
 Success := False;
 for I in 1 .. Map.Length loop
 if Map.Values (I).Key = Key then
 Map.Values (I).Description := Description;
 Success := True;
 exit;
 end if;
 end loop;
end Modify;

function Exists (Map : Map_T; Key : Key_T) return Boolean is
 (for some Item of Map.Values (1 .. Map.Length) => Item.Key = Key);

function Get (Map : Map_T; Key : Key_T) return Map_Element_T is
 Ret_Val : Map_Element_T;
begin
 for I in 1 .. Map.Length loop
 if Map.Values (I).Key = Key then
 Ret_Val := Map.Values (I);
 exit;
 end if;
 end loop;
 return Ret_Val;
end Get;

function Image (Item : Map_Element_T) return String is
 (Key_T'Image (Item.Key) & " => " & Colors.Image (Item.Description));

function Image (Flag : Map_T) return String is
 Ret_Val : String (1 .. 1_000);
 Next : Integer := Ret_Val'First;
begin
 for Item of Flag.Values (1 .. Flag.Length) loop
 declare
 Str : constant String := Image (Item);
 begin
 Ret_Val (Next .. Next + Str'Length) := Image (Item) & ASCII.LF;
 Next := Next + Str'Length + 1;
 end;
 end loop;
 return Ret_Val (1 .. Next - 1);
end Image;

```

# Private Types Lab Solution - Main

```
with Ada.Text_IO; use Ada.Text_IO;
with Colors;
with Flags;
with Input;
procedure Main is
 Map : Flags.Map_T;
begin
 loop
 Put ("Enter country name (");
 for Key in Flags.Key_T loop
 Put (Flags.Key_T'Image (Key) & " ");
 end loop;
 Put ("): ");
 declare
 Str : constant String := Get_Line;
 Key : Flags.Key_T;
 Description : Colors.Color_Set_T;
 Success : Boolean;
 begin
 exit when Str'Length = 0;
 Key := Flags.Key_T'Value (Str);
 Description := Input.Get;
 if Flags.Exists (Map, Key) then
 Flags.Modify (Map, Key, Description, Success);
 else
 Flags.Add (Map, Key, Description, Success);
 end if;
 end;
 end loop;

 Put_Line (Flags.Image (Map));
end Main;
```

## Summary



# Summary

- Tool-enforced support for Abstract Data Types
  - Same protection as Abstract Data Machine idiom
  - Capabilities and flexibility of types
- May also be **limited**
  - Thus additionally no assignment or predefined equality
  - More on this later
- Common interface design idioms have arisen
  - Resulting from representation independence
- Assume private types as initial design choice
  - Change is inevitable

# Program Structure

## Introduction

# Introduction

- Moving to "bigger" issues of overall program composition
- How to compose programs out of program units
- How to control object lifetimes
- How to define subsystems

## Building A System

# What is a System?

- Also called Application or Program or ...
- Collection of *library units*
  - Which are a collection of packages, subprograms, objects

# Library Units Review

- Those units not nested within another program unit
- Candidates
  - Subprograms
  - Packages
  - Generic Units
  - Generic Instantiations
  - Renamings
- Dependencies between library units via **with** clauses
  - What happens when two units need to depend on each other?

## "limited with" Clauses



# Examples

```

limited with Department;
package Personnel is
 type Employee_T is private;
 procedure Assign (This : in out Employee_T; Section : in Department.Section_T);
private
 type Employee_T is record
 Name : String (1 .. 10);
 Assigned_To : access Department.Section_T;
 end record;
end Personnel;

limited with Personnel;
package Department is
 type Section_T is private;
 procedure Set_Manager (This : in out Section_T; Who : in Personnel.Employee_T);
private
 type Section_T is record
 Name : String (1 .. 10);
 Manager : access Personnel.Employee_T;
 end record;
end Department;

with Department;
package body Personnel is
 procedure Assign (This : in out Employee_T; Section : in Department.Section_T) is
 begin
 This.Assigned_To.all := Section;
 end Assign;
end Personnel;


with Personnel;
package body Department is
 procedure Set_Manager (This : in out Section_T; Who : in Personnel.Employee_T) is
 begin
 This.Manager.all := Who;
 end Set_Manager;
end Department;

```

[https://learn.ada-lang.org/learning\\_examples/declarations\\_of\\_ada\\_130\\_program\\_structure.html#limited-with-clause](https://learn.ada-lang.org/learning_examples/declarations_of_ada_130_program_structure.html#limited-with-clause)


# Handling Cyclic Dependencies

- Elaboration must be linear
- Package declarations cannot depend on each other
  - No linear order is possible
- Which package elaborates first?



## Body-Level Cross Dependencies Are OK

- The bodies only depend on other packages' declarations
- The declarations are already elaborated by the time the bodies are elaborated



## Resulting Design Problem

- Good design dictates that conceptually distinct types appear in distinct package declarations
  - Separation of concerns
  - High level of *cohesion*
- Not possible if they depend on each other
- One solution is to combine them in one package, even though conceptually distinct
  - Poor software engineering

# Illegal Package Declaration Dependency

```
with Department;
package Personnel is
 type Employee is private;
 procedure Assign (This : in Employee;
 To : in out Department.Section);
private
 type Employee is record
 Assigned_To : Department.Section;
 end record;
end Personnel;

with Personnel;
package Department is
 type Section is private;
 procedure Choose_Manager (This : in out Section;
 Who : in Personnel.Employee);
private
 type Section is record
 Manager : Personnel.Employee;
 end record;
end Department;
```

# limited with Clauses

Ada 2005

- Solve the cyclic declaration dependency problem
  - Controlled cycles are now permitted
- Provide a *limited view* of the specified package
  - Only type names are visible (including in nested packages)
  - Types are viewed as *incomplete types*
- Normal view

```
package Personnel is
 type Employee is private;
 procedure Assign ...
private
 type Employee is ...
end Personnel;
```

- Implied limited view

```
package Personnel is
 type Employee;
end Personnel;
```

# Using Incomplete Types

- Anywhere that the compiler doesn't yet need to know how they are really represented
  - Access types designating them
  - Access parameters designating them
  - Anonymous access components designating them
  - As formal parameters and function results
    - As long as compiler knows them at the point of the call
  - As generic formal type parameters
  - As introductions of private types
- If **tagged**, may also use **'Class**
- Thus typically involves some advanced features

# Legal Package Declaration Dependency

Ada 2005

```
limited with Department;
package Personnel is
 type Employee is private;
 procedure Assign (This : in Employee;
 To : in out Department.Section);
private
 type Employee is record
 Assigned_To : access Department.Section;
 end record;
end Personnel;

limited with Personnel;
package Department is
 type Section is private;
 procedure Choose_Manager (This : in out Section;
 Who : in Personnel.Employee);
private
 type Section is record
 Manager : access Personnel.Employee;
 end record;
end Department;
```



# Full **with** Clause On the Package Body

Ada 2005

- Even though declaration has a **limited with** clause
- Typically necessary since body does the work
  - Dereferencing, etc.
- Usual semantics from then on

```
limited with Personnel;
package Department is
...
end Department;
```

```
with Personnel; -- normal view in body
package body Department is
...
end Department;
```

## Hierarchical Library Units

## Examples

```

package Complex is
 type Number is private;
 function "+" (Left, Right : Number) return Number;
 function "-" (Left, Right : Number) return Number;
private
 type Number is record
 Real_Part, Imaginary_Part : Float;
 end record;
end Complex;

package Complex.Utils is
 function To_String (C : Number) return String;
end Complex.Utils;

package body Complex.Utils is
 -- construction of "number" is visible in the child body
 function To_String (C : Number) return String is
 (C.Real_Part'Image & " + i" & C.Imaginary_Part'Image);
end Complex.Utils;

package Complex.Debug is
 -- "with Complex;" not needed for visibility to Number
 procedure Print (C : Number);
end Complex.Debug;

with Ada.Text_IO;
with Complex.Utils; -- needed for visibility to "To_String"
package body Complex.Debug is
 procedure Print (C : Number) is
 begin
 -- because of parent visibility, don't need to use "Complex.Utils"
 Ada.Text_IO.Put_Line (Utils.To_String (C));
 end Print;
end Complex.Debug;

package body Complex is
 function "+" (Left, Right : Number) return Number is (Left);
 function "-" (Left, Right : Number) return Number is (Left);
end Complex;


```

# Problem: Packages Are Not Enough

- Extensibility is a problem for private types
  - Provide excellent encapsulation and abstraction
  - But one has either complete visibility or essentially none
  - New functionality must be added to same package for sake of compile-time visibility to representation
  - Thus enhancements require editing/recompilation/retesting
- Should be something "bigger" than packages
  - Subsystems
  - Directly relating library items in one name-space
    - One big package has too many disadvantages
  - Avoiding name clashes among independently-developed code

# Solution: Hierarchical Library Units

- Address extensibility issue
  - Can extend packages with visibility to parent private part
  - Extensions do not require recompilation of parent unit
  - Visibility of parent's private part is protected
- Directly support subsystems
  - Extensions all have the same ancestor *root* name



# Programming By Extension

## ■ *Parent unit*

```
package Complex is
 type Number is private;
 function "*" (Left, Right : Number) return Number;
 function "/" (Left, Right : Number) return Number;
 function "+" (Left, Right : Number) return Number;
 function "-" (Left, Right : Number) return Number;
 ...
private
 type Number is record
 Real_Part, Imaginary_Part : Float;
 end record;
end Complex;
```

## ■ Extension created to work with parent unit

```
package Complex.Utils is
 procedure Put (C : in Number);
 function As_String (C : Number) return String;
 ...
end Complex.Utils;
```

# Extension Can See Private Section

- With certain limitations

```
with Ada.Text_IO;
package body Complex.Uutils is
 procedure Put(C : in Number) is
 begin
 Ada.Text_IO.Put(As_String(C));
 end Put;
 function As_String(C : Number) return String is
 begin
 -- Real_Part and Imaginary_Part are
 -- visible to child's body
 return "(" & Float'Image(C.Real_Part) & ", " &
 Float'Image(C.Imaginary_Part) & ")";
 end As_String;
 ...
end Complex.Uutils;
```

# Subsystem Approach

```
with Interfaces.C;
package OS is -- Unix and/or POSIX
 type File_Descriptor is new Interfaces.C.int;
 ...
end OS;

package OS.Mem_Mgmt is
 ...
 procedure Dump (File : File_Descriptor;
 Requested_Location : System.Address;
 Requested_Size : Interfaces.C.Size_T);
 ...
end OS.Mem_Mgmt;

package OS.Files is
 ...
 function Open (Device : Interfaces.C.char_array;
 Permission : Permissions := S_IRWXO)
 return File_Descriptor;
 ...
end OS.Files;
```



# Predefined Hierarchies

- Standard library facilities are children of **Ada**
  - **Ada.Text\_IO**
  - **Ada.Calendar**
  - **Ada.Command\_Line**
  - **Ada.Exceptions**
  - et cetera
- Other root packages are also predefined
  - **Interfaces.C**
  - **Interfaces.Fortran**
  - **System.Storage\_Pools**
  - **System.Storage\_Elements**
  - et cetera

# Hierarchical Visibility

- Children can see ancestors' visible and private parts
  - All the way up to the root library unit
- Siblings have no automatic visibility to each other
- Visibility same as nested
  - As if child library units are nested within parents
    - All child units come after the root parent's specification
    - Grandchildren within children, great-grandchildren within ...



## Example of Visibility As If Nested

```
package Complex is
 type Number is private;
 function "*" (Left, Right : Number) return Number;
 function "/" (Left, Right : Number) return Number;
 function "+" (Left, Right : Number) return Number;
 ...
private
 type Number is record
 Real_Part : Float;
 Imaginary : Float;
 end record;
 package Utils is
 procedure Put (C : in Number);
 function As_String (C : Number) return String;
 ...
 end Utils;
end Complex;
```

## with Clauses for Ancestors are Implicit

- Because children can reference ancestors' private parts
  - Code is not in executable unless somewhere in the **with** clauses
- Explicit clauses for ancestors are redundant but OK

```
package Parent is
 ...
private
 A : Integer := 10;
end Parent;

-- no "with" of parent needed
package Parent.Child is
 ...
private
 B : Integer := Parent.A;
 -- no dot-notation needed
 C : integer := A;
end Parent.Child;
```

## with Clauses for Siblings are Required

- If references are intended

```
with A.Foo; --required
package body A.Bar is
 ...
 -- 'Foo' is directly visible because of the
 -- implied nesting rule
 X : Foo.Typeemark;
end A.Bar;
```

# Quiz

```
package Parent is
 Parent_Object : Integer;
end Parent;

package Parent.Sibling is
 Sibling_Object : Integer;
end Parent.Sibling;

package Parent.Child is
 Child_Object : Integer := ? ;
end Parent.Child;
```

Which is not a legal initialization of Child\_Object?

- ☐ A. Parent.Parent\_Object + Parent.Sibling.Sibling\_Object
- ☐ B. Parent\_Object + Sibling.Sibling\_Object
- ☐ C. Parent\_Object + Sibling\_Object
- ☐ D. All of the above

# Quiz

```
package Parent is
 Parent_Object : Integer;
end Parent;

package Parent.Sibling is
 Sibling_Object : Integer;
end Parent.Sibling;

package Parent.Child is
 Child_Object : Integer := ? ;
end Parent.Child;
```

Which is not a legal initialization of Child\_Object?

- ☐ A. Parent.Parent\_Object + Parent.Sibling.Sibling\_Object
- ☐ B. Parent\_Object + Sibling.Sibling\_Object
- ☐ C. Parent\_Object + Sibling\_Object
- ☒ D. *All of the above*

A, B, and C are illegal because there is no reference to package Parent.Sibling (the reference to Parent is implied by the hierarchy). If Parent.Child had "**with** Parent.Sibling;" , then A and B would be legal, but C would still be incorrect because there is no implied reference to a sibling.

## Visibility Limits



## Examples

```

package Stack is
 procedure Push (Item : in Integer);
 procedure Pop (Item : out Integer);
private
 Object : array (1 .. 100) of Integer;
 Top : Natural := 0;
end Stack;

package Stack.Utils is
 function Top return Integer;
private
 -- Legal here, but not above "private"
 function Top return Integer is (Object (Stack.Top));
end Stack.Utils;

package Stack.Child is
 procedure Misbehave;
 procedure Reset;
 function Peek (Index : Natural) return Integer;
end Stack.Child;

package body Stack.Child is
 procedure Misbehave is
 begin
 Top := 0;
 end Misbehave;

 procedure Reset is
 begin
 Top := 0;
 end Reset;

 function Peek (Index : Natural) return Integer is (Object (Index));
end Stack.Child;

package body Stack is
 procedure Push (Item : in Integer) is null;
 procedure Pop (Item : out Integer) is null;
end Stack;

```

# Parents Do Not Know Their Children!

- Children grant themselves access to ancestors' private parts
  - May be created well after parent
  - Parent doesn't know if/when child packages will exist
- Alternative is to grant access when declared
  - Like `friend` units in C++
  - But would have to be prescient!
    - Or else adding children requires modifying parent
  - Hence too restrictive
- Note: Parent body can reference children
  - Typical method of parsing out complex processes

## Correlation to C++ Class Visibility Controls

- Ada private part is visible to child units

```
package P is
 A ...
private
 B ...
end P;
package body P is
 C ...
end P;
```

- Thus private part is like the protected part in C++

```
class C {
public:
 A ...
protected:
 B ...
private:
 C ...
};
```

# Visibility Limits

- Visibility to parent's private part is not open-ended
  - Only visible to private parts and bodies of children
  - As if only private part of child package is nested in parent
- Recall users can only reference exported declarations
  - Child public spec only has access to parent public spec

```
package Parent is
```

```
...
```

```
private
```

```
 type Parent_T is ...
```

```
end Parent;
```

```
package Parent.Child is
```

```
 -- Parent_T is not visible here!
```

```
private
```

```
 -- Parent_T is visible here
```

```
end Parent.Child;
```

```
package body Parent.Child is
```

```
 -- Parent_T is visible here
```

```
end Parent.Child;
```

# Children Can Break Abstraction

- Could **break** a parent's abstraction
  - Alter a parent package state
  - Alters an ADT object state
- Useful for reset, testing: fault injections...

```
package Stack is
```

```
...
```

```
private
```

```
 Values : array (1 .. N) of Foo;
```

```
 Top : Natural range 0 .. N := 0;
```

```
end Stack;
```

```
package body Stack.Reset is
```

```
 procedure Reset is
```

```
 begin
```

```
 Top := 0;
```

```
 end Reset;
```

```
end Stack.Reset;
```

# Using Children for Debug

- Provide **accessors** to parent's private information
- eg internal metrics...

```
package P is
 ...
private
 Internal_Counter : Integer := 0;
end P;

package P.Child is
 function Count return Integer;
end P.Child;

package body P.Child is
 function Count return Integer is
 begin
 return Internal_Counter;
 end Count;
end P.Child;
```

# Quiz

```
package P is
 procedure Initialize;
 Object_A : Integer;
private
 Object_B : Integer;
end P;

package body P is
 Object_C : Integer;
 procedure Initialize is null;
end P;

package P.Child is
 function X return Integer;
end P.Child;
```

Which return statement would be illegal in P.Child.X?

- ☐ A. return Object\_A;
- ☐ B. return Object\_B;
- ☐ C. return Object\_C;
- ☐ D. None of the above

# Quiz

```
package P is
 procedure Initialize;
 Object_A : Integer;
private
 Object_B : Integer;
end P;

package body P is
 Object_C : Integer;
 procedure Initialize is null;
end P;

package P.Child is
 function X return Integer;
end P.Child;
```

Which return statement would be illegal in P.Child.X?

- ☐ A. return Object\_A;
- ☐ B. return Object\_B;
- ☐ C. return Object\_C;
- ☐ D. None of the above

Explanations

- ☐ A. Object\_A is in the public part of P - visible to any unit that **with's** P
- ☐ B. Object\_B is in the private part of P - visible in the private part or body of any descendant of P
- ☐ C. Object\_C is in the body of P, so it is only visible in the body of P
- ☐ D. A and B are both valid completions



## Private Children

```

package Os is
 type File_T is private;
 function Open (Name : String) return File_T;
 procedure Write (File : File_T; Str : String);
 procedure Close (File : File_T);
private
 type File_T is new Integer;
end Os;

private package Os.Uart is
 type Device_T is private;
 function Open (Name : String) return Device_T;
 procedure Write (Device : Device_T; Str : String);
 procedure Close (Device : Device_T);
private
 type Device_T is new Integer;
end Os.Uart;

private with Os.Uart; -- references only in private section
private package Os.Serial is
 type Comport_T is private;
 procedure Initialize (Comport : in out Comport_T);
private
 type Comport_T is record
 Device : Uart.Device_T;
 end record;
end Os.Serial;

package body Os is
 function Open (Name : String) return File_T is (1);
 procedure Write (File : File_T; Str : String) is null;
 procedure Close (File : File_T) is null;
end Os;

package body Os.Uart is
 function Open (Name : String) return Device_T is (1);
 procedure Write (Device : Device_T; Str : String) is null;
 procedure Close (Device : Device_T) is null;
end Os.Uart;

package body Os.Serial is
 procedure Initialize (Comport : in out Comport_T) is null;
end Os.Serial;

```

# Private Children

- Intended as implementation artifacts
- Only available within subsystem
  - Rules prevent **with** clauses by clients
  - Thus cannot export anything outside subsystem
  - Thus have no parent visibility restrictions
    - Public part of child also has visibility to ancestors' private parts

```
private package Maze.Debug is
 procedure Dump_State;
 . . .
end Maze.Debug;
```

# Rules Preventing Private Child Visibility

- Only available within immediate family
  - Rest of subsystem cannot import them
- Public unit declarations have import restrictions
  - To prevent re-exporting private information
- Public unit bodies have no import restrictions
  - Since can't re-export any imported info
- Private units can import anything
  - Declarations and bodies can import public and private units
  - Cannot be imported outside subsystem so no restrictions

# Import Rules

- Only parent of private unit and its descendants can import a private child
- Public unit declarations import restrictions
  - Not allowed to have **with** clauses for private units
    - Exception explained in a moment
  - Precludes re-exporting private information
- Private units can import anything
  - Declarations and bodies can import private children

# Some Public Children Are Trustworthy

- Would only use a private sibling's exports privately
- But rules disallow **with** clause

```
private package OS.UART is
 type Device is limited private;
 procedure Open (This : out Device; ...);
 ...
end OS.UART;
```

```
-- illegal - private child
with OS.UART;
package OS.Serial is
 type COM_Port is limited private;
 ...
private
 type COM_Port is limited record
 -- but I only need it here!
 COM : OS.UART.Device;
 ...
 end record;
end OS.Serial;
```

# Solution 1: Move Type To Parent Package

```
package OS is
 ...
private
 -- no longer an ADT!
 type Device is limited private;
 ...
end OS;

private package OS.UART is
 procedure Open (This : out Device;
 ...);
 ...
end OS.UART;

package OS.Serial is
 type COM_Port is limited private;
 ...
private
 type COM_Port is limited record
 COM : Device; -- now visible
 ...
 end record;
end OS.Serial;
```

## Solution 2: Partially Import Private Unit

Ada 2005

- Via **private with** clause

- Syntax

```
private with package_name {, package_name} ;
```

- Public declarations can then access private siblings
  - But only in their private part
  - Still prevents exporting contents of private unit
- The specified package need not be a private unit
  - But why bother otherwise



# private with Example

Ada 2005

```
private package OS.UART is
 type Device is limited private;
 procedure Open (This : out Device;
 ...);
 ...
end OS.UART;

private with OS.UART;
package OS.Serial is
 type COM_Port is limited private;
 ...
private
 type COM_Port is limited record
 COM : OS.UART.Device;
 ...
 end record;
end OS.Serial;
```

# Combining Private and Limited Withs

Ada 2005

- Cyclic declaration dependencies allowed
- A public unit can **with** a private unit
- With-ed unit only visible in the private part

```
limited with Parent.Public_Child;
private package Parent.Private_Child is
 type T is ...
end Parent.Private_Child;
```

```
limited private with Parent.Private_Child;
package Parent.Public_Child is
 ...
private
 X : access Parent.Private_Child.T;
end Parent.Public_Child;
```

## Completely Hidden Declarations

- Anything in a package body is completely hidden
  - Children have no access to package bodies
- Precludes extension using the entity
  - Must know that children will never need it

```
package body Skippy is
 X : Integer := 0;
 ...
end Skippy;
```

# Child Subprograms

- Child units can be subprograms
  - Recall syntax
  - Both public and private child subprograms
- Separate declaration required if private
  - Syntax doesn't allow **private** on subprogram bodies
- Only library packages can be parents
  - Only they have necessary scoping

**private procedure** Parent.Child;

Lab

# Program Structure Lab

## ■ Requirements

### ■ Create a simplistic messaging subsystem

- Top-level should define a (private) message type and constructor/accessor subprograms
- Use private child function to calculate message CRC
- Use child package to add/remove messages to some kind of list

### ■ Use child package for diagnostics

- Inject bad CRC into a message
- Print message contents

### ■ Main program should

- Build a list of messages
- Inject faults into list
- Print messages in list and indicate if any are faulty

# Program Structure Lab Solution - Messages

```
with Ada.Strings.Unbounded; use Ada.Strings.Unbounded;
package Messages is
 type Message_T is private;
 type Kind_T is (Command, Query);
 subtype Content_T is String;

 function Create (Kind : Kind_T;
 Content : Content_T)
 return Message_T;

 function Kind (Message : Message_T) return Kind_T;
 function Content (Message : Message_T) return Content_T;
private
 type Crc_T is mod Integer'Last;
 type Message_T is record
 Kind : Kind_T;
 Content : Unbounded_String;
 Crc : Crc_T;
 end record;
end Messages;

with Messages.Crc;
package body Messages is
 function Create (Kind : Kind_T;
 Content : Content_T)
 return Message_T is
 begin
 return (Kind => Kind,
 Content => To_Unbounded_String (Content),
 Crc => Crc (Content));
 end Create;

 function Kind (Message : Message_T) return Kind_T is (Message.Kind);
 function Content (Message : Message_T) return Content_T is (To_String (Message.Content));
end Messages;
```

# Program Structure Lab Solution - Message Queue

```
package Messages.Queue is
 function Empty return Boolean;
 function Full return Boolean;

 procedure Push (Message : Message_T);
 procedure Pop (Message : out Message_T;
 Valid : out Boolean);
private
 The_Queue : array (1 .. 10) of Message_T;
 Top : Integer := 0;
 function Empty return Boolean is (Top = 0);
 function Full return Boolean is (Top = The_Queue'Last);
end Messages.Queue;

with Messages.Crc;
package body Messages.Queue is
 procedure Push (Message : Message_T) is
 begin
 Top := Top + 1;
 The_Queue (Top) := Message;
 end Push;

 procedure Pop (Message : out Message_T;
 Valid : out Boolean) is
 begin
 Message := The_Queue (Top);
 Top := Top - 1;
 Valid := Message.Crc = Crc (To_String (Message.Content));
 end Pop;
end Messages.Queue;
```



# Program Structure Lab Solution - Diagnostics

```
package Messages.Queue.Debug is
 function Queue_Length return Integer;
 procedure Inject_Crc_Fault (Position : Integer);
 function Text (Message : Message_T) return String;
end Messages.Queue.Debug;

package body Messages.Queue.Debug is
 function Queue_Length return Integer is (Top);

 procedure Inject_Crc_Fault (Position : Integer) is
 begin
 The_Queue (Position).Crc := The_Queue (Position).Crc + 1;
 end Inject_Crc_Fault;

 function Text (Message : Message_T) return String is
 (Kind_T'Image (Message.Kind) & " => " & To_String (Message.Content) &
 " (" & Crc_T'Image (Message.Crc) & ")");
 end Messages.Queue.Debug;
```

# Program Structure Lab Solution - CRC

```
private function Messages.Crc (Content : Content_T)
 return Crc_T;
```

```
function Messages.Crc (Content : Content_T)
 return Crc_T is
```

```
 Ret_Val : Crc_T := 1;
```

```
begin
```

```
 for C of Content
```

```
 loop
```

```
 Ret_Val := Ret_Val * Character'Pos (C);
```

```
 end loop;
```

```
 return Ret_Val;
```

```
end Messages.Crc;
```

# Program Structure Lab Solution - Main

```
with Ada.Text_IO; use Ada.Text_IO;
with Messages;
with Messages.Queue;
with Messages.Queue.Debug;
procedure Main is
 Char : Character := 'A';
 Content : String (1 .. 10);
 Message : Messages.Message_T;
 Valid : Boolean;
begin
 while not Messages.Queue.Full loop
 Content := (others => Char);
 Messages.Queue.Push (Messages.Create (Kind => Messages.Command,
 Content => Content));

 Char := Character'Succ (Char);
 end loop;

 -- inject some faults
 Messages.Queue.Debug.Inject_Crc_Fault (3);
 Messages.Queue.Debug.Inject_Crc_Fault (6);

 while not Messages.Queue.Empty loop
 Put (Integer'Image (Messages.Queue.Debug.Queue_Length) & " ");
 Messages.Queue.Pop (Message, Valid);
 Put_Line (Boolean'Image (Valid) & " " & Messages.Queue.Debug.Text (Message));
 end loop;

end Main;
```

## Summary

# Summary

- Hierarchical library units address important issues
  - Direct support for subsystems
  - Extension without recompilation
  - Separation of concerns with controlled sharing of visibility (Ada 2012)
- Parents should document assumptions for children
  - "These must always be in ascending order!"
- Children cannot misbehave unless imported ("with'ed")
- The writer of a child unit must be trusted
  - As much as if he or she were to modify the parent itself

## Visibility

## Introduction

# Improving Readability

- Descriptive names plus hierarchical packages makes for very long statements

```
Messages.Queue.Diagnostics.Inject_Fault (
 Fault => Messages.Queue.Diagnostics.CRC_Failure,
 Position => Messages.Queue.Front);
```

- Operators treated as functions defeat the purpose of overloading
- ```
Complex1 := Complex_Types."+" ( Complex2, Complex3 );
```
- Ada has mechanisms to simplify hierarchies

Operators and Primitives

■ *Operators*

- Constructs which behave generally like functions but which differ syntactically or semantically.
- Typically arithmetic, comparison, and logical

■ **Primitive operation**

- Predefined operations such as = and + etc.
- Subprograms declared in the same package as the type and which operate on the type
- Inherited or overridden subprograms
- For **tagged** types, class-wide subprograms
- Enumeration literals

"use" Clauses

Examples

```

package Pkg_A is
  Constant_A : constant := 1;
  Constant_Aa : constant := 11;
  Initialized : Boolean := False;
end Pkg_A;

package Pkg_B is
  Constant_B : constant := 20;
  Constant_Bb : constant := 220;
  Initialized : Boolean := False;
end Pkg_B;

package Pkg_B.Child is
  Constant_Bbb : constant := 222;
end Pkg_B.Child;

with Pkg_A; use Pkg_A;
with Pkg_B;
with Pkg_B.Child;
package P is
  type Type_1 is range Constant_A .. -- visible without dot-notation
                                     Pkg_B.Constant_B; -- not visible without dot-notation

  use Pkg_B;
  -- Constant_B is now visible without dot-notation
  type Type_2 is range Constant_Aa .. Constant_Bb;

  Constant_Bb : Integer := 33; -- Constant_Bb will always be the local version
  function Bb return Integer is (Constant_Bb);

  function Is_Initialized return Boolean is
    (Pkg_A.Initialized and Pkg_B.Initialized); -- Dot-notation to resolve ambiguity

  -- use "use" Pkg_B, so Child is directly visible
  Object : Integer := Child.Constant_Bbb;
end P;

with Ada.Text_IO; use Ada.Text_IO;
with P;
procedure Test is
  A, B, C : P.Type_2 := P.Type_2'First;
begin
  -- C := A + B; -- illegal
  C := P.*" (A, B); -- legal but not pretty
  Put_Line (C'Image);
  declare
    use P; -- make everything visible (including operators)
  begin
    C := A + B; -- now legal
    Put_Line (C'Image);
  end;
end Test;

```

use Clauses

- Provide direct visibility into packages' exported items
 - *Direct Visibility* - as if object was referenced from within package being used
- May still use expanded name

```
package Ada.Text_IO is
  procedure Put_Line( ... );
  procedure New_Line( ... );
  ...
end Ada.Text_IO;

with Ada.Text_IO;
procedure Hello is
  use Ada.Text_IO;
begin
  Put_Line( "Hello World" );
  New_Line(3);
  Ada.Text_IO.Put_Line ( "Good bye" );
end Hello;
```

use Clause Syntax

- May have several, like **with** clauses
- Can refer to any visible package (including nested packages)
- Syntax

`use_package_clause ::= use package_name {, package_name}`

- Can only **use** a package
 - Subprograms have no contents to **use**

use Clause Scope

- Applies to end of body, from first occurrence

```

package Pkg_A is
  Constant_A : constant := 123;
end Pkg_A;

package Pkg_B is
  Constant_B : constant := 987;
end Pkg_B;

with Pkg_A;
with Pkg_B;
use Pkg_A; -- everything in Pkg_A is now visible
package P is
  A : Integer := Constant_A; -- legal
  B1 : Integer := Constant_B; -- illegal
  use Pkg_B; -- everything in Pkg_B is now visible
  B2 : Integer := Constant_B; -- legal
  function F return Integer;
end P;

package body P is
  -- all of Pkg_A and Pkg_B is visible here
  function F return Integer is ( Constant_A + Constant_B );
end P;

```

No Meaning Changes

- A new **use** clause won't change a program's meaning!
- Any directly visible names still refer to the original entities

```
package D is
  T : Float;
end D;

with D;
procedure P is
  procedure Q is
    T, X : Float;
  begin
    ...
    declare
      use D;
    begin
      -- With or without the clause, "T" means Q.T
      X := T;
    end;
    ...
  end Q;
```

No Ambiguity Introduction

```
package D is
  V : Boolean;
end D;
```

```
package E is
  V : Integer;
end E;
with D, E;
```

```
procedure P is
  procedure Q is
    use D, E;
  begin
    -- to use V here, must specify D.V or E.V
    ...
  end Q;
begin
  ...
end;
```


use Clauses and Child Units

- A clause for a child does **not** imply one for its parent
- A clause for a parent makes the child **directly** visible
 - Since children are 'inside' declarative region of parent

```
package Parent is
```

```
  P1 : Integer;
```

```
end Parent;
```

```
package Parent.Child is
```

```
  PC1 : Integer;
```

```
end Parent.Child;
```

```
with Parent.Child;
```

```
procedure Demo is
```

```
  D1 : Integer := Parent.P1;
```

```
  D2 : Integer := Parent.Child.PC1;
```

```
  use Parent;
```

```
  D3 : Integer := P1;
```

```
  D4 : Integer := Child.PC1;
```

```
  ...
```

use Clause and Implicit Declarations

- Visibility rules apply to implicit declarations too

```
package P is
  type Int is range Lower .. Upper;
  -- implicit declarations
  -- function "+"( Left, Right : Int ) return Int;
  -- function "="( Left, Right : Int ) return Boolean;
end P;

with P;
procedure Test is
  A, B, C : P.Int := some_value;
begin
  C := A + B; -- illegal reference to operator
  C:= P."+" (A,B);
  declare
    use P;
  begin
    C := A + B; -- now legal
  end;
end Test;
```

"use type" Clauses

Examples

```

package P is
  type Int1 is range 0 .. 1_000;
  type Int2 is range 0 .. 2_000;
  type Int3 is range 0 .. 3_000;
  function "+" (Left : Int1; Right : Int3) return Int3;
  function "+" (Left : Int2; Right : Int3) return Int3;
end P;

with Ada.Text_IO; use Ada.Text_IO;
with P;
procedure Test is
  A, B, C : P.Int1 := 123;
  use type P.Int1;
  -- D : Int2; -- "Int2" is not visible
  D : P.Int2 := 234;
  E : P.Int3 := 345;
begin
  B := A;
  C := A + B; -- implicit operator is visible
  Put_Line (C'Image);
  A := B;
  E := A + E; -- "used" operator visible
  Put_Line (E'Image);
  -- E := D + E; -- illegal: operator not "used"
  -- E := E + A; -- illegal: no matching operator
end Test;

package body P is
  function "+" (Left : Int1; Right : Int3) return Int3 is (Int3'Last);
  function "+" (Left : Int2; Right : Int3) return Int3 is (Int3'Last);
end P;

```

use type Clauses

■ Syntax

```
use_type_clause ::= use type subtype_mark  
                  {, subtype_mark};
```

■ Makes operators directly visible for specified type

- Implicit and explicit operator function declarations
- Only those that mention the type in the profile
 - Parameters and/or result type

■ More specific alternative to **use** clauses

- Especially useful when multiple **use** clauses introduce ambiguity

use type Clause Example

```
package P is
  type Int is range Lower .. Upper;
  -- implicit declarations
  -- function "+"( Left, Right : Int ) return Int;
  -- function "="( Left, Right : Int ) return Boolean;
end P;
with P;
procedure Test is
  A, B, C : P.Int := some_value;
  use type P.Int;
  D : Int; -- not legal
begin
  C := A + B; -- operator is visible
end Test;
```

use Type Clauses and Multiple Types

- One clause can make ops for several types visible
 - When multiple types are in the profiles
- No need for multiple clauses in that case

```
package P is
  type Miles_T is digits 6;
  type Hours_T is digits 6;
  type Speed_T is digits 6;
  -- "use type" on any of Miles_T, Hours_T, Speed_T
  -- makes operator visible
  function "/"( Left : Miles_T;
                Right : Hours_T )
    return Speed_T;
end P;
```

Multiple **use type** Clauses

- May be necessary
- Only those that mention the type in their profile are made visible

```
package P is
  type T1 is range 1 .. 10;
  type T2 is range 1 .. 10;
  -- implicit
  -- function "+"( Left : T2; Right : T2 ) return T2;
  type T3 is range 1 .. 10;
  -- explicit
  function "+"( Left : T1; Right : T2 ) return T3;
end P;

with P;
procedure UseType is
  X1 : P.T1;
  X2 : P.T2;
  X3 : P.T3;
  use type P.T1;
begin
  X3 := X1 + X2; -- operator visible because it uses T1
  X2 := X2 + X2; -- operator not visible
end UseType;
```


"use all type" Clauses

Examples

```

package Complex is
  type Number is private;
  function "+" (Left, Right : Number) return Number;
  function "-" (Left, Right : Number) return Number;
  procedure Put (C : Number);
  function Make (Real_Part, Imaginary_Part : Float) return Number;
  procedure Non_Primitive (I : Integer);
private
  type Number is record
    Real_Part      : Float;
    Imaginary_Part : Float;
  end record;
end Complex;

with Complex;
use all type Complex.Number;
procedure Demo_Use_All_Type is
  A, B, C : Complex.Number;
begin
  -- "use all type" makes these available
  A := Make (Real_Part => 1.0,
             Imaginary_Part => 0.0);
  B := Make (Real_Part => 1.0,
             Imaginary_Part => 0.0);
  C := A + B;
  Put (C);
  -- Run_Primitive (0); -- but not this one
end Demo_Use_All_Type;

with Complex;
use type Complex.Number;
procedure Demo_Use_Type is
  A, B, C : Complex.Number;
begin
  -- "use type" makes this available
  C := A + B;
  -- but not these
  -- A := Make (Real_Part => 1.0,
  --           Imaginary_Part => 0.0);
  -- B := Make (Real_Part => 1.0,
  --           Imaginary_Part => 0.0);
  -- Put (C);
  -- Run_Primitive (0);
end Demo_Use_Type;

with Complex; use Complex;
procedure Demo_Use is
  A, B, C : Complex.Number := (Complex.Make (1.1, 2.2));
begin
  -- "use" makes all these available
  C := A + B;
  A := Make (Real_Part => 1.0,
             Imaginary_Part => 0.0);
  B := Make (Real_Part => 1.0,
             Imaginary_Part => 0.0);
  Put (C);
  Run_Primitive (0);
end Demo_Use;

package body Complex is
  function "+" (Left, Right : Number) return Number is (Left);
  function "-" (Left, Right : Number) return Number is (Left);
  procedure Put (C : Number) is null;
  function Make (Real_Part, Imaginary_Part : Float) return Number is
    ((Real_Part, Imaginary_Part));
  procedure Non_Primitive (I : Integer) is null;
end Complex;

```

use all type Clauses

Ada 2012

- Makes all primitive operations for the type visible
 - Not just operators
 - Especially, subprograms that are not operators
- Still need a **use** clause for other entities
 - Typically exceptions

use all type Clause Example

Ada 2012

```
package Complex is
  type Number is private;
  function "+" (Left, Right : Number) return Number;
  procedure Make ( C : out Number;
                  From_Real, From_Imag : Float );
  ...

with Complex;
use all type Complex.Number;
procedure Demo is
  A, B, C : Complex.Number;
  procedure Non_Primitive ( X : Complex.Number ) is null;
begin
  -- "use all type" makes these available
  Make (A, From_Real => 1.0, From_Imag => 0.0);
  Make (B, From_Real => 1.0, From_Imag => 0.0);
  C := A + B;
  -- but not this one
  Non_Primitive (0);
end Demo;
```

use all type v. use type Example

Ada 2012

```
with Complex;    use type Complex.Number;
procedure Demo is
  A, B, C : Complex.Number;
Begin
  -- these are always allowed
  Complex.Make (A, From_Real => 1.0, From_Imag => 0.0);
  Complex.Make (B, From_Real => 1.0, From_Imag => 0.0);
  -- "use type" does not give access to these
  Make (A, 1.0, 0.0); -- not visible
  Make (B, 1.0, 0.0); -- not visible
  -- but this is good
  C := A + B;
  Complex.Put (C);
  -- this is not allowed
  Put (C); -- not visible
end Demo;
```

Renaming Entities

Three Positives Make a Negative

- Good Coding Practices ...

- Descriptive names
- Modularization
- Subsystem hierarchies

- Can result in cumbersome references

```
-- use cosine rule to determine distance between two points,  
-- given angle and distances between observer and 2 points  
--  $A^2 = B^2 + C^2 - 2BC \cos(\text{angle})$ 
```

```
Observation.Sides (Viewpoint_Types.Point1_Point2) :=  
  Math_Utilities.Square_Root  
    (Observation.Sides (Viewpoint_Types.Observer_Point1)**2 +  
     Observation.Sides (Viewpoint_Types.Observer_Point2)**2 -  
     2.0 * Observation.Sides (Viewpoint_Types.Observer_Point1) *  
       Observation.Sides (Viewpoint_Types.Observer_Point2) *  
       Math_Utilities.Trigonometry.Cosine  
         (Observation.Vertices (Viewpoint_Types.Observer))));
```

Writing Readable Code - Part 1

- We could use **use** on package names to remove some dot-notation

```
-- use cosine rule to determine distance between two points, given angle  
-- and distances between observer and 2 points  $A^2 = B^2 + C^2 -$   
--  $2*B*C*cos(angle)$ 
```

```
Observation.Sides (Point1_Point2) :=  
  Square_Root  
    (Observation.Sides (Observer_Point1)**2 +  
     Observation.Sides (Observer_Point2)**2 -  
     2.0 * Observation.Sides (Observer_Point1) *  
       Observation.Sides (Observer_Point2) *  
       Cosine (Observation.Vertices (Observer)));
```

- But that only shortens the problem, not simplifies it

- If there are multiple "use" clauses in scope:

- Reviewer may have hard time finding the correct definition
- Homographs may cause ambiguous reference errors

- We want the ability to refer to certain entities by another name (like an alias) with full read/write access (unlike temporary variables)

The **renames** Keyword

- Certain entities can be renamed within a declarative region

- Packages

```
package Trig renames Math.Trigonometry
```

- Objects (or elements of objects)

```
Angles : Viewpoint_Types.Vertices_Array_T  
        renames Observation.Vertices;  
Required_Angle : Viewpoint_Types.Vertices_T  
                renames Viewpoint_Types.Observer;
```

- Subprograms

```
function Sqrt (X : Base_Types.Float_T)  
             return Base_Types.Float_T  
             renames Math.Square_Root;
```

Writing Readable Code - Part 2

- With **renames** our complicated code example is easier to understand
 - Executable code is very close to the specification
 - Declarations as "glue" to the implementation details

begin

```
package Math renames Math_Uilities;
package Trig renames Math.Trigonometry;
```

```
function Sqrt (X : Base_Types.Float_T) return Base_Types.Float_T
  renames Math.Square_Root;
function Cos ...
```

```
B : Base_Types.Float_T
  renames Observation.Sides (Viewpoint_Types.Observer_Point1);
-- Rename the others as Side2, Angles, Required_Angle, Desired_Side
```

begin

```
...
-- A**2 = B**2 + C**2 - 2*B*C*cos(angle)
A := Sqrt (B**2 + C**2 - 2.0 * B * C * Cos (Angle));
```

end;

Lab

Visibility Lab

■ Requirements

- Create a types package for calculating speed in miles per hour
 - At least two different distance measurements (e.g. feet, kilometers)
 - At least two different time measurements (e.g. seconds, minutes)
 - Overloaded operators and/or primitives to handle calculations
- Create a types child package for converting distance, time, and mph into a string
 - Use `Ada.Text_IO.Float_IO` package to convert floating point to string
 - Create visible global objects to set **Exp** and **Aft** parameters for Put
- Create a main program to enter distance and time and then print speed value

■ Hints

- use to get full visibility to **Ada.Text_IO**
- use `type` to get access to calculations
 - use `all` type if calculations are primitives
- `renames` to make using **Exp** and **Aft** easier

Visibility Lab Solution - Types

```
package Types is
  type Mph_T is digits 6;
  type Feet_T is digits 6;
  type Miles_T is digits 6;
  type Kilometers_T is digits 6;
  type Seconds_T is digits 6;
  type Minutes_T is digits 6;
  type Hours_T is digits 6;

  function "/" (Distance : Feet_T; Time : Seconds_T) return Mph_T;
  function "/" (Distance : Kilometers_T; Time : Minutes_T) return Mph_T;
  function "/" (Distance : Miles_T; Time : Hours_T) return Mph_T;

  function Convert (Distance : Feet_T) return Miles_T;
  function Convert (Distance : Kilometers_T) return Miles_T;
  function Convert (Time : Seconds_T) return Hours_T;
  function Convert (Time : Minutes_T) return Hours_T;
end Types;

package body Types is
  function "/" (Distance : Feet_T; Time : Seconds_T) return Mph_T is (Convert (Distance) / Convert (Time));
  function "/" (Distance : Kilometers_T; Time : Minutes_T) return Mph_T is (Convert (Distance) / Convert (Time));
  function "/" (Distance : Miles_T; Time : Hours_T) return Mph_T is (Mph_T (Distance) / Mph_T (Time));

  function Convert (Distance : Feet_T) return Miles_T is (Miles_T (Distance) / 5_280.0);
  function Convert (Distance : Kilometers_T) return Miles_T is (Miles_T (Distance) / 1.6);

  function Convert (Time : Seconds_T) return Hours_T is (Hours_T (Time) / (60.0 * 60.0));
  function Convert (Time : Minutes_T) return Hours_T is (Hours_T (Time) / 60.0);
end Types;
```

Visibility Lab Solution - Types.Strings

```
package Types.Strings is
  Exponent_Digits    : Natural := 2;
  Digits_After_Decimal : Natural := 3;

  function To_String (Value : Mph_T) return String;
  function To_String (Value : Feet_T) return String;
  function To_String (Value : Miles_T) return String;
  function To_String (Value : Kilometers_T) return String;
  function To_String (Value : Seconds_T) return String;
  function To_String (Value : Minutes_T) return String;
  function To_String (Value : Hours_T) return String;
end Types.Strings;

with Ada.Text_IO; use Ada.Text_IO;
package body Types.Strings is
  package Io is new Ada.Text_IO.Float_IO (Float);
  function To_String (Value : Float) return String is
    Ret_Val : String (1 .. 30);
  begin
    Io.Put (To   => Ret_Val,
           Item => Value,
           Aft  => Digits_After_Decimal,
           Exp  => Exponent_Digits);
    for I in reverse Ret_Val'Range loop
      if Ret_Val (I) = ' ' then
        return Ret_Val (I + 1 .. Ret_Val'Last);
      end if;
    end loop;
    return Ret_Val;
  end To_String;

  function To_String (Value : Mph_T) return String is (To_String (Float (Value)));
  function To_String (Value : Feet_T) return String is (To_String (Float (Value)));
  function To_String (Value : Miles_T) return String is (To_String (Float (Value)));
  function To_String (Value : Kilometers_T) return String is (To_String (Float (Value)));
  function To_String (Value : Seconds_T) return String is (To_String (Float (Value)));
  function To_String (Value : Minutes_T) return String is (To_String (Float (Value)));
  function To_String (Value : Hours_T) return String is (To_String (Float (Value)));
end Types.Strings;
```

Visibility Lab Solution - Main

```
with Ada.Text_IO; use Ada.Text_IO;
with Types;
with Types.Strings;
procedure Main is
  Aft : Integer renames Types.Strings.Digits_After_Decimal;
  Exp : Integer renames Types.Strings.Exponent_Digits;

  Feet : Feet_T;
  Miles : Miles_T;
  Kilometers : Kilometers_T;
  Seconds : Seconds_T;
  Minutes : Minutes_T;
  Hours : Hours_T;
  Mph : Mph_T;

  function Get (Prompt : String) return String is
  begin
    Put (Prompt & "> ");
    return Get_Line;
  end Get;

begin
  Feet := Feet_T'Value (Get ("Feet"));
  Miles := Miles_T'Value (Get ("Miles"));
  Kilometers := Kilometers_T'Value (Get ("Kilometers"));

  Seconds := Seconds_T'Value (Get ("Seconds"));
  Minutes := Minutes_T'Value (Get ("Minutes"));
  Hours := Hours_T'Value (Get ("Hours"));

  Aft := 2;
  Exp := 2;
  Mph := Feet / Seconds;
  Put_Line (Strings.To_String (Feet) & " feet / " & Strings.To_String (Seconds) &
    " seconds = " & Strings.To_String (Mph) & " mph");
  Aft := Aft + 1;
  Exp := Exp + 1;
  Mph := Miles / Hours;
  Put_Line (Strings.To_String (Miles) & " miles / " & Strings.To_String (Hours) &
    " hour = " & Strings.To_String (Mph) & " mph");
  Aft := Aft + 1;
  Exp := Exp + 1;
  Mph := Kilometers / Minutes;
  Put_Line (Strings.To_String (Kilometers) & " km / " & Strings.To_String (Minutes) &
    " minute = " & Strings.To_String (Mph) & " mph");
end Main;
```

Summary

Summary

Ada 2012

- **use** clauses are not evil but can be abused
 - Can make it difficult for others to understand code
- **use all type** clauses are more likely in practice than **use type** clauses
 - Only available in Ada 2012 and later
- **Renames** allow us to alias entities to make code easier to read
 - Subprogram renaming has many other uses, such as adding / removing default parameter values

Access Types

Introduction

Access Types Design

- Memory addresses objects are called *access types*
- Objects are associated to *pools* of memory
 - With different allocation / deallocation policies
- Access objects are **guaranteed** to always be meaningful
 - In the absence of `Unchecked_Deallocation`
 - And if pool-specific

■ Ada

```
type Integer_Pool_Access
  is access Integer;
P_A : Integer_Pool_Access
  := new Integer;
```

■ C++

```
int * P_C = malloc (sizeof (int));
int * P_CPP = new int;
int * G_C = &Some_Int;
```

```
type Integer_General_Access
  is access all Integer;
```

```
G : aliased Integer
```

```
G_A : Integer_General_Access := G'access;
```


```
.
```

Access Types Can Be Dangerous


- Multiple memory issues
 - Leaks / corruptions
- Introduces potential random failures complicated to analyze
- Increase the complexity of the data structures
- May decrease the performances of the application
 - Dereferences are slightly more expensive than direct access
 - Allocations are a lot more expensive than stacking objects
- Ada avoids using accesses as much as possible
 - Arrays are not pointers
 - Parameters are implicitly passed by reference
- Only use them when needed

Stack vs Heap

```
I : Integer := 0;  
J : String := "Some Long String";
```



```
I : Access_Int := new Integer'(0);  
J : Access_Str := new String'("Some Long String");
```



Access Types

Examples

```

package Access_Types is

    type R is record
        F1, F2 : Integer;
    end record;
    type A_Int is access Integer;
    type A_String is access all String;
    type A_R is access R;

    V_Int      : A_Int      := new Integer;
    V_String   : A_String   := new String("abc");
    V_R        : A_R        := new R;

    procedure Do_Something;

end Access_Types;

package body Access_Types is

    function Local_Access_Example return Integer is
        type String_Access is access String; -- only visible here
        X : String_Access;
    begin
        X := new String("Hello, World");
        return X.all'Length;
    end Local_Access_Example;

    procedure Do_Something is
    begin
        V_Int.all      := Local_Access_Example;
        V_String.all   := "cde";
        V_String(1)    := 'z'; -- similar to V_String.all(1) := 'z';
        V_R.all        := (0, 0);
        V_R.F1         := 1; -- similar to V_R.all.F1 := 1;
        V_Int          := null;
        V_R             := null;
    end Do_Something;

end Access_Types;

```

https://ada-core.github.io/ada_examples/ada1002_access_types.html

Declaration Location

- Can be at library level

```
package P is
  type String_Access is access String;
end P;
```

- Can be nested in a procedure

```
package body P is
  procedure Proc is
    type String_Access is access String;
  begin
    ...
  end Proc;
end P;
```

- Nesting adds non-trivial issues

- Creates a nested pool with a nested accessibility
- Don't do that unless you know what you are doing! (see later)

Null Values

- A pointer that does not point to any actual data has a **null** value
- Without an initialization, a pointer is **null** by default
- **null** can be used in assignments and comparisons

declare

```
type Acc is access all Integer;
```

```
V : Acc;
```

begin

```
if V = null then
```

```
    -- will go here
```

```
end if
```

```
V := new Integer'(0);
```

```
V := null; -- semantically correct, but memory leak
```

Access Types and Primitives

- Subprogram using an access type are primitive of the **access type**
 - **Not** the type of the accessed object

```
type A_T is access all T;  
procedure Proc (V : A_T); -- Primitive of A_T, not T
```

- Primitive of the type can be created with the **access** mode
 - **Anonymous** access type

```
procedure Proc (V : access T); -- Primitive of T
```

Dereferencing Pointers

- `.all` does the access dereference
 - Lets you access the object pointed to by the pointer
- `.all` is optional for
 - Access on a component of an array
 - Access on a component of a record

Dereference Examples

```
type R is record
  F1, F2 : Integer;
end record;
type A_Int is access Integer;
type A_String is access all String;
type A_R is access R;
V_Int      : A_Int := new Integer;
V_String   : A_String := new String("abc");
V_R        : A_R := new R;

V_Int.all := 0;
V_String.all := "cde";
V_String (1) := 'z'; -- similar to V_String.all (1) := 'z';
V_R.all := (0, 0);
V_R.F1 := 1; -- similar to V_R.all.F1 := 1;
```

Pool-Specific Access Types

Examples

```

package Pool_Specific is
  type Pointed_To_T is new Integer;
  type Access_T is access Pointed_To_T;
  Object : Access_T := new Pointed_To_T;

  type Other_Access_T is access Pointed_To_T;
  -- Other_Object : Other_Access_T := Other_Access_T ( Object ); -- illegal

  type String_Access_T is access String;
end Pool_Specific;

with Ada.Unchecked_Deallocation;
with Ada.Text_IO; use Ada.Text_IO;
with Pool_Specific; use Pool_Specific;
procedure Use_Pool_Specific is
  X : Access_T := new Pointed_To_T'(123);
  Y : String_Access_T := new String (1 .. 10);

  procedure Free is new Ada.Unchecked_Deallocation (Pointed_To_T, Access_T);

begin
  Put_Line (Y.all);
  Y := new String'("String will be long enough to hold this");
  Put_Line (Y.all);
  Put_Line (Pointed_To_T'Image (X.all));
  Free (X);
  Put_Line (Pointed_To_T'Image (X.all)); -- run-time error
end Use_Pool_Specific;

```

Pool-Specific Access Type

- An access type is a type

```
type T is [...]  
type T_Access is access T;  
V : T_Access := new T;
```

- Conversion is **not** possible between pool-specific access types

Allocations

- Objects are created with the **new** reserved word
- The created object must be constrained
 - The constraint is given during the allocation

```
V : String_Access := new String (1 .. 10);
```

- The object can be created by copying an existing object - using a qualifier

```
V : String_Access := new String'("This is a String");
```

Deallocations

- Deallocations are unsafe
 - Multiple deallocations problems
 - Memory corruptions
 - Access to deallocated objects
- As soon as you use them, you lose the safety of your pointers
- But sometimes, you have to do what you have to do ...
 - There's no simple way of doing it
 - Ada provides **Ada.Unchecked_Deallocation**
 - Has to be instantiated (it's a generic)
 - Must work on an object, reset to `null` afterwards

Deallocation Example

```
-- generic used to deallocate memory
with Ada.Unchecked_Deallocation;
procedure P is
  type An_Access is access A_Type;
  -- create instances of deallocation function
  -- (object type, access type)
  procedure Free is new Ada.Unchecked_Deallocation
    (A_Type, An_Access);
  V : An_Access := new A_Type;
begin
  Free (V);
  -- V is now null
end P;
```

General Access Types

Examples

```
package General is
  type Pointed_To_T is new Integer;
  type Access_T is access all Pointed_To_T;
  Object : Access_T := new Pointed_To_T;

  type Other_Access_T is access all Pointed_To_T;
  Other_Object : Other_Access_T := Other_Access_T (Object);

  Pointed_To : aliased Pointed_To_T := 1_234;

end General;

with Ada.Text_IO; use Ada.Text_IO;
with General;      use General;
procedure Use_General is
begin
  Object := Pointed_To'Access;
  Put_Line (Pointed_To'Image & Pointed_To_T'Image (Object.all));
  Pointed_To := Pointed_To + 1;
  Put_Line (Pointed_To'Image & Pointed_To_T'Image (Object.all));
  Object.all := Object.all * 2;
  Put_Line (Pointed_To'Image & Pointed_To_T'Image (Object.all));
end Use_General;
```

General Access Types

- Can point to any pool (including stack)

```
type T is [...]  
type T_Access is access all T;  
V : T_Access := new T;
```

- Still distinct type
- Conversions are possible

```
type T_Access_2 is access all T;  
V2 : T_Access_2 := T_Access_2 (V); -- legal
```

Referencing The Stack

- By default, stack-allocated objects cannot be referenced - and can even be optimized into a register by the compiler
- **aliased** declares an object to be referenceable through an access value

```
V : aliased Integer;
```

- 'Access attribute gives a reference to the object

```
A : Int_Access := V'Access;
```

- 'Unchecked_Access does it **without checks**

Aliased Objects Examples

```
type Acc is access all Integer;
V, G : Acc;
I : aliased Integer;
...
V := I'Access;
V.all := 5; -- Same as I := 5
...
procedure P1 is
  I : aliased Integer;
begin
  G := I'Unchecked_Access;
  P2;
end P1;

procedure P2 is
begin
  -- OK when P2 called from P1.
  -- What if P2 is called from elsewhere?
  G.all := 5;
end P2;
```


Quiz

```
type One_T is access all Integer;  
type Two_T is access Integer;
```

```
A : aliased Integer;  
B : Integer;
```

```
One : One_T;  
Two : Two_T;
```

Which assignment is legal?

- ☐ A. One := B'Access;
- ☐ B. One := A'Access;
- ☐ C. Two := B'Access;
- ☐ D. Two := A'Access;

Quiz

```
type One_T is access all Integer;  
type Two_T is access Integer;
```

```
A : aliased Integer;  
B : Integer;
```

```
One : One_T;  
Two : Two_T;
```

Which assignment is legal?

- ☐ A. One := B'Access;
- ☒ B. **One := A'Access;**
- ☐ C. Two := B'Access;
- ☐ D. Two := A'Access;

'Access is only allowed for general access types (One_T). To use 'Access on an object, the object must be **aliased**.

Accessibility Checks

Examples

```

package Accessibility_Checks is
  procedure Proc_Access;
  procedure Proc_Unchecked_Access;
end Accessibility_Checks;

with Ada.Text_IO; use Ada.Text_IO;
package body Accessibility_Checks is

  type Recursive_Record_T;
  type Global_Access_T is access all Recursive_Record_T;
  type Recursive_Record_T is record
    Field : Integer;
    Next : Global_Access_T := null;
  end record;
  Global_Pointer : Global_Access_T;
  Global_Object : aliased Recursive_Record_T;
  procedure Proc_Access is
    type Local_Access_T is access all Recursive_Record_T;
    Local_Pointer : Local_Access_T;
    Local_Object : aliased Recursive_Record_T;
  begin
    Global_Pointer := Global_Object'Access;
    Put_Line (Integer'Image (Global_Pointer.Field));
    -- Global_Pointer := Local_Object'Access; -- illegal
    Global_Pointer := Local_Object'Unchecked_Access;
    Put_Line (Integer'Image (Global_Pointer.Field));
    Local_Pointer := Global_Object'Access;
    Put_Line (Integer'Image (Local_Pointer.Field));
    Local_Pointer := Local_Object'Access;
    Put_Line (Integer'Image (Local_Pointer.Field));
    Local_Pointer := Local_Access_T (Global_Pointer);
    Put_Line (Integer'Image (Local_Pointer.Field));
    -- Global_Pointer := Global_Access_T (Local_Pointer); -- illegal
  end Proc_Access;

  procedure Proc_Unchecked_Access is
    Local_Object : aliased Recursive_Record_T;
  begin
    -- Global_Pointer := Local_Object'Access; -- illegal
    Global_Pointer := Local_Object'Unchecked_Access;
  end Proc_Unchecked_Access;

end Accessibility_Checks;

```

Introduction to Accessibility Checks (1/2)

- The **depth** of an object depends on its nesting within declarative scopes

```
package body P is
  -- Library level, depth 0
  O0 : aliased Integer;
  procedure Proc is
    -- Library level subprogram, depth 1
    type Acc1 is access all Integer;
    procedure Nested is
      -- Nested subprogram, enclosing + 1, here 2
      O2 : aliased Integer;
```

- Objects can be referenced by access **types** that are at **same depth or deeper**
 - An **access scope** must be \leq the object scope
- **type** Acc1 (depth 1) can access O0 (depth 0) but not O2 (depth 2)
- The compiler checks it statically
 - Removing checks is a workaround!
- Note: Subprogram library units are at **depth 1** and not 0

Introduction to Accessibility Checks (2/2)

```
package body P is
  type T0 is access all Integer;
  A0 : T0;
  V0 : aliased Integer;
  procedure Proc is
    type T1 is access all Integer;
    A1 : T1;
    V1 : aliased Integer;
  Begin
    A0 := V0'Access;
    A0 := V1'Access; -- illegal
    A0 := V1'Unchecked_Access;
    A1 := V0'Access;
    A1 := V1'Access;
    A1 := T1 (A0);
    A1 := new Integer;
    A0 := T0 (A1); -- illegal
  end Proc;
end P;
```

- To avoid having to face these issues, avoid nested access types

Getting Around Accessibility Checks

- Sometimes it is OK to use unsafe accesses to data
- 'Unchecked_Access allows access to a variable of an incompatible accessibility level
- Beware of potential problems!

```
type Acc is access all Integer;  
G : Acc;  
procedure P is  
    V : aliased Integer;  
begin  
    G := V'Unchecked_Access;  
    ...  
    Do_Something ( G.all ); -- This is "reasonable"  
end P;
```

Using Pointers For Recursive Structures

- It is not possible to declare recursive structure
- But there can be an access to the enclosing type

```
type Cell; -- partial declaration
type Cell_Access is access all Cell;
type Cell is record -- full declaration
    Next      : Cell_Access;
    Some_Value : Integer;
end record;
```


Quiz

```
type Global_Access_T is access all Integer;  
Global_Pointer : Global_Access_T;  
Global_Object  : aliased Integer;  
procedure Proc_Access is  
    type Local_Access_T is access all Integer;  
    Local_Pointer : Local_Access_T;  
    Local_Object  : aliased Integer;  
begin
```

Which assignment is illegal?

- ☒ A. Global_Pointer := Global_Object'Access;
- ☐ B. Global_Pointer := Local_Object'Access;
- ☐ C. Local_Pointer := Global_Object'Access;
- ☐ D. Local_Pointer := Local_Object'Access;

Quiz

```
type Global_Access_T is access all Integer;  
Global_Pointer : Global_Access_T;  
Global_Object  : aliased Integer;  
procedure Proc_Access is  
  type Local_Access_T is access all Integer;  
  Local_Pointer : Local_Access_T;  
  Local_Object  : aliased Integer;  
begin
```

Which assignment is illegal?

- ☐ A. `Global_Pointer := Global_Object'Access;`
- ☒ B. `Global_Pointer := Local_Object'Access;`
- ☐ C. `Local_Pointer := Global_Object'Access;`
- ☐ D. `Local_Pointer := Local_Object'Access;`

Explanations

- ☒ A. Pointer type has same depth as object
- ☐ B. Pointer type is not allowed to have higher level than pointed-to object
- ☐ C. Pointer type has lower depth than pointed-to object
- ☐ D. Pointer type has same depth as object

Memory Management

Examples

```
with Ada.Unchecked_Deallocation;  
package Memory_Management_Type is  
  type Integer_Access_T is access all Integer;  
  procedure Free is new Ada.Unchecked_Deallocation (Integer, Integer_Access_T);  
end Memory_Management_Type;  
  
with Memory_Management_Type; use Memory_Management_Type;  
with Ada.Exceptions;         use Ada.Exceptions;  
with Ada.Text_IO;            use Ada.Text_IO;  
procedure Memory_Management_Test is  
  
  procedure Uninitialized_Pointer is  
    Object : Integer_Access_T;  
  begin  
    Object.all := 123;  
    Put_Line ("Object = " & Integer'Image (Object.all));  
  exception  
    when Err : others =>  
      Put_Line ("Uninitialized_Pointer error: " & Exception_Name (Err));  
  end Uninitialized_Pointer;  
  
  procedure Double_Deallocation is  
    Object : Integer_Access_T;  
  begin  
    Object := new Integer'(123);  
    Put_Line ("Object = " & Integer'Image (Object.all));  
    Free (Object);  
    Free (Object);  
  exception  
    when Err : others =>  
      Put_Line ("Double_Deallocation error: " & Exception_Name (Err));  
  end Double_Deallocation;  
  
  procedure Accessing_Deallocated_Memory is  
    Object : Integer_Access_T;  
  begin  
    Object := new Integer'(123);  
    Put_Line ("Object = " & Integer'Image (Object.all));  
    Free (Object);  
    Put_Line ("Object = " & Integer'Image (Object.all));  
  exception  
    when Err : others =>  
      Put_Line ("Accessing_Deallocated_Memory error: " & Exception_Name (Err));  
  end Accessing_Deallocated_Memory;  
  
  procedure Memory_Leak is  
    Object : Integer_Access_T;  
  begin  
    for Counter in Integer'Range loop  
      Object := new Integer'(Counter);  
    end loop;  
    Put_Line ("Complete" );  
  exception  
    when Err : others =>  
      Put_Line ("Memory_Leak error: " & Exception_Name (Err));  
  end Memory_Leak;  
  
begin  
  Uninitialized_Pointer;  
  Double_Deallocation;  
  Accessing_Deallocated_Memory;  
  Memory_Leak;  
end Memory_Management_Test;
```

Common Memory Problems (1/3)

■ Uninitialized pointers

```
declare
  type An_Access is access all Integer;
  V : An_Access;
begin
  V.all := 5; -- constraint error
```

■ Double deallocation

```
declare
  type An_Access is access all Integer;
  procedure Free is new
    Ada.Unchecked_Deallocation (Integer, An_Access);
  V1 : An_Access := new Integer;
  V2 : An_Access := V1;
begin
  Free (V1);
  ...
  Free (V2);
```

- May raise `Storage_Error` if memory is still protected (unallocated)
- May deallocate a different object if memory has been reallocated
 - Putting that object in an inconsistent state

Common Memory Problems (2/3)

- Accessing deallocated memory

```
declare
```

```
  type An_Access is access all Integer;
```

```
  procedure Free is new
```

```
    Ada.Unchecked_Deallocation (Integer, An_Access);
```

```
  V1 : An_Access := new Integer;
```

```
  V2 : An_Access := V1;
```

```
begin
```

```
  Free (V1);
```

```
  ...
```

```
  V2.all := 5;
```

- May raise `Storage_Error` if memory is still protected (unallocated)
- May modify a different object if memory has been reallocated (putting that object in an inconsistent state)

Common Memory Problems (3/3)

- Memory leaks

```
declare
  type An_Access is access all Integer;
  procedure Free is new
    Ada.Unchecked_Deallocation (Integer, An_Access);
  V : An_Access := new Integer;
begin
  V := null;
```

- Silent problem

- Might raise `Storage_Error` if too many leaks
- Might slow down the program if too many page faults

How To Fix Memory Problems?

- There is no language-defined solution
- Use the debugger!
- Use additional tools
 - `gnatmem` monitor memory leaks
 - `valgrind` monitor all the dynamic memory
 - **GNAT.Debug_Pools** gives a pool for an access type, raising explicit exception in case of invalid access
 - Others...

Anonymous Access Types

Examples

```

package Anonymous_Access_Types is
  type Access_T is access all Integer;
  Global : Access_T := new Integer'(123);

  function F1 (Param : access Integer) return Boolean is (Param = null);
  function F2 (Param : access Integer) return Boolean is (F1 (Param));

  function F3 (Param : access Integer) return Boolean is
    (F1 (Param) -- Param is an anonymous access type
     or F2 (Global)); -- Global is a named access type
end Anonymous_Access_Types;

package Primitives_And_Access_Type is
  type Root_T is tagged null record;
  type Access_Root_T is access all Root_T;
  function Primitive_Of_Root (V : access Root_T) return Boolean is (V = null);
  function Action_On_Access (V : Access_Root_T) return Boolean is (V = null);
  type Child_T is new Root_T with null record;
  type Access_Child_T is access all Child_T;
  overriding function Primitive_Of_Root (V : access Child_T) return Boolean is
    (False);
    -- illegal;
    -- overriding function Action_On_Access (V : access_child_t_t)
    -- return boolean is ( false );
end Primitives_And_Access_Type;

with Ada.Text_IO; use Ada.Text_IO;
with Anonymous_Access_Types;
with Primitives_And_Access_Type;
procedure Anonymous_Access_Modifiers is
  Global : aliased Primitives_And_Access_Type.Root_T;

  type Constant_Access_T is access constant Integer;
  type Not_Null_Access_T is not null access Integer;

  Constant_Access_Object : Constant_Access_T := new Integer'(123);
  Not_Null_Access_Object : Not_Null_Access_T := new Integer'(345);

begin
  Put_Line (Boolean'Image (Anonymous_Access_Types.F3 (Not_Null_Access_Object)));
  Put_Line (Boolean'Image
    (Primitives_And_Access_Type.Primitive_Of_Root (Global'Access)));

  Put_Line (Integer'Image (Not_Null_Access_Object.all));
  Not_Null_Access_Object := new Integer'(Constant_Access_Object.all);
  Put_Line (Integer'Image (Not_Null_Access_Object.all));

  -- Constant_Access_Object.all := Not_Null_Access_Object.all; -- illegal
  Constant_Access_Object := null; -- legal
  Put_Line (Boolean'Image (Constant_Access_Object = null));
end Anonymous_Access_Modifiers;

```

Anonymous Access Parameters

- Parameter modes are of 4 types: **in**, **out**, **in out**, **access**
- The access mode is called *anonymous access type*
 - Anonymous access is implicitly general (no need for **all**)
- When used:
 - Any named access can be passed as parameter
 - Any anonymous access can be passed as parameter

```
type Acc is access all Integer;  
Aliased_Integer : aliased Integer;  
Access_Object   : Acc := Aliased_Integer'access;  
procedure P1 (Anon_Access : access Integer) is null;  
procedure P2 (Access_Parameter : access Integer) is  
begin  
    P1 (Aliased_Integer'access);  
    P1 (Access_Object);  
    P1 (Access_Parameter);  
end P2;
```

Anonymous Access Types

- Other places can declare an anonymous access

```
function F return access Integer;  
V : access Integer;  
type T (V : access Integer) is record  
    C : access Integer;  
end record;  
type A is array (Integer range <>) of access Integer;
```

- Do not use them without a clear understanding of accessibility check rules

Anonymous Access Constants

- **constant** (instead of **all**) denotes an access type through which the referenced object cannot be modified

```
type CAcc is access constant Integer;  
G1 : aliased Integer;  
G2 : aliased constant Integer := 123;  
V1 : CAcc := G1'Access;  
V2 : CAcc := G2'Access;  
V1.all := 0; -- illegal
```

- **not null** denotes an access type for which null value cannot be accepted

- Available in Ada 2005 and later

```
type NAcc is not null access Integer;  
V : NAcc := null; -- illegal
```

- Also works for subprogram parameters

```
procedure Bar ( V1 : access constant integer);  
procedure Foo ( V1 : not null access integer); -- Ada 2005
```

Lab

Access Types Lab

■ Requirements

- Create a datastore containing an array of records
 - Each record contains an array to store strings
 - Interface to the array consists *only* of functions that return an element of the array (Input parameter would be the array index)
- Main program should allow the user to specify an index and a string
 - String gets appended to end of string pointer array
 - When data entry is complete, print only the elements of the array that have data

■ Hints

- Interface functions need to pass back pointer to array element
 - For safety, create a function to return a modifiable pointer and another to return a read-only pointer
- Cannot create array of variable length strings, so use pointers

Access Types Lab Solution - Datastore

```
package Datastore is
  type String_Ptr_T is access String;
  type History_T is array (1 .. 10) of String_Ptr_T;
  type Element_T is record
    History : History_T;
  end record;
  type Reference_T is access all Element_T;
  type Constant_Reference_T is access constant Element_T;

  subtype Index_T is Integer range 1 .. 100;
  function Object (Index : Index_T) return Reference_T;
  function View (Index : Index_T) return Constant_Reference_T;

end Datastore;

package body Datastore is
  type Array_T is array (Index_T) of aliased Element_T;
  Global_Data : aliased Array_T;

  function Object (Index : Index_T) return Reference_T is
    (Global_Data (Index)'Access);

  function View (Index : Index_T) return Constant_Reference_T is
    (Global_Data (Index)'Access);
end Datastore;
```


Access Types Lab Solution - Main

```
with Ada.Text_IO; use Ada.Text_IO;
with Datastore;   use Datastore;
procedure Main is
  function Get (Prompt : String) return String is
  begin
    Put (" " & Prompt & "> ");
    return Get_Line;
  end Get;

  procedure Add (History : in out Datastore.History_T;
    Text : in String) is
  begin
    for Event of History loop
      if Event = null then
        Event := new String'(Text);
        exit;
      end if;
    end loop;
  end Add;

  Index : Integer;
  Object : Datastore.Constant_Reference_T;

begin
  loop
    Index := Integer'Value (Get ("Enter index"));
    exit when Index not in Datastore.Index_T'Range;
    Add (Datastore.Object (Index).History, Get ("Text"));
  end loop;

  for I in Index_T'Range loop
    Object := Datastore.View (I);
    if Object.History (1) /= null then
      Put_Line (Integer'Image (I) & ">");
      for Item of Object.History loop
        exit when Item = null;
        Put_Line (" " & Item.all);
      end loop;
    end if;
  end loop;
end Main;
```

Summary

Summary

- Access types are the same as C/C++ pointers
- There are usually better ways of memory management
 - Language has its own ways with dealing with large objects passed as parameters
 - Language has libraries dedicated to memory allocation / deallocation
- At a minimum, create your own generics to do allocation / deallocation
 - Minimize memory leakage and corruption

Genericity

Introduction

The Notion of a Pattern

- Sometimes algorithms can be abstracted from types and subprograms

```
procedure Swap_Int ( Left, Right : in out Integer) is
  V : Integer;
begin
  V := Left;
  Left := Right;
  Right := V;
end Swap_Int;
```

```
procedure Swap_Bool (Left, Right : in out Boolean) is
  V : Boolean;
begin
  V := Left;
  Left := Right;
  Right := V;
end Swap_Bool;
```

- It would be nice to extract these properties in some common pattern, and then just replace the parts that need to be replaced

```
procedure Swap (Left, Right : in out (Integer | Boolean)) is
  V : (Integer | Boolean);
begin
  V := Left;
  Left := Right;
  Right := V;
end Swap;
```

Solution: Generics

- A *generic unit* is a unit that does not exist
- It is a pattern based on properties
- The instantiation applies the pattern to certain parameters

Ada Generic Compared to C++ Template

■ Ada Generic

```
-- specification
generic
type T is private;
procedure Swap
  (L, R : in out T);
-- implementation
procedure Swap
  (L, R : in out T) is
  Tmp : T := L
begin
  L := R;
  R := Tmp;
end Swap;
-- instance
procedure Swap_F is new Swap (Float);
```

■ C++ Template

```
template <class T>
void Swap (T & L, T & R);
template <class T>
void Swap (T & L, T & R) {
  T Tmp = L;
  L = R;
  R = Tmp;
}
```


Creating Generics

What Can Be Made Generic?

- Subprograms and packages can be made generic

```
generic
  type T is private;
procedure Swap (L, R : in out T)
generic
  type T is private;
package Stack is
  procedure Push ( Item : T );
  ...
```

- Children of generic units have to be generic themselves

```
generic
package Stack.Utilities is
  procedure Print is
```

How Do You Use A Generic?

- Generic instantiation is creating new set of data where a generic package contains library-level variables:

```
package Integer_stack is new Stack ( Integer );  
package Integer_Stack_Utils is  
    new Integer_Stack.Utilities;  
...  
Integer_Stack.Push ( 1 );  
Integer_Stack_Utils.Print;
```

Generic Data

Examples

```

package Generic_Data is
  generic
    type Discrete_T is (<>);
    type Integer_T is range (<>);
    type Float_T is digit (<>);
    type SubFinite_T;
    type Tagged_T is tagged;
    type Array_T is array (Range) of Integer;
    type Access_T is access all Integer;
    type Private_T is private;
    type Unconstrained_T (<>) is private;
  package Parameter_Properties is
    procedure Is_Running ( Discrete_Func : Discrete_T
                          Integer_Func   : Integer_T
                          Float_Func     : Float_T
                          SubFinite_Func : SubFinite_T
                          Tagged_Func    : Tagged_T
                          Array_Func     : Array_T
                          Access_Func     : Access_T
                          Private_Func    : Private_T
    and Function_Properties : Unconstrained_Func : Unconstrained_T );

  and Function_Properties;

  generic
    type Item_T is private;
    type Access_Item_T is access all Item_T;
    type Index_T is (<>);
    type Array_T is array (Index_T range (<>)) of Access_Item_T;
  package Combination is
    procedure Add (Vector : in out Array_T;
                  Index : in Index_T;
                  Item : in Item_T);

  and Combination;

  and Generic_Data;

  with Types and Types;
  with Generic_Data;
  package Generic_Instance is use Generic_Data;
  Parameter_Properties;
  Discrete : Integer : Float : SubFinite_T := Boolean_T;
  Tagged_T := Tagged_Integer_T; Array_T := Boolean_Array_2D_Integer_T;
  Access_T := Access_Integer_T; Private_T := Private_Func_T;
  Unconstrained_T := String;

  type Item_T is (Red, White, Blue);
  type Access_Item_T is access all Item_T;
  type Index_T is range 1..100;
  type Array_T is array (Index_T range (<>)) of Access_Item_T;
  package Combination_Instance is use Generic_Data Combination;
  (Item_T, Access_T, Index_T, Array_T, Array_T);
  and Generic_Instance;

  package body Generic_Data is
    package body Parameter_Properties is
      procedure Is_Running ( Discrete_Func : Discrete_T
                            Integer_Func   : Integer_T
                            Float_Func     : Float_T
                            SubFinite_Func : SubFinite_T
                            Tagged_Func    : Tagged_T
                            Array_Func     : Array_T
                            Access_Func     : Access_T
                            Private_Func    : Private_T
      and Function_Properties : Unconstrained_Func : Unconstrained_T) is null;

    and Function_Properties;

    package body Combination is
      procedure Add (Vector : in out Array_T;
                    Index : in Index_T;
                    Item : in Item_T) is
      begin
        Vector (Index) := new Item_T (Item);
      end Add;

    and Combination;

  and Generic_Data;

  package Types is
    type Width_T;
    type Tagged_Integer_T is tagged record
      Field : access Width_T;
    end record;
    type Width_T is private;
    type Boolean_Array_2D_Integer_T is array (Range) of Integer;
    type Access_Integer_T is access all Integer;
    type Access_Private_T is private;
    type Access_Item_T is private;
    type Width_T is new Integer;
    type Item_Private_T is new Integer;
  end Types;

```

Generic Types Parameters (1/2)

- A generic parameter is a template
- It specifies the properties the generic body can rely on

generic

```
type T1 is private; -- should have properties
                    -- of private type (assignment,
                    -- comparison, able to declare
                    -- variables on the stack...)
```

```
type T2 (<>) is private; -- can be unconstrained
```

```
type T3 is limited private; -- can be limited
```

```
package Parent is [...]
```

- The actual parameter must provide at least as many properties as the *generic contract*

Generic Types Parameters (2/2)

- The usage in the generic has to follow the contract

```
generic
  type T (<>) is private;
procedure P (V : T);
procedure P (V : T) is
  X1 : T := V; -- OK, can constrain by initialization
  X2 : T;      -- Compilation error, no constraint to this
begin
  ...
  type L_T is limited null record;
  ...
  -- unconstrained types are accepted
procedure P1 is new P (String);
  -- type is already constrained
procedure P2 is new P (Integer);
  -- Illegal: the type can't be limited because the generic
  -- is allowed to make copies
procedure P3 is new P (L_T);
```

Possible Properties for Generic Types

```
type T1 is (<>); -- discrete
type T2 is range <>; -- integer
type T3 is digits <>; -- float
type T4 (<>); -- indefinite
type T5 is tagged;
type T6 is array ( Boolean ) of Integer;
type T7 is access integer;
type T8 (<>) is [limited] private;
```


Generic Parameters Can Be Combined

- Consistency is checked at compile-time

generic

```
type T (<>) is limited private;  
type Acc is access all T;  
type Index is (<>);  
type Arr is array (Index range <>) of Acc;
```

procedure P;

```
type String_Ptr is access all String;  
type String_Array is array (Integer range <>)  
  of String_Ptr;
```

procedure P_String is new P

```
(T      => String,  
 Acc    => String_Ptr,  
 Index  => Integer,  
 Arr    => String_Array);
```

Quiz

```
generic
  type T is tagged;
  type T2;
procedure G_P;

type Tag is tagged null record;
type Arr is array (Positive range <>) of Tag;
```

Which declaration(s) is(are) legal?

- ☐ A. procedure P is new G_P (Tag, Arr)
- ☐ B. procedure P is new G_P (Arr, Tag)
- ☐ C. procedure P is new G_P (Tag, Tag)
- ☐ D. procedure P is new G_P (Arr, Arr)

Quiz

```
generic
  type T is tagged;
  type T2;
procedure G_P;

type Tag is tagged null record;
type Arr is array (Positive range <>) of Tag;
```

Which declaration(s) is(are) legal?

- ☒ A. *procedure P is new G_P (Tag, Arr)*
- ☐ B. procedure P is new G_P (Arr, Tag)
- ☒ C. *procedure P is new G_P (Tag, Tag)*
- ☐ D. procedure P is new G_P (Arr, Arr)

Quiz

```
generic
  type T1 is (<>);
  type T2 (<>) is private;
procedure G
  (A : T1;
   B : T2);
```

Which is an illegal instantiation?

- ☐ A. procedure A is new G (String, Character);
- ☐ B. procedure B is new G (Character, Integer);
- ☐ C. procedure C is new G (Integer, Boolean);
- ☐ D. procedure D is new G (Boolean, String);

Quiz

```
generic
  type T1 is (<>);
  type T2 (<>) is private;
procedure G
  (A : T1;
   B : T2);
```

Which is an illegal instantiation?

- ☒ A. *procedure A is new G (String, Character);*
- ☐ B. procedure B is new G (Character, Integer);
- ☐ C. procedure C is new G (Integer, Boolean);
- ☐ D. procedure D is new G (Boolean, String);

T1 must be discrete - so an integer or an enumeration. T2 can be any type

Generic Formal Data

Examples

```
package Generic_Formal_Data is
generic
  type Variable_T is range <>;
  Variable : is not Variable_T;
  Increment : Variable_T;
package Constants_And_Variables is
  procedure Add;
  function Value return Variable_T is (Variable);
  and Constants_And_Variables;
and Generic_Formal_Data;

generic
  type Type_T is <>;
  with procedure Print_One (Prompt : String; Value : Type_T);
  with procedure Print_Two (Prompt : String; Value : Type_T) is null;
  with procedure Print_Three (Prompt : String; Value : Type_T) is <>;
package Subprogram_Parameters is
  procedure Print (Prompt : String; Param : Type_T);
  and Subprogram_Parameters;
and Generic_Formal_Data;

with Ada.Text_IO; use Ada.Text_IO;
with Generic_Formal_Data; use Generic_Formal_Data;
procedure Test_Generic_Formal_Data is
  procedure Print_One (Prompt : String; Param : Integer) is
  begin
    Put_Line (Prompt & " - Print_One" & Param'Image);
  end Print_One;
  procedure Print_Two (Prompt : String; Param : Integer) is
  begin
    Put_Line (Prompt & " - Print_Two" & Param'Image);
  end Print_Two;
  procedure Print_Three (Prompt : String; Param : Integer) is
  begin
    Put_Line (Prompt & " - Print_Three" & Param'Image);
  end Print_Three;
  procedure Print_Three_Prime (Prompt : String; Param : Integer) is
  begin
    Put_Line (Prompt & " - Print_Three_Prime" & Param'Image);
  end Print_Three_Prime;

  Global_Object : Integer := 0;
  package Global_Data is new Constants_And_Variables
    (Integer, Global_Object, 111);

  package Print_1 is new Subprogram_Parameters (Integer, Print_One);
  package Print_2 is new Subprogram_Parameters (Integer, Print_One, Print_Two);
  package Print_3 is new Subprogram_Parameters (Integer, Print_One, Print_Two, Print_Three_Prime);

begin
  Print_1.Print ("Print_1", Global_Data.Value);
  Global_Data.Add;
  Print_2.Print ("Print_2", Global_Data.Value);
  Global_Data.Add;
  Print_3.Print ("Print_3", Global_Data.Value);
end Test_Generic_Formal_Data;

package body Generic_Formal_Data is
  package body Constants_And_Variables is
    procedure Add is
    begin
      Variable := Variable + Increment;
    end Add;
  and Constants_And_Variables;

  package body Subprogram_Parameters is
    procedure Print (Prompt : String; Param : Type_T) is
    begin
      Print_One (Prompt, Param);
      Print_Two (Prompt, Param);
      Print_Three (Prompt, Param);
    end Print;
  and Subprogram_Parameters;
end Generic_Formal_Data;
```

Generic Constants and Variables Parameters

- Variables can be specified on the generic contract
- The mode specifies the way the variable can be used:
 - **in** → read only
 - **in out** → read write
- Generic variables can be defined after generic types

```
generic
  type T is private;
  X1 : Integer;  -- constant
  X2 : in out T; -- variable
procedure P;

V : Float;

procedure P_I is new P
  (T  => Float,
   X1 => 42,
   X2 => V);
```


Generic Subprogram Parameters

- Subprograms can be defined in the generic contract
- Must be introduced by **with** to differ from the generic unit

```
generic
    with procedure Callback;
procedure P;
procedure P is
begin
    Callback;
end P;
procedure Something;
procedure P_I is new P (Something);
```

Generic Subprogram Parameters Defaults

Ada 2005

- **is <>** - matching subprogram is taken by default
- **is null** - null subprogram is taken by default
 - Only available in Ada 2005 and later

```
generic
  with procedure Callback1 is <>;
  with procedure Callback2 is null;
procedure P;
procedure Callback1;
procedure P_I is new P;
-- takes Callback1 and null
```

Generic Package Parameters

- A generic unit can depend on the instance of another generic unit
- Parameters of the instantiation can be constrained partially or completely

```
generic
```

```
    type T1 is private;
```

```
    type T2 is private;
```

```
package Base is [...]
```

```
generic
```

```
    with package B is new Base (Integer, <>);
```

```
    V : B.T2;
```

```
package Other [...]
```

```
package Base_I is new Base (Integer, Float);
```

```
package Other_I is new Other (Base_I, 56.7);
```

Quiz

```
generic
  type T is (<>);
  G_A : in out T;
procedure G_P;

type I is new Integer;
type E is (OK, NOK);
type F is new Float;
X : I;
Y : E;
Z : F;
```

Which of the following piece(s) of code is(are) legal?

- ☐ A. procedure P is new G_P (I, X)
- ☐ B. procedure P is new G_P (E, Y)
- ☐ C. procedure P is new G_P (I, E'Pos (Y))
- ☐ D. procedure P is new G_P (F, Z)

Quiz

```
generic
  type T is (<>);
  G_A : in out T;
procedure G_P;

type I is new Integer;
type E is (OK, NOK);
type F is new Float;
X : I;
Y : E;
Z : F;
```

Which of the following piece(s) of code is(are) legal?

- ☐ A. `procedure P is new G_P (I, X)`
- ☐ B. `procedure P is new G_P (E, Y)`
- ☐ C. `procedure P is new G_P (I, E'Pos (Y))`
- ☐ D. `procedure P is new G_P (F, Z)`

Quiz

```
generic
  type L is limited private;
  type P is private;
procedure G_P;

type Lim is limited null record;
type Int is new Integer;

type Rec is record
  L : Lim;
  I : Int;
end record;
```

Which declaration(s) is(are) legal?

- ☒ A. procedure P is new G_P (Lim, Int)
- ☒ B. procedure P is new G_P (Int, Rec)
- ☒ C. procedure P is new G_P (Rec, Rec)
- ☒ D. procedure P is new G_P (Int, Int)

Quiz

```
generic
  type L is limited private;
  type P is private;
procedure G_P;

type Lim is limited null record;
type Int is new Integer;

type Rec is record
  L : Lim;
  I : Int;
end record;
```

Which declaration(s) is(are) legal?

- ☒ *procedure P is new G_P (Lim, Int)*
- ☐ procedure P is new G_P (Int, Rec)
- ☐ procedure P is new G_P (Rec, Rec)
- ☒ *procedure P is new G_P (Int, Int)*

Quiz

Ada 2005

```
1  procedure P1 (X : in out Integer); -- add 100 to X
2  procedure P2 (X : in out Integer); -- add 20 to X
3  procedure P3 (X : in out Integer); -- add 3 to X
4  generic
5      with procedure P1 (X : in out Integer) is <>;
6      with procedure P2 (X : in out Integer) is null;
7  procedure G ( P : integer );
8  procedure G ( P : integer ) is
9      X : integer := P;
10 begin
11     P1(X);
12     P2(X);
13     Ada.Text_IO.Put_Line ( X'Image );
14 end G;
15 procedure Instance is new G ( P1 => P3 );
```

What is printed when Instance is called?

- A. 100
- B. 120
- C. 3
- D. 103

Explanations

- A. Wrong - result for
 `procedure Instance is new G;`
- B. Wrong - result for
 `procedure Instance is new G(P1,P2);`
- C. P1 at line 12 is mapped to P3 at line 3, and P2 at line 14 wasn't specified so it defaults to `null`
- D. Wrong - result for
 `procedure Instance is new G(P2=>P3);`

Quiz

Ada 2005

```
1  procedure P1 (X : in out Integer); -- add 100 to X
2  procedure P2 (X : in out Integer); -- add 20 to X
3  procedure P3 (X : in out Integer); -- add 3 to X
4  generic
5      with procedure P1 (X : in out Integer) is <>;
6      with procedure P2 (X : in out Integer) is null;
7  procedure G ( P : integer );
8  procedure G ( P : integer ) is
9      X : integer := P;
10 begin
11     P1(X);
12     P2(X);
13     Ada.Text_IO.Put_Line ( X'Image );
14 end G;
15 procedure Instance is new G ( P1 => P3 );
```

What is printed when Instance is called?

- A. 100
- B. 120
- C. 3
- D. 103

Explanations

- A. Wrong - result for
 `procedure Instance is new G;`
- B. Wrong - result for
 `procedure Instance is new G(P1,P2);`
- C. P1 at line 12 is mapped to P3 at line 3, and P2 at line 14 wasn't specified so it defaults to `null`
- D. Wrong - result for
 `procedure Instance is new G(P2=>P3);`

Generic Completion

Implications at Compile-Time

- The body needs to be visible when compiling the user code
- Therefore, when distributing a component with generics to be instantiated, the code of the generic must come along

Generic and Freezing Points

- A generic type **freezes** the type and needs the **full view**
- May force separation between its declaration (in spec) and instantiations (in private or body)

```
generic
  type X is private;
package Base is
  V : access X;
end Base;

package P is
  type X is private;
  -- illegal
  package B is new Base (X);
private
  type X is null record;
end P;
```

Generic Incomplete Parameters

- A generic type can be incomplete
- Allows generic instantiations before full type definition
- Restricts the possible usages (only **access**)

```
generic
  type X; -- incomplete
package Base is
  V : access X;
end Base;

package P is
  type X is private;
  -- legal
  package B is new Base (X);
private
  type X is null record;
end P;
```

Quiz

```
generic
  type T1;
  A1 : access T1;
  type T2 is private;
  A2, B2 : T2;
procedure G_P;
procedure G_P is
begin
  -- Complete here
end G_P;
```

Which of the following statement(s) is(are) valid for G_P's body?

- ☐ A. pragma Assert (A1 /= null)
- ☐ B. pragma Assert (A1.all'Size > 32)
- ☐ C. pragma Assert (A2 = B2)
- ☐ D. pragma Assert (A2 - B2 /= 0)

Quiz

```
generic
  type T1;
  A1 : access T1;
  type T2 is private;
  A2, B2 : T2;
procedure G_P;
procedure G_P is
begin
  -- Complete here
end G_P;
```

Which of the following statement(s) is(are) valid for G_P's body?

- ☒ **A.** `pragma Assert (A1 /= null)`
- ☐ **B.** `pragma Assert (A1.all'Size > 32)`
- ☒ **C.** `pragma Assert (A2 = B2)`
- ☐ **D.** `pragma Assert (A2 - B2 /= 0)`

Lab

Genericity Lab

■ Requirements

- Create a list ADT to hold any type of data
 - Operations should include adding to the list and sorting the list
- Create a record structure containing multiple fields
- The **main** program should:
 - Allow the addition of multiple records into the list
 - Sort the list
 - Print the list

■ Hints

- Sort routine will need to know how to compare elements

Genericity Lab Solution - Generic (Spec)

```
generic
  type Element_T is private;
  Max_Size : Natural;
  with function "<" (L, R : Element_T) return Boolean is <>;
package Generic_List is

  type List_T is tagged private;

  procedure Add (This : in out List_T;
                 Item : in Element_T);
  procedure Sort (This : in out List_T);

private
  subtype Index_T is Natural range 0 .. Max_Size;
  type List_Array_T is array (1 .. Index_T'Last) of Element_T;

  type List_T is tagged record
    Values : List_Array_T;
    Length : Index_T := 0;
  end record;
end Generic_List;
```

Genericity Lab Solution - Generic (Body)

```
package body Generic_List is

  procedure Add (This : in out List_T;
                 Item : in      Element_T) is
  begin
    This.Length      := This.Length + 1;
    This.Values (This.Length) := Item;
  end Add;

  procedure Sort (This : in out List_T) is
    Temp : Element_T;
  begin
    for I in 1 .. This.Length loop
      for J in I + 1 .. This.Length loop
        if This.Values (J) < This.Values (J - 1) then
          Temp          := This.Values (J);
          This.Values (J) := This.Values (J - 1);
          This.Values (J - 1) := Temp;
        end if;
      end loop;
    end loop;
  end Sort;
end Generic_List;
```

Genericity Lab Solution - Generic Output

```
generic
  with function Image (Element : Element_T) return String;
package Generic_List.Output is
  procedure Print (List : List_T);
end Generic_List.Output;

with Ada.Text_IO; use Ada.Text_IO;
package body Generic_List.Output is
  procedure Print (List : List_T) is
  begin
    for I in 1 .. List.Length loop
      Put_Line (Integer'Image (I) & ") " &
                Image (List.Values (I)));
    end loop;
  end Print;
end Generic_List.Output;
```

Genericity Lab Solution - Main

```
with Ada.Text_IO; use Ada.Text_IO;
with Data_Type;
with Generic_List;
with Generic_List.Output;
use type Data_Type.Record_T;
procedure Main is
  package List is new Generic_List (Data_Type.Record_T, 10);
  package Output is new List.Output (Data_Type.Image);

  My_List : List.List_T;
  Element : Data_Type.Record_T;

begin
  loop
    Put ("Enter character: ");
    declare
      Str : constant String := Get_Line;
    begin
      exit when Str'Length = 0;
      Element.Field2 := Str (1);
    end;
    Put ("Enter number: ");
    declare
      Str : constant String := Get_Line;
    begin
      exit when Str'Length = 0;
      Element.Field1 := Integer'Value (Str);
    end;
    My_List.Add (Element);
  end loop;

  My_List.Sort;
  Output.Print (My_List);
end Main;
```

Summary

Generic Routines vs Common Routines

```
package Helper is
  type Float_T is digits 6;
  generic
    type Type_T is digits <>;
    Min : Type_T;
    Max : Type_T;
  function In_Range_Generic (X : Type_T) return Boolean;
  function In_Range_Common (X : Float_T;
                             Min : Float_T;
                             Max : Float_T)
    return Boolean;
end Helper;

procedure User is
  type Speed_T is new Float_T range 0.0 .. 100.0;
  B : Boolean;
  function Valid_Speed is new In_Range_Generic
    (Speed_T, Speed_T'First, Speed_T'Last);
begin
  B := Valid_Speed (12.3);
  B := In_Range_Common (12.3, Speed_T'First, Speed_T'Last);
```

Summary

- Generics are useful for copying code that works the same just for different types
 - Sorting, containers, etc
- Properly written generics only need to be tested once
 - But testing / debugging can be more difficult
- Generic instantiations are best done at compile time
 - At the package level
 - Can be run-time expensive when done in subprogram scope

Tagged Derivation

Introduction

Object-Oriented Programming With Tagged Types

- For **record** types

```
type T is tagged record
```

```
...
```

- Child types can add new components (*attributes*)
- Object of a child type can be **substituted** for base type
- Primitive (*method*) can **dispatch** at runtime depending on the type at call-site
- Types can be **extended** by other packages
 - Casting and qualification to base type is allowed
- Private data is encapsulated through **privacy**

Tagged Derivation Ada vs C++

```
type T1 is tagged record
    Member1 : Integer;
end record;

procedure Attr_F (This : T1);

type T2 is new T1 with record
    Member2 : Integer;
end record;

overriding procedure Attr_F (
    This : T2);
procedure Attr_F2 (This : T2);

class T1 {
public:
    int Member1;
    virtual void Attr_F(void);
};

class T2 : public T1 {
public:
    int Member2;
    virtual void Attr_F(void);
    virtual void Attr_F2(void);
};
```

Tagged Derivation

Difference with Simple Derivation

- Tagged derivation **can** change the structure of a type
 - Keywords **tagged record** and **with record**

```
type Root is tagged record
```

```
  F1 : Integer;
```

```
end record;
```

```
type Child is new Root with record
```

```
  F2 : Integer;
```

```
end record;
```

Type Extension

- A tagged derivation **has** to be a type extension
 - Use **with null record** if there are no additional components

```
type Child is new Root with null record;  
type Child is new Root; -- illegal
```

- Conversions is only allowed from **child to parent**

```
V1 : Root;  
V2 : Child;  
...  
V1 := Root (V2);  
V2 := Child (V1); -- illegal
```


Primitives

- Child **cannot remove** a primitive
- Child **can add** new primitives
- *Controlling parameter*
 - Parameters the subprogram is a primitive of
 - For **tagged** types, all should have the **same type**

```
type Root1 is tagged null record;  
type Root2 is tagged null record;
```

```
procedure P1 (V1 : Root1;  
              V2 : Root1);  
procedure P2 (V1 : Root1;  
              V2 : Root2); -- illegal
```

Freeze Point For Tagged Types

- Freeze point definition does not change
 - A variable of the type is declared
 - The type is derived
 - The end of the scope is reached
- Declaring tagged type primitives past freeze point is **forbidden**

```
type Root is tagged null record;
```

```
procedure Prim (V : Root);
```

```
type Child is new Root with null record; -- freeze root
```

```
procedure Prim2 (V : Root); -- illegal
```

```
V : Child; -- freeze child
```

```
procedure Prim3 (V : Child); -- illegal
```

Tagged Aggregate

- At initialization, all fields (including **inherited**) must have a **value**

```
type Root is tagged record
```

```
    F1 : Integer;
```

```
end record;
```

```
type Child is new Root with record
```

```
    F2 : Integer;
```

```
end record;
```

```
V : Child := (F1 => 0, F2 => 0);
```

- For **private types** use *aggregate extension*

- Copy of a parent instance

- Use **with null record** absent new fields

```
V2 : Child := (Parent_Instance with F2 => 0);
```

```
V3 : Empty_Child := (Parent_Instance with null record);
```

Overriding Indicators

Ada 2005

- Optional **overriding** and **not overriding** indicators

```
type Shape_T is tagged record
    Name : String(1..10);
end record;

-- primitives of "Shape_T"
procedure Set_Name (S : in out Shape_T);
function Name (S : Shape_T) return string;

-- Derive "Point" from Shape_T
type Point is new Shape_T with record
    Origin : Coord_T;
end Point;

-- We want to _change_ the behavior of Set_Name
overriding procedure Set_Name (P : in out Point_T);
-- We want to _add_ a new primitive
not overriding Origin ( P : Point_T ) return Point_T;
-- We get "Name" for free
```

Prefix Notation

Ada 2012

- Tagged types primitives can be called as usual
- The call can use prefixed notation
 - If the first argument is a controlling parameter
 - No need for **use** or **use type** for visibility

```
-- Prim1 visible even without *use Pkg*  
X.Prim1;
```

```
declare  
    use Pkg;  
begin  
    Prim1 (X);  
end;
```

Quiz

Which declaration(s) will make P a primitive of T1?

- ☐ A. type T1 is tagged null record;
 procedure P (O : T1) is null;
- ☐ B. type T0 is tagged null record;
 type T1 is new T0 with null record;
 type T2 is new T0 with null record;
 procedure P (O : T1) is null;
- ☐ C. type T1 is tagged null record;
 generic
 type T is tagged private;
 package G_Pkg is
 type T2 is new T with null record;
 end G_Pkg;
 package Pkg is new G_Pkg (T1);
 procedure P (O : T1) is null;
- ☐ D. type T1 is tagged null record;
 generic
 type T;
 procedure G_P (O : T);
 procedure G_P (O : T) is null;
 procedure P is new G_P (T1);

Quiz

Which declaration(s) will make P a primitive of T1?

- A.** *type T1 is tagged null record;*
procedure P (O : T1) is null;
- B.** *type T0 is tagged null record;*
type T1 is new T0 with null record;
type T2 is new T0 with null record;
procedure P (O : T1) is null;
- C.** type T1 is tagged null record;
generic
 type T is tagged private;
package G_Pkg is
 type T2 is new T with null record;
end G_Pkg;
package Pkg is new G_Pkg (T1);
procedure P (O : T1) is null;
- D.** type T1 is tagged null record;
generic
 type T;
procedure G_P (O : T);
procedure G_P (O : T) is null;
procedure P is new G_P (T1);

Quiz

```
with Pkg1; -- Defines tagged type Tag1, with primitive P
with Pkg2; use Pkg2; -- Defines tagged type Tag2, with primitive P
with Pkg3; -- Defines tagged type Tag3, with primitive P
use type Pkg3.Tag3;
```

```
procedure Main is
    01 : Pkg1.Tag1;
    02 : Pkg2.Tag2;
    03 : Pkg3.Tag3;
```

Which statement(s) is(are) valid?

- ☐ A. 01.P
- ☐ B. P (01)
- ☐ C. P (02)
- ☐ D. P (03)

Quiz

```
with Pkg1; -- Defines tagged type Tag1, with primitive P
with Pkg2; use Pkg2; -- Defines tagged type Tag2, with primitive P
with Pkg3; -- Defines tagged type Tag3, with primitive P
use type Pkg3.Tag3;
```

```
procedure Main is
  01 : Pkg1.Tag1;
  02 : Pkg2.Tag2;
  03 : Pkg3.Tag3;
```

Which statement(s) is(are) valid?

- ☒ A. 01.P
- ☐ B. P (01)
- ☒ C. P (02)
- ☐ D. P (03)
- ☐ E. Only operators are use`d, should have been :ada:`use all

Quiz

Which code block is legal?

A type A1 is record
 Field1 : Integer;
end record;
type A2 is new A1 with
null record;
B type B1 is tagged
record
 Field2 : Integer;
end record;
type B2 is new B1 with
record
 Field2b : Integer;
end record;

C type C1 is tagged
record
 Field3 : Integer;
end record;
type C2 is new C1 with
record
 Field3 : Integer;
end record;
D type D1 is tagged
record
 Field1 : Integer;
end record;
type D2 is new D1;

Quiz

Which code block is legal?

A. type A1 is record
 Field1 : Integer;
end record;
type A2 is new A1 with
null record;

B. *type B1 is tagged
record
 Field2 : Integer;
end record;
type B2 is new B1 with
record
 Field2b : Integer;
end record;*

C. type C1 is tagged
record
 Field3 : Integer;
end record;
type C2 is new C1 with
record
 Field3 : Integer;
end record;

D. type D1 is tagged
record
 Field1 : Integer;
end record;
type D2 is new D1;

Explanations

- A.** Cannot extend a non-tagged type
- B.** Correct
- C.** Components must have distinct names
- D.** Types derived from a tagged type must have an extension

Lab

Tagged Derivation Lab

■ Requirements

- Create a type structure that could be used in a business
 - A **person** has some defining characteristics
 - An **employee** is a *person* with some employment information
 - A **staff member** is an *employee* with specific job information
- Create primitive operations to read and print the objects
- Create a main program to test the objects and operations

■ Hints

- Use **overriding** and **not overriding** as appropriate

Tagged Derivation Lab Solution - Types (Spec)

```
with Ada.Calendar;
with Ada.Strings.Unbounded; use Ada.Strings.Unbounded;
package Employee is
  type Person_T is tagged private;
  procedure Set_Name (O : in out Person_T;
                     Value : String);
  function Name (O : Person_T) return String;
  procedure Set_Birth_Date (O : in out Person_T;
                           Value : String);
  function Birth_Date (O : Person_T) return String;
  procedure Print (O : Person_T);

  type Employee_T is new Person_T with private;
  not overriding procedure Set_Start_Date (O : in out Employee_T;
                                           Value : String);
  not overriding function Start_Date (O : Employee_T) return String;
  overriding procedure Print (O : Employee_T);

  type Position_T is new Employee_T with private;
  not overriding procedure Set_Job (O : in out Position_T;
                                   Value : String);
  not overriding function Job (O : Position_T) return String;
  overriding procedure Print (O : Position_T);

private
  type Person_T is tagged record
    Name : Unbounded_String;
    Birth_Date : Ada.Calendar.Time;
  end record;

  type Employee_T is new Person_T with record
    Employee_Id : Positive;
    Start_Date : Ada.Calendar.Time;
  end record;

  type Position_T is new Employee_T with record
    Job : Unbounded_String;
  end record;
end Employee;
```

Tagged Derivation Lab Solution - Types (Body - Incomplete)

```

function To_String (T : Ada.Calendar.Time) return String is
begin
    return Month_Name (Ada.Calendar.Month (T)) &
        Integer'Image (Ada.Calendar.Day (T)) & "," &
        Integer'Image (Ada.Calendar.Year (T));
end To_String;

function From_String (S : String) return Ada.Calendar.Time is
    Date : constant String := S & " 12:00:00";
begin
    return Ada.Calendar.Formatting.Value (Date);
end From_String;

procedure Set_Name (O : in out Person_T;
    Value : String) is
begin
    O.Name := To_Unbounded_String (Value);
end Set_Name;

function Name (O : Person_T) return String is (To_String (O.Name));

procedure Set_Birth_Date (O : in out Person_T;
    Value : String) is
begin
    O.Birth_Date := From_String (Value);
end Set_Birth_Date;

function Birth_Date (O : Person_T) return String is (To_String (O.Birth_Date));

procedure Print (O : Person_T) is
begin
    Put_Line ("Name: " & Name (O));
    Put_Line ("Birthdate: " & Birth_Date (O));
end Print;

not overriding procedure Set_Start_Date (O : in out Employee_T;
    Value : String) is
begin
    O.Start_Date := From_String (Value);
end Set_Start_Date;

not overriding function Start_Date (O : Employee_T) return String is (To_String (O.Start_Date));

overriding procedure Print (O : Employee_T) is
begin
    Put_Line ("Name: " & Name (O));
    Put_Line ("Birthdate: " & Birth_Date (O));
    Put_Line ("Startdate: " & Start_Date (O));
end Print;

```

Tagged Derivation Lab Solution - Main

```
with Ada.Text_IO; use Ada.Text_IO;
with Employee;
procedure Main is
  function Read (Prompt : String) return String is
  begin
    Put (Prompt & "> ");
    return Get_Line;
  end Read;
  function Read_Date (Prompt : String) return String is (Read (Prompt & " (YYYY-MM-DD)"));

  Applicant : Employee.Person_T;
  Employ    : Employee.Employee_T;
  Staff     : Employee.Position_T;

begin
  Applicant.Set_Name (Read ("Applicant name"));
  Applicant.Set_Birth_Date (Read_Date ("  Birth Date"));

  Employ.Set_Name (Read ("Employee name"));
  Employ.Set_Birth_Date (Read_Date ("  Birth Date"));
  Employ.Set_Start_Date (Read_Date ("  Start Date"));

  Staff.Set_Name (Read ("Staff name"));
  Staff.Set_Birth_Date (Read_Date ("  Birth Date"));
  Staff.Set_Start_Date (Read_Date ("  Start Date"));
  Staff.Set_Job (Read ("  Job"));

  Applicant.Print;
  Employ.Print;
  Staff.Print;
end Main;
```


Summary

Summary

- Tagged derivation
 - Building block for OOP types in Ada
- Primitives rules for tagged types are trickier
 - Primitives **forbidden** below freeze point
 - **Unique** controlling parameter
 - Tip: Keep the number of tagged type per package low

Exceptions

Introduction

Rationale for Exceptions

- Textual separation from normal processing
- Rigorous Error Management
 - Cannot be ignored, unlike status codes from routines
 - Example: running out of gasoline in an automobile

```
package Automotive is
  type Vehicle is record
    Fuel_Quantity, Fuel_Minimum : Float;
    Oil_Temperature : Float;
    ...
  end record;
  Fuel_Exhausted : exception;
  procedure Consume_Fuel (Car : in out Vehicle);
  ...
end Automotive;
```

Semantics Overview

- Exceptions become active by being *raised*
 - Failure of implicit language-defined checks
 - Explicitly by application
- Exceptions occur at run-time
 - A program has no effect until executed
- May be several occurrences active at same time
 - One per thread of control
- Normal execution abandoned when they occur
 - Error processing takes over in response
 - Response specified by *exception handlers*
 - *Handling the exception* means taking action in response
 - Other threads need not be affected

Semantics Example: Raising

```
package body Automotive is
  function Current_Consumption return Float is
    ...
  end Current_Consumption;
  procedure Consume_Fuel (Car : in out Vehicle) is
  begin
    if Car.Fuel_Quantity <= Car.Fuel_Minimum then
      raise Fuel_Exhausted;
    else -- decrement quantity
      Car.Fuel_Quantity := Car.Fuel_Quantity -
                           Current_Consumption;
    end if;
  end Consume_Fuel;
  ...
end Automotive;
```

Semantics Example: Handling

```
procedure Joy_Ride is
  Hot_Rod : Automotive.Vehicle;
  Bored : Boolean := False;
  use Automotive;
begin
  while not Bored loop
    Steer_Aimlessly (Bored);
    -- error situation cannot be ignored
    Consume_Fuel (Hot_Rod);
  end loop;
  Drive_Home;
exception
  when Fuel_Exhausted =>
    Push_Home;
end Joy_Ride;
```


Handler Part Is Skipped Automatically

- If no exceptions are active, returns normally

```
begin
```

```
...
```

```
-- if we get here, skip to end
```

```
exception
```

```
  when Name1 =>
```

```
    ...
```

```
  when Name2 | Name3 =>
```

```
    ...
```

```
  when Name4 =>
```

```
    ...
```

```
end;
```

Handlers

Examples

```

with Ada.Text_IO; use Ada.Text_IO;
with Automotive; use Automotive;
procedure Joy_Ride is
  Hot_Rod : Vehicle_T;
  Sored   : Boolean := False;
begin
  while not Sored loop
    Steer_Aimlessly (Sored);
    Consume_Fuel (Hot_Rod);
  end loop;
  Put_Line ("Driving Home");
  Drive_Home;
exception
  when Fuel_Exhausted =>
    Put_Line ("Pushing Home");
    Push_Home;
end Joy_Ride;

package Automotive is
  Fuel_Exhausted : exception;

  type Vehicle_T is record
    Fuel_Quantity : Float := 10.0;
    Fuel_Minimum  : Float := 1.0;
  end record;

  procedure Consume_Fuel (Car : in out Vehicle_T);
  procedure Steer_Aimlessly (Flag : out Boolean);
  procedure Drive_Home;
  procedure Push_Home;
end Automotive;

with Gnat.Random_Numbers; use Gnat.Random_Numbers;
package body Automotive is
  Gen : Generator;
  function Current_Consumption is new Random_Float (Float);
  function Random_Number is new Random_Discrete (Integer);

  procedure Consume_Fuel (Car : in out Vehicle_T) is
  begin
    if Car.Fuel_Quantity <= Car.Fuel_Minimum then
      raise Fuel_Exhausted;
    else
      Car.Fuel_Quantity := Car.Fuel_Quantity - Current_Consumption (Gen);
    end if;
  end Consume_Fuel;

  procedure Steer_Aimlessly (Flag : out Boolean) is
  begin
    Flag := Random_Number (Gen, 1, 50) = 1;
    if Random_Number (Gen, 1, 50) = 0 then
      raise Constraint_Error;
    end if;
  end Steer_Aimlessly;

  procedure Drive_Home is null;
  procedure Push_Home is null;

begin
  Reset (Gen);
end Automotive;

```

Exception Handler Part

- Contains the exception handlers within a frame
 - Within block statements, subprograms, tasks, etc.
- Separates normal processing code from abnormal
- Starts with the reserved word **exception**
- Optional

```
begin
  sequence_of_statements
  [ exception
    exception_handler
    { exception handler } ]
end
```

Exception Handlers Syntax

- Associates exception names with statements to execute in response
- If used, **others** must appear at the end, by itself
 - Associates statements with all other exceptions
- Syntax

```
exception_handler ::=  
    when exception_choice { | exception_choice } =>  
        sequence_of_statements  
exception_choice ::= exception_name | others
```

Similarity To Case Statements

- Both structure and meaning
- Exception handler

```
...  
exception  
  when Constraint_Error | Storage_Error | Program_Error =>  
    ...  
  when others =>  
    ...  
end;
```

- Case statement

```
case exception_name is  
  when Constraint_Error | Storage_Error | Program_Error =>  
    ...  
  when others =>  
    ...  
end case;
```

Handlers Don't "Fall Through"

```
begin
    ...
    raise Name3;
    -- code here is not executed
    ...
exception
    when Name1 =>
        -- not executed
        ...
    when Name2 | Name3 =>
        -- executed
        ...
    when Name4 =>
        -- not executed
        ...
end;
```

When An Exception Is Raised

- Normal processing is abandoned
- Handler for active exception is executed, if any
- Control then goes to the caller
- If handled, caller continues normally, otherwise repeats the above

- Caller

```
...  
Joy_Ride;  
Do_Something_At_Home;  
...
```

- Callee

```
procedure Joy_Ride is  
...  
begin  
...  
    Drive_Home;  
exception  
    when Fuel_Exhausted =>  
        Push_Home;  
end Joy_Ride;
```


Handling Specific Statements' Exceptions

```
begin
  loop
    Prompting : loop
      Put (Prompt);
      Get_Line (Filename, Last);
      exit when Last > Filename'First - 1;
    end loop Prompting;
  begin
    Open (F, In_File, Filename (1..Last));
    exit;
  exception
    when Name_Error =>
      Put_Line ("File '" & Filename (1..Last) &
        "' was not found.");
  end;
end loop;
```

Exception Handler Content

- No restrictions
 - Block statements, subprogram calls, etc.
- Do whatever makes sense

```
begin
    ...
exception
    when Some_Error =>
        declare
            New_Data : Some_Type;
        begin
            P (New_Data);
            ...
        end;
end;
```

Quiz

```
1  procedure Main is
2      A, B, C, D : Integer range 0 .. 100;
3  begin
4      A := 1; B := 2; C := 3; D := 4;
5      begin
6          D := A - C + B;
7      exception
8          when others => Put_Line ("One");
9              D := 1;
10
11      end;
12      D := D + 1;
13      begin
14          D := D / (A - C + B);
15      exception
16          when others => Put_Line ("Two");
17              D := -1;
18      end;
19      exception
20          when others =>
21              Put_Line ("Three");
22  end Main;
```

What will get printed?

- ☒ A. One, Two, Three
- ☒ B. Two, Three
- ☒ C. Two
- ☒ D. Three

Quiz

```
1  procedure Main is
2      A, B, C, D : Integer range 0 .. 100;
3  begin
4      A := 1; B := 2; C := 3; D := 4;
5      begin
6          D := A - C + B;
7      exception
8          when others => Put_Line ("One");
9              D := 1;
10         end;
11     D := D + 1;
12     begin
13         D := D / (A - C + B);
14     exception
15         when others => Put_Line ("Two");
16             D := -1;
17     end;
18 exception
19     when others =>
20         Put_Line ("Three");
21 end Main;
```

What will get printed?

- ☐ A. One, Two, Three
- ☒ B. *Two, Three*
- ☐ C. Two
- ☐ D. Three

Explanations

- ☒ A. Although $(A - C)$ is not in the range of natural, the range is only checked on assignment, which is after the addition of B, so One is never printed
- ☐ B. Correct
- ☐ C. If we reach Two, the assignment on line 10 will cause Three to be reached
- ☐ D. Divide by 0 on line 14 causes an exception, so Two must be called

Implicitly and Explicitly Raised Exceptions

Examples

```

with Ada_Test_10; use Ada_Test_10;
package body Explicit_Exceptions is
  Array_Object : array (1 .. 100) of Integer;

  procedure Raise_Constraint_Error (X : Integer) is
  begin
    Put_Line ("> Raise_Constraint_Error: " & X'Shape);
    Array_Object (X) := X - 10;
    end Raise_Constraint_Error;

  function Raise_Program_Error (X : Integer) return Boolean is
  begin
    Put_Line ("> Raise_Program_Error: " & X'Shape);
    if X is Array_Object'Shape then
      return Array_Object (X) > 0;
    end if;
    end Raise_Program_Error;
  end Explicit_Exceptions;

  with Ada_Test_10; use Ada_Test_10;
  package body Explicit_Exceptions is
    procedure Raise_Storage_Error (X : Integer) is
    begin
      Put_Line ("> Raise_Storage_Error: " & X'Shape);
      if X < 0 then
        raise Storage_Error;
      end if;
    end Raise_Storage_Error;
  end Explicit_Exceptions;

  with Ada_Test_10; use Ada_Test_10;
  with Explicit_Exceptions; use Explicit_Exceptions;
  procedure Test_Exceptions is
    procedure Test_Constraint_Error (X : Integer) is
    begin
      Raise_Constraint_Error (X);
      Put_Line ("Test_Constraint_Error success");
    exception
      when Constraint_Error =>
        Put_Line ("Test_Constraint_Error caught exception");
    end Test_Constraint_Error;

    procedure Test_Program_Error (X : Integer) is
    begin
      if Raise_Program_Error (X) then
        Put_Line ("Test_Program_Error true");
      else
        Put_Line ("Test_Program_Error false");
      end if;
    exception
      when Program_Error =>
        Put_Line ("Test_Program_Error caught exception");
    end Test_Program_Error;

    procedure Test_Storage_Error (X : Integer) is
    begin
      Raise_Storage_Error (X);
      Put_Line ("Test_Storage_Error success");
    exception
      when Storage_Error =>
        Put_Line ("Test_Storage_Error caught exception");
    end Test_Storage_Error;

  begin
    Test_Constraint_Error (20);
    Test_Constraint_Error (10);
    Test_Constraint_Error (Integer'Last);
    Test_Program_Error (Integer'First);
    Test_Program_Error (Integer'Last);
    Test_Storage_Error (Integer'First);
    Test_Storage_Error (Integer'Last);
  end Test_Exceptions;

package Explicit_Exceptions is
  procedure Raise_Constraint_Error (X : Integer);
  function Raise_Program_Error (X : Integer) return Boolean;
  end Explicit_Exceptions;

package Explicit_Exceptions is
  procedure Raise_Storage_Error (X : Integer);
  end Explicit_Exceptions;

```

Implicitly-Raised Exceptions

- Correspond to language-defined checks
- Can happen by statement execution

`K := -10; -- where K must be greater than zero`

- Can happen by declaration elaboration

`Doomed : array (Positive) of Big_Type;`

Some Language-Defined Exceptions

- `Constraint_Error`
 - Violations of constraints on range, index, etc.
- `Program_Error`
 - Runtime control structure violated (function with no return ...)
- `Storage_Error`
 - Insufficient storage is available
- For a complete list see RM Q-4

Explicitly-Raised Exceptions

- Raised by application via `raise` statements
 - Named exception becomes active

- Syntax

```
raise_statement ::= raise; |  
    raise exception_name  
    [with string_expression];
```



`with` string_expression
only available in Ada 2005
and later

- A `raise` by itself is only allowed in handlers

```
if Unknown (User_ID) then  
    raise Invalid_User;  
end if;
```

```
if Unknown (User_ID) then  
    raise Invalid_User  
    with "Attempt by " &  
        Image (User_ID);  
end if;
```

User-Defined Exceptions

Examples

```
package Stack is
  Underflow, Overflow : exception;
  procedure Push (Item : in Integer);
  procedure Pop (Item : out Integer);
end Stack;

package body Stack is
  Values : array (1 .. 100) of Integer;
  Top : Integer := 0;

  procedure Push (Item : in Integer) is
  begin
    if Top = Values'Last then
      raise Overflow;
    end if;
    Top := Top + 1;
    Values (Top) := Item;
  end Push;

  procedure Pop (Item : out Integer) is
  begin
    if Top < Values'First then
      raise Underflow;
    end if;
    Item := Values (Top);
    Top := Top - 1;
  end Pop;
end Stack;

with Ada.Text_IO; use Ada.Text_IO;
with Stack;
procedure Test_Stack is
  Global : Integer := 123;

  procedure Push (X : Integer) is
  begin
    Stack.Push (X);
  exception
    when Stack.Overflow =>
      Put_Line ("No room on the stack");
  end Push;

  procedure Pop is
  begin
    Stack.Pop (Global);
  exception
    when Stack.Underflow =>
      Put_Line ("Nothing on the stack");
  end Pop;

begin
  Pop;
  for I in 1 .. 100 loop
    Push (I);
  end loop;
  Push (0);
end Test_Stack;
```

User-Defined Exceptions

- Syntax

```
defining_identifier_list : exception;
```

- Behave like predefined exceptions

- Scope and visibility rules apply
- Referencing as usual
- Some minor differences

- Exception identifiers' use is restricted

- **raise** statements
- Handlers
- Renaming declarations

User-Defined Exceptions Example

- An important part of the abstraction
- Designer specifies how component can be used

```
package Stack is
```

```
    Underflow, Overflow : exception;
```

```
    procedure Push (Item : in Integer);
```

```
    ...
```

```
end Stack;
```

```
package body Stack is
```

```
    procedure Push (Item : in Integer) is
```

```
    begin
```

```
        if Top = Index'Last then
```

```
            raise Overflow;
```

```
        end if;
```

```
        Top := Top + 1;
```

```
        Values (Top) := Item;
```

```
    end Push;
```

```
    ...
```

Propagation

Examples

```
with Ada.Text_IO;           use Ada.Text_IO;
with GNAT.Random_Numbers; use GNAT.Random_Numbers;
procedure Propagation is
  Error1 : exception;
  Error2 : exception;

  Gen : Generator;
  procedure Maybe_Raise is
    Test : constant Float := Random (Gen);
  begin
    if Test > 0.666 then
      raise Error1;
    end if;
  exception
    when Error1 =>
      if Test > 0.95 then
        raise Error2;
      else
        raise;
      end if;
    end Maybe_Raise;

  procedure One is
  begin
    Maybe_Raise;
  end One;

  procedure Two is
  begin
    One;
    Maybe_Raise;
  exception
    when Error1 =>
      Put_Line ("Exception from 1 or 2");
    end Two;

begin
  Reset (Gen);
  Maybe_Raise;
  Two;
exception
  when Error1 =>
    Put_Line ("Exception from 3");
end Propagation;
```

<https://gna.org/ftp/pub/ada/ada95/stdlib/ada95-std-11-1.pdf>

Propagation

- Control does not return to point of raising
 - Termination Model
- When a handler is not found in a block statement
 - Re-raised immediately after the block
- When a handler is not found in a subprogram
 - Propagated to caller at the point of call
- Propagation is dynamic, back up the call chain
 - Not based on textual layout or order of declarations
- Propagation stops at the main subprogram
 - Main completes abnormally unless handled

Propagation Demo

```
1  procedure Do_Something is      16  begin -- Do_Something
2      Error : exception;        17      Maybe_Raise(3);
3      procedure Unhandled is    18      Handled;
4      begin                    19      exception
5          Maybe_Raise(1);        20      when Error =>
6      end Unhandled;            21          Print("Handle 3");
7      procedure Handled is      22  end Do_Something;
8      begin
9          R;
10         Maybe_Raise(2);
11     exception
12         when Error =>
13             Print("Handle 1 or 2");
14     end Handled;
```

Termination Model

- When control goes to handler, it continues from here

```
procedure Joy_Ride is
begin
    loop
        Steer_Aimlessly;

        -- If next line raises Fuel_Exhausted, go to handler
        Consume_Fuel;
    end loop;
exception
    when Fuel_Exhausted => -- Handler
        Push_Home;
        -- Resume from here: loop has been exited
end Joy_Ride;
```

Quiz

```
2 Main_Problem : exception;
3 I : Integer;
4 function F (P : Integer) return Integer is
5 begin
6   if P > 0 then
7     return P + 1;
8   elsif P = 0 then
9     raise Main_Problem;
10  end if;
11 end F;
12 begin
13   I := F(Input_Value);
14   Put_Line ("Success");
15 exception
16   when Constraint_Error => Put_Line ("Constraint Error");
17   when Program_Error   => Put_Line ("Program Error");
18   when others           => Put_Line ("Unknown problem");
```

What will get printed if Input_Value on line 19 is Integer'Last?

- ☐ A Unknown Problem
- ☐ B Success
- ☐ C Constraint Error
- ☐ D Program Error

Quiz

```
2 Main_Problem : exception;
3 I : Integer;
4 function F (P : Integer) return Integer is
5 begin
6   if P > 0 then
7     return P + 1;
8   elsif P = 0 then
9     raise Main_Problem;
10  end if;
11 end F;
12 begin
13   I := F(Input_Value);
14   Put_Line ("Success");
15 exception
16   when Constraint_Error => Put_Line ("Constraint Error");
17   when Program_Error    => Put_Line ("Program Error");
18   when others            => Put_Line ("Unknown problem");
```

What will get printed if Input_Value on line 19 is Integer'Last?

- ☐ A Unknown Problem
- ☐ B Success
- ☒ C Constraint Error
- ☐ D Program Error

Explanations

- ☐ A "Unknown problem" is printed by the **when others** due to the raise on line 8 when P is 0
- ☐ B "Success" is printed when $0 < P < \text{Integer'Last}$
- ☐ C Trying to add 1 to P on line 7 generates a Constraint_Error
- ☐ D Program_Error will be raised by F if $P < 0$ (no **return** statement found)

Exceptions as Objects

Examples

```

package Exception_Objects_Example is

    Public_Exception : exception;

    procedure Do_Something (X : Integer);

end Exception_Objects_Example;

package body Exception_Objects_Example is
    Hidden_Exception : exception;

    procedure Do_Something (X : Integer) is
    begin
        if X < 0 then
            raise Public_Exception;
        elsif X = 0 then
            raise Hidden_Exception;
        end if;
    end Do_Something;

end Exception_Objects_Example;

with Ada.Exceptions;           use Ada.Exceptions;
with Ada.Text_IO;             use Ada.Text_IO;
with Exception_Objects_Example; use Exception_Objects_Example;
procedure Test_Exception_Objects_Example is
begin
    for I in -1 .. 1 loop
        begin
            Put_Line ("Try " & I'Image);
            Do_Something (I);
            Put_Line ("    success");
        exception
            when Public_Exception =>
                Put_Line ("    Expected exception");
            when The_Err : others =>
                Put_Line ("    Unexpected exception");
                Put_Line ("    Name: " & Exception_Name (The_Err));
                Put_Line ("    Information: " & Exception_Information (The_Err));
                Put_Line ("    Message: " & Exception_Message (The_Err));
        end;
    end loop;

end Test_Exception_Objects_Example;

```

Exceptions Are Not Objects

- May not be manipulated
 - May not be components of composite types
 - May not be passed as parameters
- Some differences for scope and visibility
 - May be propagated out of scope

But You Can Treat Them As Objects

- For raising and handling, and more
- Standard Library

```
package Ada.Exceptions is
  type Exception_Id is private;
  procedure Raise_Exception (E : Exception_Id;
                             Message : String := "");
  ...
  type Exception_Occurrence is limited private;
  function Exception_Name (X : Exception_Occurrence)
    return String;
  function Exception_Message (X : Exception_Occurrence)
    return String;
  function Exception_Information (X : Exception_Occurrence)
    return String;
  procedure Reraise_Occurrence (X : Exception_Occurrence);
  procedure Save_Occurrence (
    Target : out Exception_Occurrence;
    Source : Exception_Occurrence);
  ...
end Ada.Exceptions;
```


Exception Occurrence

- Syntax associates an object with active exception

```
when defining_identifier : exception_name ... =>
```

- A constant view representing active exception
- Used with operations defined for the type

```
exception
```

```
when Caught_Exception : others =>
```

```
Put (Exception_Name (Caught_Exception));
```

Exception_Occurrence Query Functions

■ **Exception_Name**

- Returns full expanded name of the exception in string form
 - Simple short name if space-constrained
- Predefined exceptions appear as just simple short name

■ **Exception_Message**

- Returns string value specified when raised, if any

■ **Exception_Information**

- Returns implementation-defined string content
- Should include both exception name and message content
- Presumably includes debugging information
 - Location where exception occurred
 - Language-defined check that failed (if such)

Exception ID

- For an exception identifier, the *identity* of the exception is `<name>'Identity`

```
Mine : exception
use Ada.Exceptions;
...
exception
  when Occurrence : others =>
    if Exception_Identity(Occurrence) = Mine'Identity
    then
      ...
```

Raise Expressions

Raise Expressions

Ada 2012

■ Expression raising specified exception at run-time

```
Foo : constant Integer := ( case X is  
                             when 1 => 10,  
                             when 2 => 20,  
                             when others => raise Error);
```

In Practice

Exceptions Are Not Always Appropriate

- What does it mean to have an unexpected error in a safety-critical application?
 - Maybe there's no reasonable response



Relying On Exception Raising Is Risky

- They may be **suppressed**
- Not recommended

```
function Tomorrow (Today : Days) return Days is
begin
    return Days'Succ (Today);
exception
    when Constraint_Error =>
        return Days'First;
end Tomorrow;
```

- Recommended

```
function Tomorrow (Today : Days) return Days is
begin
    if Today = Days'Last then
        return Days'First;
    else
        return Days'Succ (Today);
    end if;
end Tomorrow;
```


Lab

Exceptions Lab

(Simplified) Input Verifier

- Overview
 - Create an application that allows users to enter integer values
- Goal
 - Application should read data from a string and return the numeric value (or raise an exception)

Project Requirements

- Exception Tracking
 - Non-numeric data should raise a different exception than out-of-range data
 - Exceptions should not stop the application
- Extra Credit
 - Handle values with exponents (e.g 123E4)

Exceptions Lab Solution - Types

```
package Types is
```

```
    Max_Int : constant := 2**15;
```

```
    type Integer_T is range -(Max_Int) .. Max_Int - 1;
```

```
end Types;
```

Exceptions Lab Solution - Converter

```
with Types;
package Converter is
  Illegal_String : exception;
  Out_Of_Range   : exception;
  function Convert (Str : String) return Types.Integer_T;
end Converter;

package body Converter is

  function Legal (C : Character) return Boolean is
  begin
    return
      C in '0' .. '9' or C = '+' or C = '-' or C = '*' or C = '_' or
      C = 'e' or C = 'E';
  end Legal;

  function Convert (Str : String) return Types.Integer_T is
  begin
    for I in Str'range loop
      if not Legal (Str (I)) then
        raise Illegal_String;
      end if;
    end loop;
    return Types.Integer_T'value (Str);
  exception
    when Constraint_Error =>
      raise Out_Of_Range;
  end Convert;

end Converter;
```

Exceptions Lab Solution - Main

```
with Ada.Text_IO;
with Converter;
with Types;
procedure Main is

    procedure Print_Value (Str : String) is
        Value : Types.Integer_T;
    begin
        Ada.Text_IO.Put (Str & " => ");
        Value := Converter.Convert (Str);
        Ada.Text_IO.Put_Line (Types.Integer_T'image (Value));
    exception
        when Converter.Out_Of_Range =>
            Ada.Text_IO.Put_Line ("Out of range");
        when Converter.Illegal_String =>
            Ada.Text_IO.Put_Line ("Illegal entry");
    end Print_Value;

begin
    Print_Value ("123");
    Print_Value ("2_3_4");
    Print_Value ("-345");
    Print_Value ("+456");
    Print_Value ("1234567890");
    Print_Value ("123abc");
    Print_Value ("12e3");
end Main;
```

Summary

Summary

- Should be for unexpected errors
- Give clients the ability to avoid them
- If handled, caller should see normal effect
 - Mode **out** parameters assigned
 - Function return values provided
- Package **Ada.Exceptions** provides views as objects
 - For both raising and special handling
 - Especially useful for debugging
- Checks may be suppressed

Interfacing with C

Introduction

Introduction

- Lots of C code out there already
 - Maybe even a lot of reusable code in your own repositories
- Need a way to interface Ada code with existing C libraries
 - Built-in mechanism to define ability to import objects from C or export Ada objects
- Passing data between languages can cause issues
 - Sizing requirements
 - Passing mechanisms (by reference, by copy)

Import / Export

Pragma Import / Export (1/2)

- **Pragma Import** allows a C implementation to complete an Ada specification

- Ada view

```
procedure C_Proc;  
pragma Import (C, C_Proc, "SomeProcedure");
```

- C implementation

```
void SomeProcedure (void) {  
    // some code  
}
```

- **Pragma Export** allows an Ada implementation to complete a C specification

- Ada implementation

```
procedure Some_Procedure;  
pragma Export (C, Some_Procedure, "ada_some_procedure");  
procedure Some_Procedure is  
begin  
    -- some code  
end Some_Procedure;
```

- C view

```
extern void ada_some_procedure (void);
```

Pragma Import / Export (2/2)

- You can also import/export variables
 - Variables imported won't be initialized
 - Ada view

```
My_Var : integer_type;  
Pragma Import ( C, My_Var, "my_var" );
```

- C implementation

```
int my_var;
```

Import / Export in Ada 2012

Ada 2012

- In Ada 2012, Import and Export can also be done using aspects:

```
procedure C_Proc
  with Import,
        Convention      => C,
        External_Name => "c_proc";
```

Parameter Passing

Parameter Passing to/from C

- The mechanism used to pass formal subprogram parameters and function results depends on:
 - The type of the parameter
 - The mode of the parameter
 - The Convention applied on the Ada side of the subprogram declaration.
- The exact meaning of *Convention C*, for example, is documented in *LRM* B.1 - B.3, and in the *GNAT User's Guide* section 3.11.

Passing Scalar Data as Parameters

- C types are defined by the Standard
- Ada types are implementation-defined
- GNAT standard types are compatible with C types
 - Implementation choice, use carefully.
- At the interface level, scalar types must be either constrained with representation clauses, or coming from Interfaces.C
- Ada view

```
with Interfaces.C;  
function C_Proc (I : Interfaces.C.Int)  
    return Interfaces.C.Int;  
pragma Import (C, C_Proc, "c_proc");
```

- C view

```
int c_proc (int i) {  
    /* some code */  
}
```

Passing Structures as Parameters

- An Ada record that is mapping on a C struct must:
 - Be marked as convention C to enforce a C-like memory layout
 - Contain only C-compatible types
- C View

```
enum Enum {E1, E2, E3};  
struct Rec {  
    int A, B;  
    Enum C;  
};
```

- Ada View

```
type Enum is (E1, E2, E3);  
Pragma Convention ( C, Enum );  
type Rec is record  
    A, B : int;  
    C : Enum;  
end record;  
Pragma Convention ( C, Rec );
```

- Using Ada 2012 aspects

```
type Enum is (E1, E2, E3) with Convention => C;  
type Rec is record  
    A, B : int;  
    C : Enum;  
end record with Convention => C;
```

Parameter modes

- **in** scalar parameters passed by copy
- **out** and **in out** scalars passed using temporary pointer on C side
- By default, composite types passed by reference on all modes except when the type is marked `C_Pass_By_Copy`
 - Be very careful with records - some C ABI pass small structures by copy!
- Ada View

```
Type R1 is record
  V : int;
end record
with Convention => C;

type R2 is record
  V : int;
end record
with Convention => C_Pass_By_Copy;
```

- C View

```
struct R1{
  int V;
};
struct R2 {
  int V;
};
void f1 (R1 p);
void f2 (R2 p);
```

Complex Data Types

Unions

- C `union`

```
union Rec {  
    int A;  
    float B;  
};
```

- C unions can be bound using the `Unchecked_Union` aspect
- These types must have a mutable discriminant for convention purpose, which doesn't exist at run-time
 - All checks based on its value are removed - safety loss
 - It cannot be manually accessed

- Ada implementation of a C `union`

```
type Rec (Flag : Boolean := False) is  
record  
    case Flag is  
        when True =>  
            A : int;  
        when False =>  
            B : float;  
    end case;  
end record  
with Unchecked_Union,  
    Convention => C;
```

Arrays Interfacing

- In Ada, arrays are of two kinds:
 - Constrained arrays
 - Unconstrained arrays
- Unconstrained arrays are associated with
 - Components
 - Bounds
- In C, an array is just a memory location pointing (hopefully) to a structured memory location
 - C does not have the notion of unconstrained arrays
- Bounds must be managed manually
 - By convention (null at the end of string)
 - By storing them on the side
- Only Ada constrained arrays can be interfaced with C

Arrays from Ada to C

- An Ada array is a composite data structure containing 2 elements:
Bounds and Elements
 - **Fat pointers**
- When arrays can be sent from Ada to C, C will only receive an access to the elements of the array
- Ada View

```
type Arr is array (Integer range <>) of int;  
procedure P (V : Arr; Size : int);  
pragma Import (C, P, "p");
```

- C View

```
void p (int * v, int size) {  
}
```


Arrays from C to Ada

- There are no boundaries to C types, the only Ada arrays that can be bound must have static bounds
- Additional information will probably need to be passed
- Ada View

```
-- DO NOT DECLARE OBJECTS OF THIS TYPE
type Arr is array (0 .. Integer'Last) of int;
```

```
procedure P (V : Arr; Size : int);
pragma Export (C, P, "p");
```

```
procedure P (V : Arr; Size : int) is
begin
  for J in 0 .. Size - 1 loop
    -- code;
  end loop;
end P;
```

- C View

```
extern void p (int * v, int size);
int x [100];
p (x, 100);
```

Strings

- Importing a `String` from C is like importing an array - has to be done through a constrained array
- `Interfaces.C.Strings` gives a standard way of doing that
- Unfortunately, C strings have to end by a null character
- Exporting an Ada string to C needs a copy!

```
Ada_Str : String := "Hello World";  
C_Str : chars_ptr := New_String (Ada_Str);
```

- Alternatively, a knowledgeable Ada programmer can manually create Ada strings with correct ending and manage them directly

```
Ada_Str : String := "Hello World" & ASCII.NUL;
```

- Back to the unsafe world - it really has to be worth it speed-wise!

Interfaces.C

Interfaces.C Hierarchy

- Ada supplies a subsystem to deal with Ada/C interactions
- `Interfaces.C` - contains typical C types and constants, plus some simple Ada string to/from C character array conversion routines
 - `Interfaces.C.Extensions` - some additional C/C++ types
 - `Interfaces.C.Pointers` - generic package to simulate C pointers (pointer as an unconstrained array, pointer arithmetic, etc)
 - `Interfaces.C.Strings` - types / functions to deal with C "char *"

Interfaces.C

```

package Interfaces.C is

  -- Declaration's based on C's <limits.h>
  CHAR_BIT   : constant := 8;
  SCHAR_MIN  : constant := -128;
  SCHAR_MAX  : constant := 127;
  UCHAR_MAX  : constant := 255;

  type int     is new Integer;
  type short   is new Short_Integer;
  type long    is range -(2 ** (System.Parameters.long_bits - Integer'(1))) ..
    +(2 ** (System.Parameters.long_bits - Integer'(1))) - 1;

  type signed_char is range SCHAR_MIN .. SCHAR_MAX;
  for signed_char'Size use CHAR_BIT;

  type unsigned      is mod 2 ** int'Size;
  type unsigned_short is mod 2 ** short'Size;
  type unsigned_long  is mod 2 ** long'Size;

  type unsigned_char is mod (UCHAR_MAX + 1);
  for unsigned_char'Size use CHAR_BIT;

  type ptrdiff_t is range -(2 ** (System.Parameters.ptr_bits - Integer'(1))) ..
    +(2 ** (System.Parameters.ptr_bits - Integer'(1))) - 1;

  type size_t is mod 2 ** System.Parameters.ptr_bits;

  -- Floating-Point
  type C_float   is new Float;
  type double    is new Standard.Long_Float;
  type long_double is new Standard.Long_Long_Float;

  type char is new Character;
  nul : constant char := char'First;

  function To_C  (Item : Character) return char;
  function To_Ada (Item : char)    return Character;

  type char_array is array (size_t range <>) of aliased char;
  for char_array'Component_Size use CHAR_BIT;

  function Is_Nul_Terminated (Item : char_array) return Boolean;

  -- (more not specified here)

end Interfaces.C;

```

Interfaces.C.Extensions

```
package Interfaces.C.Extensions is

  -- Definitions for C "void" and "void *" types
  subtype void      is System.Address;
  subtype void_ptr  is System.Address;

  -- Definitions for C incomplete/unknown structs
  subtype opaque_structure_def is System.Address;
  type opaque_structure_def_ptr is access opaque_structure_def;

  -- Definitions for C++ incomplete/unknown classes
  subtype incomplete_class_def is System.Address;
  type incomplete_class_def_ptr is access incomplete_class_def;

  -- C bool
  type bool is new Boolean;
  pragma Convention (C, bool);

  -- 64-bit integer types
  subtype long_long is Long_Long_Integer;
  type unsigned_long_long is mod 2 ** 64;

  -- (more not specified here)

end Interfaces.C.Extensions;
```

Interfaces.C.Pointers

```
generic
  type Index is (<>);
  type Element is private;
  type Element_Array is array (Index range <>) of aliased Element;
  Default_Terminator : Element;

package Interfaces.C.Pointers is

  type Pointer is access all Element;
  for Pointer'Size use System.Parameters.ptr_bits;

  function Value (Ref          : Pointer;
                  Terminator : Element := Default_Terminator)
    return Element_Array;

  function Value (Ref      : Pointer;
                  Length : ptrdiff_t)
    return Element_Array;

  Pointer_Error : exception;

  function "+" (Left : Pointer;   Right : ptrdiff_t) return Pointer;
  function "+" (Left : ptrdiff_t; Right : Pointer)   return Pointer;
  function "-" (Left : Pointer;   Right : ptrdiff_t) return Pointer;
  function "-" (Left : Pointer;   Right : Pointer)   return ptrdiff_t;

  procedure Increment (Ref : in out Pointer);
  procedure Decrement (Ref : in out Pointer);

  -- (more not specified here)

end Interfaces.C.Pointers;
```

Interfaces.C.Strings

```
package Interfaces.C.Strings is

  type char_array_access is access all char_array;
  for char_array_access'Size use System.Parameters.ptr_bits;

  type chars_ptr is private;

  type chars_ptr_array is array (size_t range <>) of aliased chars_ptr;

  Null_Ptr : constant chars_ptr;

  function To_Chars_Ptr (Item      : char_array_access;
                        Nul_Check : Boolean := False) return chars_ptr;

  function New_Char_Array (Chars : char_array) return chars_ptr;

  function New_String (Str : String) return chars_ptr;

  procedure Free (Item : in out chars_ptr);

  function Value (Item : chars_ptr) return char_array;
  function Value (Item  : chars_ptr;
                  Length : size_t)
    return char_array;
  function Value (Item : chars_ptr) return String;
  function Value (Item  : chars_ptr;
                  Length : size_t)
    return String;

  function Strlen (Item : chars_ptr) return size_t;

  -- (more not specified here)

end Interfaces.C.Strings;
```


Lab

Interfacing with C Lab

■ Requirements

- Given a C function that calculates speed in MPH from some information, your application should
 - Ask user for distance and time
 - Populate the structure appropriately
 - Call C function to return speed
 - Print speed to console

■ Hints

- Structure contains the following fields
 - Distance (floating point)
 - Distance Type (enumerated)
 - Seconds (floating point)

Interfacing with C Lab - GNAT Studio

To compile/link the C file into the Ada executable:

- 1 Make sure the C file is in the same directory as the Ada source files
- 2 Edit → Project Properties
- 3 Sources → Languages → Check the "C" box
- 4 Build and execute as normal

Interfacing with C Lab Solution - Ada

```
with Ada.Text_IO; use Ada.Text_IO;
with Interfaces.C;
procedure Main is

    package Float_IO is new Ada.Text_IO.Float_IO (Interfaces.C.C_float);

    One_Minute_In_Seconds : constant := 60.0;
    One_Hour_In_Seconds   : constant := 60.0 * One_Minute_In_Seconds;

    type Distance_T is (Feet, Meters, Miles) with Convention => C;
    type Data_T is record
        Distance      : Interfaces.C.C_float;
        Distance_Type : Distance_T;
        Seconds       : Interfaces.C.C_float;
    end record with Convention => C;
    function C_Miles_Per_Hour (Data : Data_T) return Interfaces.C.C_float
        with Import, Convention => C, External_Name => "miles_per_hour";

    Object_Feet : constant Data_T :=
        (Distance => 6_000.0,
         Distance_Type => Feet,
         Seconds   => One_Minute_In_Seconds);
    Object_Meters : constant Data_T :=
        (Distance => 3_000.0,
         Distance_Type => Meters,
         Seconds   => One_Hour_In_Seconds);
    Object_Miles : constant Data_T :=
        (Distance => 1.0,
         Distance_Type => Miles,
         Seconds   => 1.0);

    procedure Run (Object : Data_T) is
    begin
        Float_IO.Put (Object.Distance);
        Put (" " & Distance_T'Image (Object.Distance_Type) & " in ");
        Float_IO.Put (Object.Seconds);
        Put (" seconds = ");
        Float_IO.Put (C_Miles_Per_Hour (Object));
        Put_Line (" mph");
    end Run;

begin
    Run (Object_Feet);
    Run (Object_Meters);
    Run (Object_Miles);
end Main;
```

Interfacing with C Lab Solution - C

```
enum DistanceT { FEET, METERS, MILES };
struct DataT {
    float distance;
    enum DistanceT distanceType;
    float seconds;
};

float miles_per_hour ( struct DataT data ) {
    float miles = data.distance;
    switch ( data.distanceType ) {
        case METERS:
            miles = data.distance / 1609.344;
            break;
        case FEET:
            miles = data.distance / 5280.0;
            break;
    };
    return miles / ( data.seconds / ( 60.0 * 60.0 ) );
}
```

Summary

Summary

- Possible to interface with other languages (typically C)
- Ada provides some built-in support to make interfacing simpler
- Crossing languages can be made safer
 - But it still increases complexity of design / implementation

Tasking

Introduction

A Simple Task

- Parallel code execution via **task**
- **limited** types (No copies allowed)

```
procedure Main is
  task type Put_T;
  task body Put_T is
  begin
    loop
      delay 1.0;
      Put_Line ("T");
    end loop;
  end Put_T;

  T : Put_T;
begin -- Main task body
  loop
    delay 1.0;
    Put_Line ("Main");
  end loop;
end;
```

Two Synchronization Models

- Active
 - Rendezvous
 - **Client / Server** model
 - Server **entries**
 - Client **entry calls**
- Passive
 - **Protected objects** model
 - Concurrency-safe **semantics**

Tasks

Rendezvous Definitions

- **Server** declares several **entry**
- Client calls entries like subprograms
- Server **accept** the client calls
- At each standalone **accept**, server task **blocks**
 - **Until** a client calls the related **entry**

```
task type Msg_Box_T is
  entry Start;
  entry Receive_Message (S : String);
end Msg_Box_T;

task body Msg_Box_T is
begin
  loop
    accept Start;
    Put_Line ("start");

    accept Receive_Message (S : String) do
      Put_Line (S);
    end Receive_Message;
  end loop;
end Msg_Box_T;
```

Rendezvous Entry Calls

- Upon calling an **entry**, client **blocks**
 - **Until** server reaches **end** of its **accept** block

```
Put_Line ("calling start");  
T.Start;  
Put_Line ("calling receive 1");  
T.Receive_Message ("1");  
Put_Line ("calling receive 2");  
T.Receive_Message ("2");
```

- May be executed as follows:

```
calling start  
start           -- May switch place with line below  
calling receive 1 -- May switch place with line above  
Receive 1  
calling receive 2  
-- Blocked until another task calls Start
```

Accepting a Rendezvous

- **accept** statement
 - Wait on single entry
 - If entry call waiting: Server handles it
 - Else: Server **waits** for an entry call
- **select** statement
 - **Several** entries accepted at the **same time**
 - Can **time-out** on the wait
 - Can be **not blocking** if no entry call waiting
 - Can **terminate** if no clients can **possibly** make entry call
 - Can **conditionally** accept a rendezvous based on a **guard expression**

Protected Objects

Protected Objects

- **Multitask-safe** accessors to get and set state
- **No** direct state manipulation
- **No** concurrent modifications
- **limited** types (No copies allowed)

```
protected type
    Protected_Value is
        procedure Set (V : Integer);
        function Get return Integer;
private
    Value : Integer;
end Protected_Value;

protected body Protected_Value is
    procedure Set (V : Integer) is
    begin
        Value := V;
    end Set;

    function Get return Integer is
    begin
        return Value;
    end Get;
end Protected_Value;
```

Protected: Functions and Procedures

- A **function** can **get** the state
 - Protected data is **read-only**
 - Concurrent call to **function** is **allowed**
 - **No** concurrent call to **procedure**
- A **procedure** can **set** the state
 - **No** concurrent call to either **procedure** or **function**
- In case of concurrency, other callers get **blocked**
 - Until call finishes

Delays

Delay keyword

- **delay** keyword part of tasking
- Blocks for a time
- Relative: Blocks for at least Duration
- Absolute: Blocks until a given `Calendar.Time` or `Real_Time.Time`

```
with Calendar;
```

```
procedure Main is
```

```
    Relative : Duration := 1.0;
```

```
    Absolute : Calendar.Time
```

```
        := Calendar.Time_Of (2030, 10, 01);
```

```
begin
```

```
    delay Relative;
```

```
    delay until Absolute;
```

```
end Main;
```

Task and Protected Types

Task Activation

- Instantiated tasks start running when **activated**
- On the **stack**
 - When **enclosing** declarative part finishes **elaborating**
- On the **heap**
 - **Immediately** at instantiation

```
task type First_T is ...
type First_T_A is access all First_T;

task body First_T is ...
...
declare
    V1 : First_T;
    V2 : First_T_A;
begin  -- V1 is activated
    V2 := new First_T;  -- V2 is activated immediately
```

Single Declaration

- Instantiate an **anonymous** task (or protected) type
- Declares an object of that type
 - Body declaration is then using the **object** name

```
task Msg_Box is
  -- Msg_Box task is declared *and* instantiated
  entry Receive_Message (S : String);
end Msg_Box;
```

```
task body Msg_Box is
begin
  loop
    accept Receive_Message (S : String) do
      Put_Line (S);
    end Receive_Message;
  end loop;
end Msg_Box;
```

Task Scope

- Nesting is possible in **any** declarative block
- Scope has to **wait** for tasks to finish before ending
- At library level: program ends only when **all tasks** finish

```
package P is
  task type T;
end P;
```

```
package body P is
  task body T is
    loop
      delay 1.0;
      Put_Line ("tick");
    end loop;
  end T;
```

```
    Task_Instance : T;
end P;
```


Some Advanced Concepts

Waiting On Multiple Entries

- **select** can wait on multiple entries
 - With **equal** priority, regardless of declaration order

```
loop
  select
    accept Receive_Message (V : String)
    do
      Put_Line ("Message : " & String);
    end Receive_Message;
  or
    accept Stop;
    exit;
  end select;
end loop;

...
T.Receive_Message ("A");
T.Receive_Message ("B");
T.Stop;
```

Waiting With a Delay

- A **select** statement may **time-out** using **delay** or **delay until**
 - Resume execution at next statement
- Multiple **delay** allowed
 - Useful when the value is not hard-coded

```
loop
  select
    accept Receive_Message (V : String) do
      Put_Line ("Message : " & String);
    end Receive_Message;
  or
    delay 50.0;
    Put_Line ("Don't wait any longer");
    exit;
  end select;
end loop;
```

Calling an Entry With a Delay Protection

- A call to **entry** **blocks** the task until the entry is **accept** 'ed
- Wait for a **given amount of time** with **select ... delay**
- Only **one** entry call is allowed
- No **accept** statement is allowed

```
task Msg_Box is
    entry Receive_Message (V : String);
end Msg_Box;
```

```
procedure Main is
begin
    select
        Msg_Box.Receive_Message ("A");
    or
        delay 50.0;
    end select;
end Main;
```

Non-blocking Accept or Entry

- Using **else**
 - Task **skips** the **accept** or **entry** call if they are **not ready** to be entered
- **delay** is **not** allowed in this case

```
select
  accept Receive_Message (V : String) do
    Put_Line ("Received : " & V);
  end Receive_Message;
else
  Put_Line ("Nothing to receive");
end select;
```

[...]

```
select
  T.Receive_Message ("A");
else
  Put_Line ("Receive message not called");
end select;
```

Queue

- Protected **entry** or **procedure** and tasks **entry** are activated by **one** task at a time
- **Mutual exclusion** section
- Other tasks trying to enter are **queued**
 - In **First-In First-Out** (FIFO) by default
- When the server task **terminates**, tasks still queued receive `Tasking_Error`

Advanced Tasking

Other constructions are available

- **Guard condition** on **accept**
- **requeue** to **defer** handling of an **entry** call
- **terminate** the task when no **entry** call can happen anymore
- **abort** to stop a task immediately
- **select ... then abort** some other task

Lab

Tasking Lab

■ Requirements

- Create multiple tasks with the following attributes
 - Startup entry receives some identifying information and a delay length
 - Stop entry will end the task
 - Until stopped, the task will send it's identifying information to a monitor periodically based on the delay length
- Create a protected object that stores the identifying information of task that called it
- Main program should periodically check the protected object, and print when it detects a task switch
 - I.e. If the current task is different than the last printed task, print the identifying information for the current task

Tasking Lab Solution - Protected Object

```
with Task_Type;
package Protected_Object is
    protected Monitor is
        procedure Set (Id : Task_Type.Task_Id_T);
        function Get return Task_Type.Task_Id_T;
    private
        Value : Task_Type.Task_Id_T;
    end Monitor;
end Protected_Object;

package body Protected_Object is
    protected body Monitor is
        procedure Set (Id : Task_Type.Task_Id_T) is
        begin
            Value := Id;
        end Set;
        function Get return Task_Type.Task_Id_T is (Value);
    end Monitor;
end Protected_Object;
```

Tasking Lab Solution - Task Type

```
package Task_Type is
  type Task_Id_T is range 1_000 .. 9_999;
  task type Task_T is
    entry Start_Task (Task_Id      : Task_Id_T;
                     Delay_Duration : Duration);

    entry Stop_Task;
  end Task_T;
end Task_Type;

with Protected_Object;
package body Task_Type is
  task body Task_T is
    Wait_Time : Duration;
    Id        : Task_Id_T;
  begin
    accept Start_Task (Task_Id      : Task_Id_T;
                     Delay_Duration : Duration) do
      Wait_Time := Delay_Duration;
      Id        := Task_Id;
    end Start_Task;
    loop
      select
        accept Stop_Task;
        exit;
      or
        delay Wait_Time;
        Protected_Object.Monitor.Set (Id);
      end select;
    end loop;
  end Task_T;
end Task_Type;
```

Tasking Lab Solution - Main

```
with Ada.Text_IO; use Ada.Text_IO;
with Protected_Object;
with Task_Type;
procedure Main is
    T1, T2, T3      : Task_Type.Task_T;
    Last_Id, This_Id : Task_Type.Task_Id_T := Task_Type.Task_Id_T'last;
    use type Task_Type.Task_Id_T;
begin

    T1.Start_Task (1_111, 0.3);
    T2.Start_Task (2_222, 0.5);
    T3.Start_Task (3_333, 0.7);

    for Count in 1 .. 20 loop
        This_Id := Protected_Object.Monitor.Get;
        if Last_Id /= This_Id then
            Last_Id := This_Id;
            Put_Line (Count'image & "> " & Last_Id'image);
        end if;
        delay 0.2;
    end loop;

    T1.Stop_Task;
    T2.Stop_Task;
    T3.Stop_Task;

end Main;
```

Summary

Summary

- Tasks are **language-based** multi-threading mechanisms
 - Not necessarily for **truly** parallel operations
 - Originally for task-switching / time-slicing
- Multiple mechanisms to **synchronize** tasks
 - Delay
 - Rendezvous
 - Queues
 - Protected Objects

Ada 2022

What's New

Types Syntax

- Image and literals
 - 'Image improvements
 - User-defined literals
- Composite Types
 - Improved aggregates
 - Iteration filters

Standard Lib

- `Ada.Numerics.Big_Numbers`
- `Ada.Strings.Text_Buffers`
- `System.Atomic_Operations`

Miscellaneous

- Jorvik profile
- Target name symbol
- Enumeration representation
- Staticness
- C variadics
- Subprogram access contracts
- Declare expression
- Simpler renames

Miscellaneous

Miscellaneous (1/2)

- Target Name Symbol (@)

```
Count := @ + 1;
```

- Enumeration representation attributes

```
type E is (A => 10, B => 20);
```

```
...
```

```
E'Enum_Rep (A); -- 10
```

```
E'Enum_Val (10); -- A
```

- 'Enum_Rep already present in GNAT

- Staticness

```
subtype T is Integer range 0 .. 2;
```

```
function In_T (A : Integer)
```

```
  return Boolean is
```

```
    (A in T) with Static;
```

- C variadic functions interface

```
procedure printf (format : String; opt_param : int)
```

```
  with Import, Convention => C_Variadic_1; -- Note the 1 for a single arg
```

Miscellaneous (2/2)

- Contract on access types

```
type A_F is access function (I : Integer) return Integer  
  with Post => A_F'Result > I;
```

- Declare expressions

```
Area : Float := (declare  
                  Pi : constant Float := 3.14159  
begin  
                  (Pi ** 2) * R);
```

- More expressive renamings

```
A : Integer;  
B renames A; -- B type is inferred
```

Image and Literals

Generalized 'Image

- All types have a Image attribute
- Its return value is (mostly) standardized
 - Except for e.g. unchecked unions

- Non-exhaustive example

- Code

```
Put_Line  
  (Record_Obj'Image);  
Put_Line  
  (Array_Obj'Image);  
Put_Line  
  (Acc_0'Image);  
Put_Line  
  (Task_Obj'Image);
```

- Output

```
(I => 1)  
[  
  (I => 1),  
  (I => 1),  
  (I => 1),  
  (I => 1)]  
(access 7ffd360de7f0)  
(task task_obj_000000000240C0B0)
```


User-defined Image

- User-defined types can have a Image attribute
 - Need to specify the Put_Image aspect

```
type My_Type
```

```
[...]
```

```
with Put_Image => My_Put_Image;
```

```
procedure My_Put_Image
```

```
(Buffer : in out
```

```
Ada.Strings.Text_Buffers.Root_Buffer_Type'Class;
```

```
Arg : in T);
```

- Using the new package Text_Buffers

User-defined 'Image example

■ custom_image.ads

```
type R is null record with  
    Put_Image => My_Put_Image;
```

■ custom_image.adb

```
procedure My_Put_Image  
    (Output : in out  
     Ada.Strings.Text_Buffers.Root_Buffer_Type'Class;  
     Obj     : R)  
is  
begin  
    Output.Put ("my very own null record");  
end My_Put_Image;
```

User-defined literals

- User-defined types can accept literals as inputs
 - `Integer`, `Float`, or `String`
 - Specifying a constructor to `Integer_Literal` aspect (resp `Float`, `String`)

- `my_int.ads`

```
type My_Int_T is private
  with Integer_Literal => Make_0;

function Make_0 (S : String) return My_Int_T;
...
type My_Int_T is record
  I : Integer;
end record;

function Make_0 (S : String) return My_Int_T is ((I => 0));
```

- `main.adb`

```
I : My_Int_T := 1;
```

Composite Types

Square Bracket Array Aggregates

- Only for **array** aggregates
 - **Required** in Ada 2022
 - **Forbidden** otherwise
 - Not backwards-compatible

```
A : array (1 .. 1) of Integer := [99]; -- Legal
B : array (1 .. 1) of Integer := (99); -- Not legal
```

- Allows for more complex initialization

```
03 : A := [for I in 1 .. 10
           => (if I * I > 1 and I * I < 20 then I else 0)];
```

Iteration filters

- For any iteration
- Using the **when** keyword

```
for J in 1 .. 100 when J mod 2 /= 0 loop
```

- Can be used for aggregates as well

```
04 : A := (for I of 03 when I /= 0 => I);
```

Container aggregates

- Using **with** Aggregate => (<Args>)
- Args are
 - Empty init function (or else default)
 - Add_Named named aggregate element
 - Add_Unnamed positional aggregate element
- You **cannot** mix named and unnamed

```
type JSON_Array is private
  with Aggregate => (Empty          => New_JSON_Array,
                     Add_Unnamed => Append);
```

```
function New_JSON_Array return JSON_Array;
```

```
procedure Append
  (Self : in out JSON_Array;
   Value : JSON_Value) is null;
```

```
List : JSON.JSON_Array := [1, 2, 3];
```

- Implemented on standard lib's containers

Delta aggregates

- Can build an object from another one
 - Similarly to tagged types' extension aggregates
 - Using **with delta** in the aggregate

```
type Arr is array (1 .. 2) of Integer;
```

```
A : Arr := [3, 4];
```

```
B : Arr := [A with delta 1 => 0];
```

```
type Rec is record
```

```
    I1, I2 : Integer;
```

```
end record;
```

```
C : Rec := (I1 => 3, I2 => 4);
```

```
D : Rec := (C with delta I1 => 0);
```


Standard Lib

Ada.Numerics.Big_Numbers

- Numbers of arbitrary size
 - Particularly useful for cryptography
- Big_Integers, Big_Reals child packages

```
type Big_Integer is private
  with Integer_Literal => From_Universal_Image,
       Put_Image => Put_Image;
subtype Big_Positive is Big_Integer [...];
subtype Big_Natural is Big_Integer [...];
subtype Valid_Big_Integer is [...];

function To_Big_Integer (Arg : Integer) return Valid_Big_Integer;
```

- Comparison operators

```
function "=" (L, R : Valid_Big_Integer) return Boolean;
function "<" (L, R : Valid_Big_Integer) return Boolean;
[...]
```

- Arithmetic operators

```
function "abs" (L : Valid_Big_Integer) return Valid_Big_Integer;
function "+" (L, R : Valid_Big_Integer) return Valid_Big_Integer;
[...]
```

Ada.Strings.Text_Buffers

- Object-oriented package
- Root_Buffer_Type
 - Basically a text stream
 - Abstract object

```
type Root_Buffer_Type is abstract tagged private [...];
```

```
procedure Put (  
  Buffer : in out Root_Buffer_Type;  
  Item   : in      String) is abstract;
```

```
procedure Wide_Put (  
  Buffer : in out Root_Buffer_Type;  
  Item   : in      Wide_String) is abstract;
```

```
procedure Wide_Wide_Put (  
  Buffer : in out Root_Buffer_Type;  
  Item   : in      Wide_Wide_String) is abstract;
```

```
procedure Put_UTF_8 (  
  Buffer : in out Root_Buffer_Type;  
  Item   : in      UTF_Encoding.UTF_8_String) is abstract;
```

System.Atomic_Operations

- Atomic types
 - May be used for lock-free synchronization
- Several child packages
 - Exchange
 - `function Atomic_Exchange ...`
 - Test_And_Set
 - `function Atomic_Test_And_Set ...`
 - Integer_Arithmetic, and Modular_Arithmetic
 - `generic package`
 - `procedure Atomic_Add ...`

Jorvik Profile

- A **non-backwards compatible profile** based on Ravenscar
 - Defined in the RM D.13 (Ada 2022)
- Remove some constraints
 - Number of protected entries, entry queue length...
 - Scheduling analysis may be harder to perform
- Subset of Ravenscars' requirements
- **pragma** Profile (Jorvik)

Summary

Ada 2022

- Adapting to new usages
 - Cryptography
 - Lock-free synchronizations
- More expressive syntax
 - 'Image and literals
 - Functional approach: filters...
 - Simplified declarations and renamings
- Some features are not implemented...
 - ...by anyone
 - Those are related to parallelization
 - And are subject to future specification change

Unimplemented

- Global states
 - Available in SPARK
 - Declare side-effect in spec
- `parallel` reserved word
 - Parallelizes code
 - Conflict checking
 - Chunked iterators
 - Procedural iterators
 - `My_Map.Iterate (My_Procedure'Access)`

Ada Contracts

Introduction

Design-By-Contract

- Source code acting in roles of **client** and **supplier** under a binding **contract**
 - **Contract** specifies *requirements* or *guarantees*
 - "A specification of a software element that affects its use by potential clients." (Bertrand Meyer)
 - **Supplier** provides services
 - Guarantees specific functional behavior
 - Has requirements for guarantees to hold
 - **Client** utilizes services
 - Guarantees supplier's conditions are met
 - Requires result to follow the subprogram's guarantees

Ada Contracts

- Ada contracts include enforcement
 - At compile-time: specific constructs, features, and rules
 - At run-time: language-defined and user-defined exceptions
- Facilities prior to Ada 2012
 - Range specifications
 - Parameter modes
 - Generic contracts
 - OOP **interface** types (Ada 2005)
 - Work well, but on a restricted set of use-cases
- Contracts aspects are explicitly added in **Ada 2012**
 - Carried by subprograms
 - ... or by types (seen later)
 - Can have **arbitrary** conditions, more **versatile**

Assertion

- Boolean expression expected to be True
- Said *to hold* when True
- Language-defined **pragma**
 - The Ada.Assertions.Assert subprogram can wrap it

```
pragma Assert (not Full (Stack));  
-- stack is not full  
pragma Assert (Stack_Length = 0,  
               Message => "stack was not empty");  
-- stack is empty
```

- Raises language-defined Assertion_Error exception if expression does not hold

```
package Ada.Assertions is  
  Assertion_Error : exception;  
  procedure Assert (Check : in Boolean);  
  procedure Assert (Check : in Boolean; Message : in String);  
end Ada.Assertions;
```

Defensive Programming

- Should be replaced by subprogram contracts when possible

```
procedure Push (S : Stack) is
  Entry_Length : constant Positive := Length (S);
begin
  pragma Assert (not Is_Full (S)); -- entry condition
  [...]
  pragma Assert (Length (S) = Entry_Length + 1); -- exit condition
end Push;
```

- Subprogram contracts are an **assertion** mechanism
 - **Not** a drop-in replacement for all defensive code

```
procedure Force_Acquire (P : Peripheral) is
begin
  if not Available (P) then
    -- Corrective action
    Force_Release (P);
    pragma Assert (Available (P));
  end if;

  Acquire (P);
end;
```

Quiz

Which of the following statements is/are correct?

- A. Contract principles apply only to Ada 2012
- B. Contract should hold even for unique conditions and corner cases
- C. Contract principles were first implemented in Ada
- D. You cannot be both supplier and client

Quiz

Which of the following statements is/are correct?

- A. Contract principles apply only to Ada 2012
- B. *Contract should hold even for unique conditions and corner cases*
- C. Contract principles were first implemented in Ada
- D. You cannot be both supplier and client

Explanations

- A. No, but design-by-contract **aspects** are fully integrated to Ada 2012 design
- B. Yes, special case should be included in the contract
- C. No, in eiffel, in 1986!
- D. No, in fact you are always **both**, even the Main has a caller!

Quiz

Which of the following statements is/are correct?

- ☐ A. Assertions can be used in declarations
- ☐ B. Assertions can be used in expressions
- ☐ C. Any corrective action should happen before contract checks
- ☐ D. Assertions must be checked using `pragma Assert`

Quiz

Which of the following statements is/are correct?

- A. *Assertions can be used in declarations*
- B. Assertions can be used in expressions
- C. *Any corrective action should happen before contract checks*
- D. Assertions must be checked using `pragma Assert`

Explanations

- A. Will be checked at elaboration
- B. No assertion expression, but `raise` expression exists
- C. Exceptions as flow-control adds complexity, prefer a proactive `if` to a (reactive) `exception` handler
- D. You can call `Ada.Assertions.Assert`, or even directly `raise Assertion_Error`

Quiz

Which of the following statements is/are correct?

- A. Defensive coding is a good practice
- B. Contracts can replace all defensive code
- C. Contracts are executable constructs
- D. Having exhaustive contracts will prevent runtime errors

Quiz

Which of the following statements is/are correct?

- A. *Defensive coding is a good practice*
- B. Contracts can replace all defensive code
- C. Contracts are executable constructs
- D. Having exhaustive contracts will prevent runtime errors

Explanations

- A. Principles are sane, contracts extend those
- B. See previous slide example
- C. e.g. generic contracts are resolved at compile-time
- D. A failing contract **will cause** a runtime error, only extensive (dynamic / static) analysis of contracted code may provide confidence in the absence of runtime errors (AoRTE)

Preconditions and Postconditions

Subprogram-based Assertions

- **Explicit** part of a subprogram's **specification**
 - Unlike defensive code
- *Precondition*
 - Assertion expected to hold **prior to** subprogram call
- *Postcondition*
 - Assertion expected to hold **after** subprogram return
- Requirements and guarantees on both supplier and client
- Syntax uses **aspects**

```
procedure Push (This : in out Stack_T;  
               Value : Content_T)  
  with Pre  => not Full (This),  
       Post => not Empty (This)  
       and Top (This) = Value;
```

Requirements / Guarantees: Quiz

- Given the following piece of code

```

procedure Start is
begin
    ...
    Turn_On;
    ...

procedure Turn_On
  with Pre => Has_Power,
       Post => Is_On;
  
```

- Complete the table in terms of requirements and guarantees

	Client (Start)	Supplier (Turn_On)
Pre (Has_Power)		
Post (Is_On)		

Requirements / Guarantees: Quiz

- Given the following piece of code

```

procedure Start is
begin
    ...
    Turn_On;
    ...

procedure Turn_On
  with Pre => Has_Power,
       Post => Is_On;
  
```

- Complete the table in terms of requirements and guarantees

	Client (Start)	Supplier (Turn_On)
Pre (Has_Power)	Requirement	Guarantee
Post (Is_On)	Guarantee	Requirement

Examples

```

package Stack_Pkg is
  procedure Push (Item : in Integer) with
    Pre => not Full,
    Post => not Empty and then Top = Item;
  procedure Pop (Item : out Integer) with
    Pre => not Empty,
    Post => not Full;
  function Pop return Integer with
    Pre => not Empty,
    Post => not Full;
  function Top return Integer with
    Pre => not Empty;
  function Empty return Boolean;
  function Full return Boolean;
end Stack_Pkg;

package body Stack_Pkg is
  Values : array (1 .. 100) of Integer;
  Current : Natural := 0;

  -- Push/Pop cannot fail because preconditions prevent it
  procedure Push (Item : in Integer) is
  begin
    Current := Current + 1;
    Values (Current) := Item;
  end Push;

  procedure Pop (Item : out Integer) is
  begin
    Item := Values (Current);
    Current := Current - 1;
  end Pop;

  function Pop return Integer is
    Item : constant Integer := Values (Current);
  begin
    Current := Current - 1;
    return Item;
  end Pop;

  function Top return Integer is (Values (Current));
  function Empty return Boolean is (Current not in Values'Range);
  function Full return Boolean is (Current >= Values'Length);
end Stack_Pkg;

```

Preconditions

- Define obligations on client for successful call
 - Precondition specifies required conditions
 - Clients must meet precondition for supplier to succeed
- Boolean expressions
 - Arbitrary complexity
 - Specified via aspect name Pre
- Checked prior to call by client
 - `Assertion_Error` raised if false

```
procedure Push (This : in out Stack;  Value : Content)  
  with Pre => not Full (This);
```

Postconditions

- Define obligations on supplier
 - Specify guaranteed conditions after call
- Boolean expressions (same as preconditions)
 - Specified via aspect name Post
- Content as for preconditions, plus some extras
- Checked after corresponding subprogram call
 - `Assertion_Error` raised if false

```
procedure Push (This : in out Stack; Value : Content)
  with Pre => not Full (This),
       Post => not Empty (This) and Top (This) = Value;
...
function Top (This : Stack) return Content
  with Pre => not Empty (This);
```

Postcondition 'Old Attribute

- Values as they were just before the call
- Uses language-defined attribute 'Old
 - Can be applied to most any visible object
 - **limited** types are forbidden
 - May be expensive
 - Expression can be **arbitrary**
 - Typically **out**, **in out** parameters and globals

```
procedure Increment (This : in out Integer) with  
  Pre  => This < Integer'Last,  
  Post => This = This'Old + 1;
```

Function Postcondition 'Result Attribute

- `function` result can be manipulated with `'Result`

Preconditions and Postconditions Example

- Multiple aspects separated by commas

```
procedure Push (This : in out Stack;  
               Value : Content)  
with Pre  => not Full (This),  
     Post => not Empty (This) and Top (This) = Value;
```

Quiz

```
function Area (L : Positive; H : Positive) return Positive is
    (L * H)
with Pre => ?
```

Which pre-condition is necessary for Area to calculate the correct result for all values L and H?

- A. $L > 0$ and $H > 0$
- B. $L < \text{Positive}'\text{last}$ and $H < \text{Positive}'\text{last}$
- C. $L * H$ in Positive
- D. None of the above

Quiz

```
function Area (L : Positive; H : Positive) return Positive is
    (L * H)
with Pre => ?
```

Which pre-condition is necessary for Area to calculate the correct result for all values L and H?

- A. $L > 0$ and $H > 0$
- B. $L < \text{Positive}'\text{last}$ and $H < \text{Positive}'\text{last}$
- C. $L * H$ in Positive
- D. **None of the above**

Explanations

- A. Parameters are Positive, so this is unnecessary
- B. Overflow for large numbers
- C. Classic trap: the check itself may cause an overflow!

The correct precondition would be

$L > 0$ and then $H > 0$ and then $\text{Integer}'\text{Last} / L \leq H$

to prevent overflow errors on the range check.

Quiz

```
type Index_T is range 1 .. 100;  
-- Database initialized such that value for element at I = I  
Database : array (Index_T) of Integer;  
-- Set the value for element Index to Value and  
-- then increment Index by 1  
function Set_And_Move (Value : Integer;  
                      Index : in out Index_T)  
return Boolean  
with Post => ...
```

Given the following expressions, what is their value if they are evaluated in the postcondition of the call `Set_And_Move (-1, 10)`

Database'Old (Index)
Database (Index'Old)
Database (Index)'Old

Quiz

```

type Index_T is range 1 .. 100;
-- Database initialized such that value for element at I = I
Database : array (Index_T) of Integer;
-- Set the value for element Index to Value and
-- then increment Index by 1
function Set_And_Move (Value :      Integer;
                       Index : in out Index_T)
                       return Boolean

with Post => ...

```

Given the following expressions, what is their value if they are evaluated in the postcondition of the call `Set_And_Move (-1, 10)`

Database'Old (Index)	11	Use new index in copy of original Database
Database (Index'Old)	-1	Use copy of original index in current Database
Database (Index)'Old	10	Evaluation of Database (Index) before call

Separations of Concerns

- Pre and Post fit together

```
function Val return Integer
with Post => F'Result /= 0
is (if Val_Raw > 0 then Val_Raw else 1);
```

```
procedure Process (I : Integer)
with Pre => I /= 0
is (Set_Output (10 / I));
```

[...]

Process (Val);

- Review of interface: guaranteed to work
 - What is returned by Val is always valid for Process
 - Need to check implementations
- Review of implementation
 - Val **always** returns a value that is `/= 0`
 - Process accepts **any** value that is `/= 0`
- Great separation of concerns
 - a team (Clients) could be in charge of reviewing the interface part
 - another team (Suppliers) could be in charge of reviewing the implementation part
 - both would use the contracts as a common understanding
 - Tools can do an automated review / validation: CODEPEER, SPARK

No Secret Precondition Requirements

- Client should be able to **guarantee** them
- Enforced by the compiler

```
package P is
  function Foo return Bar
    with Pre => Hidden; -- illegal private reference
private
  function Hidden return Boolean;
end P;
```

Postconditions Are Good Documentation

```
procedure Reset
  (Unit : in out DMA_Controller;
   Stream : DMA_Stream_Selector)
with Post =>
  not Enabled (Unit, Stream) and
  Operating_Mode (Unit, Stream) = Normal_Mode and
  Selected_Channel (Unit, Stream) = Channel_0 and
  not Double_Buffered (Unit, Stream) and
  Priority (Unit, Stream) = Priority_Low and
  (for all Interrupt in DMA_Interrupt =>
    not Interrupt_Enabled (Unit, Stream, Interrupt));
```

Contracts Code Reuse

- Contracts are about **usage** and **behaviour**
 - Not optimization
 - Not implementation details
 - **Abstraction** level is typically high
- Extracting them to **function** is a good idea
 - *Code as documentation, executable specification*
 - Completes the **interface** that the client has access to
 - Allows for **code reuse**

```

procedure Withdraw (This    : in out Account;
                    Amount  :      Currency) with
  Pre => Open (This) and Funds_Available (This, Amount),
  Post => Balance (This) = Balance (This)'Old - Amount;
...
function Funds_Available (This    : Account;
                          Amount  : Currency)
  return Boolean is
  (Amount > 0.0 and then Balance (This) >= Amount)
with Pre => Open (This);

```

- A **function** may be unavoidable
 - Referencing private type components

Assertion Policy

- Assertions checks can be controled with
`pragma Assertion_Policy`
`pragma Assertion_Policy`
 (`Pre => Check`,
 `Post => Ignore`);
- Fine **granularity** over assertion kinds and policy identifiers

https://docs.adacore.com/gnat_rm-docs/html/gnat_rm/gnat_rm/implementation_defined_pragmas.html#pragma-assertion-policy

- Certain advantage over explicit checks which are **harder** to disable
 - Conditional compilation via global `constant Boolean`

```
procedure Push (This : in out Stack; Value : Content) is
begin
  if Debugging then
    if Full (This) then
      raise Overflow;
    end if;
  end if;
```

Type Invariants

Strong Typing

- Ada supports strong typing

```
type Small_Integer_T is range -1_000 .. 1_000;  
type Enumerated_T is (Sun, Mon, Tue, Wed, Thu, Fri, Sat);  
type Array_T is array (1 .. 3) of Boolean;
```

- What if we need stronger enforcement?
 - Number must be even
 - Subset of non-consecutive enumerals
 - Array should always be sorted
 - Type invariants are only checked on external boundaries
- **Type Invariant**
 - Property of type that is always true on **external** reference
 - *Guarantee* to client, similar to subprogram postcondition

- **Subtype Predicate**
 - Property of type that is always true, unconditionally
 - Can add arbitrary constraints to a type, unlike the "basic" type system


Examples

```
package Bank is
  type Account_T is private with Type_Invariant => Consistent_Balance (Account_T);
  type Currency_T is delta 0.01 digits 12;
  function Consistent_Balance (This : Account_T) return Boolean;
  procedure Open (This : in out Account_T; Initial_Deposit : Currency_T);
private
  type Vector_T is array (1 .. 100) of Currency_T;
  type Transaction_Vector_T is record
    Values : Vector_T;
    Count : Natural := 0;
  end record;
  type Account_T is record -- initial state MUST satisfy invariant
    Current_Balance : Currency_T := 0.0;
    Withdrawals : Transaction_Vector_T;
    Deposits : Transaction_Vector_T;
  end record;
end Bank;


package body Bank is
  function Total (This : Transaction_Vector_T) return Currency_T is
    Result : Currency_T := 0.0;
  begin
    for I in 1 .. This.Count loop -- no iteration if list empty
      Result := Result + This.Values (I);
    end loop;
    return Result;
  end Total;
  function Consistent_Balance (This : Account_T) return Boolean is
    ( Total (This.Deposits) - Total (This.Withdrawals) = This.Current_Balance );
  procedure Open (This : in out Account_T; Initial_Deposit : Currency_T) is
  begin
    This.Current_Balance := Initial_Deposit;
    -- if we checked, the invariant would be false here!
    This.Withdrawals.Count := 0;
    This.Deposits.Count := 1;
    This.Deposits.Values (1) := Initial_Deposit;
  end Open; -- invariant is now true
end Bank;
```

Type Invariant Verifications

- Automatically inserted by compiler
- Evaluated as postcondition of creation, evaluation, or return object
 - When objects first created
 - Assignment by clients
 - Type conversions
 - Creates new instances
- Not evaluated on internal state changes
 - Internal routine calls
 - Internal assignments
- Remember - these are abstract data types



Invariant Over Object Lifetime (Calls)



Example Type Invariant

- A bank account balance must always be consistent
 - Consistent Balance: $\text{Total Deposits} - \text{Total Withdrawals} = \text{Balance}$

```
package Bank is
  type Account is private with
    Type_Invariant => Consistent_Balance (Account);
  ...
  -- Called automatically for all Account objects
  function Consistent_Balance (This : Account)
    return Boolean;
  ...
private
  ...
end Bank;
```

Invariants Don't Apply Internally

- No checking within supplier package
 - Otherwise there would be no way to implement anything!
- Only matters when clients can observe state

```
procedure Open (This : in out Account;  
               Name : in String;  
               Initial_Deposit : in Currency) is  
begin  
  This.Owner := To_Unbounded_String (Name);  
  This.Current_Balance := Initial_Deposit;  
  -- invariant would be false here!  
  This.Withdrawals := Transactions.Empty_List;  
  This.Deposits := Transactions.Empty_List;  
  This.Deposits.Append (Initial_Deposit);  
  -- invariant is now true  
end Open;
```

Quiz

```
package P is
  type Some_T is private;
  procedure Do_Something (X : in out Some_T);
private
  function Counter (I : Integer) return Boolean;
  type Some_T is new Integer with
    Type_Invariant => Counter (Integer (Some_T));
end P;
```

```
package body P is
  function Local_Do_Something (X : Some_T)
    return Some_T is
    Z : Some_T := X + 1;
  begin
    return Z;
  end Local_Do_Something;
  procedure Do_Something (X : in out Some_T) is
  begin
    X := X + 1;
    X := Local_Do_Something (X);
  end Do_Something;
  function Counter (I : Integer)
    return Boolean is
    ( True );
end P;
```

If **Do_Something** is called from outside of P, how many times is **Counter** called?

- A. 1
- B. 2
- C. 3
- D. 4

Quiz

```
package P is
  type Some_T is private;
  procedure Do_Something (X : in out Some_T);
private
  function Counter (I : Integer) return Boolean;
  type Some_T is new Integer with
    Type_Invariant => Counter (Integer (Some_T));
end P;
```

```
package body P is
  function Local_Do_Something (X : Some_T)
    return Some_T is
    Z : Some_T := X + 1;
  begin
    return Z;
  end Local_Do_Something;
  procedure Do_Something (X : in out Some_T) is
  begin
    X := X + 1;
    X := Local_Do_Something (X);
  end Do_Something;
  function Counter (I : Integer)
    return Boolean is
    ( True );
end P;
```

If **Do_Something** is called from outside of P, how many times is **Counter** called?

- ☐ A. 1
- ☒ B. 2
- ☐ C. 3
- ☐ D. 4

Type Invariants are only evaluated on entry into and exit from externally visible subprograms. So **Counter** is called when entering and exiting **Do_Something** - not **Local_Do_Something**, even though a new instance of **Some_T** is created

Subtype Predicates

Examples

```
with Ada.Exceptions; use Ada.Exceptions;
with Ada.Text_IO; use Ada.Text_IO;
procedure Predicates is

  subtype Even_T is Integer with Dynamic_Predicate => Even_T mod 2 = 0;
  type Serial_Baud_Rate_T is range 110 .. 115_200 with
    Static_Predicate => Serial_Baud_Rate_T in -- Non-contiguous range
      2_400 | 4_800 | 9_600 | 14_400 | 19_200 | 28_800 | 38_400 | 56_000;

  -- This must be dynamic because "others" will be evaluated at run-time
  subtype Vowel_T is Character with Dynamic_Predicate =>
    (case Vowel_T is when 'A' | 'E' | 'I' | 'O' | 'U' => True, when others => False);

  type Table_T is array (Integer range <>) of Integer;
  subtype Sorted_Table_T is Table_T (1 .. 5) with
    Dynamic_Predicate =>
      (for all K in Sorted_Table_T'Range =>
        (K = Sorted_Table_T'First or else Sorted_Table_T (K - 1) <= Sorted_Table_T (K)));

  J : Even_T;
  Values : Sorted_Table_T := (1, 3, 5, 7, 9);

begin
  begin
    Put_Line ("J is" & J'Image);
    J := Integer'Succ (J); -- assertion failure here
    Put_Line ("J is" & J'Image);
    J := Integer'Succ (J); -- or maybe here
    Put_Line ("J is" & J'Image);
  exception
    when The_Err : others =>
      Put_Line (Exception_Message (The_Err));
  end;

  for Baud in Serial_Baud_Rate_T loop
    Put_Line (Baud'Image);
  end loop;

  Put_Line (Vowel_T'Image (Vowel_T'Succ ('A')));
  Put_Line (Vowel_T'Image (Vowel_T'Pred ('Z')));

  begin
    Values (3) := 0; -- not an exception
    Values := (1, 3, 0, 7, 9); -- exception
  exception
    when The_Err : others =>
      Put_Line (Exception_Message (The_Err));
  end;
end;
end Predicates;
```

Predicates

- Assertion expected to hold for all objects of given type
- Expressed as any legal boolean expression in Ada
 - Quantified and conditional expressions
 - Boolean function calls
- Two forms in Ada
 - **Static Predicates**
 - Specified via aspect named `Static_Predicate`
 - **Dynamic Predicates**
 - Specified via aspect named `Dynamic_Predicate`

type and subtype Predicates

- Applicable to both
- Applied via aspect clauses in both cases
- Syntax

```
type name is type_definition  
    with aspect_mark [ => expression ] { ,  
        aspect_mark [ => expression ] }
```

```
subtype defining_identifier is subtype_indication  
    with aspect_mark [ => expression ] { ,  
        aspect_mark [ => expression ] }
```

Why Two Predicate Forms?

	Static	Dynamic
Content	More Restricted	Less Restricted
Placement	Less Restricted	More Restricted

- Static predicates can be used in more contexts
 - More restrictions on content
 - Can be used in places Dynamic Predicates cannot
- Dynamic predicates have more expressive power
 - Fewer restrictions on content
 - Not as widely available

Subtype Predicate Examples

■ Dynamic Predicate

```
subtype Even is Integer with Dynamic_Predicate =>  
    Even mod 2 = 0; -- Boolean expression  
    -- (Even indicates "current instance")
```

■ Static Predicate

```
type Serial_Baud_Rate is range 110 .. 115200  
    with Static_Predicate => Serial_Baud_Rate in  
    -- Non-contiguous range  
    110  | 300  | 600  | 1200 | 2400 | 4800 |  
    9600 | 14400 | 19200 | 28800 | 38400 | 56000 |  
    57600 | 115200;
```

Predicate Checking

- Calls inserted automatically by compiler
- Violations raise exception `Assertion_Error`
 - When predicate does not hold (evaluates to `False`)
- Checks are done before value change
 - Same as language-defined constraint checks
- Associated variable is unchanged when violation is detected

Predicate Expression Content

- Reference to value of type itself, i.e., "current instance"

```
subtype Even is Integer
  with Dynamic_Predicate => Even mod 2 = 0;
J, K : Even := 42;
```

- Any visible object or function in scope
 - Does not have to be defined before use
 - Relaxation of "declared before referenced" rule of linear elaboration
 - Intended especially for (expression) functions declared in same package spec

Static Predicates

- *Static* means known at compile-time, informally
 - Language defines meaning formally (RM 3.2.4)
- Allowed in contexts in which compiler must be able to verify properties
- Content restrictions on predicate are necessary
- Ordinary Ada static expressions
- Static membership test selected by current instance
- Example

```
type Serial_Baud_Rate is range 110 .. 115200
  with Static_Predicate => Serial_Baud_Rate in
    -- Non-contiguous range
    110   | 300   | 600   | 1200  | 2400  | 4800  | 9600  |
    14400 | 19200 | 28800 | 38400 | 56000 | 57600 | 115200;
```

Dynamic Predicate Expression Content

- Any arbitrary boolean expression
 - Hence all allowed static predicates' content
- Plus additional operators, etc.

```
subtype Even is Integer
  with Dynamic_Predicate => Even mod 2 = 0;
subtype Vowel is Character with Dynamic_Predicate =>
  (case Vowel is
    when 'A' | 'E' | 'I' | 'O' | 'U' => True,
    when others => False); -- evaluated at run-time
```

- Plus calls to functions
 - User-defined
 - Language-defined

Beware Accidental Recursion In Predicate

- Involves functions because predicates are expressions
- Caused by checks on function arguments
- Infinitely recursive example

```
type Sorted_Table is array (1 .. N) of Integer with
  Dynamic_Predicate => Sorted (Sorted_Table);
-- on call, predicate is checked!
function Sorted (T : Sorted_Table) return Boolean;
```

- Non-recursive example

```
type Sorted_Table is array (1 .. N) of Integer with
  Dynamic_Predicate =>
    (for all K in Sorted_Table'Range =>
      (K = Sorted_Table'First
       or else Sorted_Table (K - 1) <= Sorted_Table (K)));
```

- Type-based example

```
type Table is array (1 .. N) of Integer;
subtype Sorted_Table is Table with
  Dynamic_Predicate => Sorted (Sorted_Table);
function Sorted (T : Table) return Boolean;
```

Quiz

```
type Days_T is (Sun, Mon, Tue, Wed, Thu, Fri, Sat);  
function Is_Weekday (D : Days_T) return Boolean is  
  (D /= Sun and then D /= Sat);
```

Which of the following is a valid subtype predicate?

- A** subtype T is Days_T with
 Static_Predicate => T in Sun | Sat;
- B** subtype T is Days_T with Static_Predicate =>
 (if T = Sun or else T = Sat then True else False);
- C** subtype T is Days_T with
 Static_Predicate => not Is_Weekday (T);
- D** subtype T is Days_T with
 Static_Predicate =>
 case T is when Sat | Sun => True,
 when others => False;

Quiz

```
type Days_T is (Sun, Mon, Tue, Wed, Thu, Fri, Sat);  
function Is_Weekday (D : Days_T) return Boolean is  
    (D /= Sun and then D /= Sat);
```

Which of the following is a valid subtype predicate?

- A.** `subtype T is Days_T with
 Static_Predicate => T in Sun | Sat;`
- B.** `subtype T is Days_T with Static_Predicate =>
 (if T = Sun or else T = Sat then True else False);`
- C.** `subtype T is Days_T with
 Static_Predicate => not Is_Weekday (T);`
- D.** `subtype T is Days_T with
 Static_Predicate =>
 case T is when Sat | Sun => True,
 when others => False;`

Explanations

- A.** Correct
- B.** `If` statement not allowed in a predicate
- C.** Function call not allowed in `Static_Predicate` (this would be OK for `Dynamic_Predicate`)
- D.** Missing parentheses around `case` expression

Summary

Working with Type Invariants

- They are not completely foolproof
 - External corruption is possible
 - Requires dubious usage
- Violations are intended to be supplier bugs
 - But not necessarily so, since not always bullet-proof
- However, reasonable designs will be foolproof

Type Invariants vs Predicates

- Type Invariants are valid at external boundary
 - Useful for complex types - type may not be consistent during an operation
- Predicates are like other constraint checks
 - Checked on declaration, assignment, calls, etc

Contract-Based Programming Benefits

- Facilitates building software with reliability built-in
 - Software cannot work well unless "well" is carefully defined
 - Clarifies design by defining obligations/benefits
- Enhances readability and understandability
 - Specification contains explicitly expressed properties of code
- Improves testability but also likelihood of passing!
- Aids in debugging
- Facilitates tool-based analysis
 - Compiler checks conformance to obligations
 - Static analyzers (e.g., SPARK, CodePeer) can verify explicit preconditions and postconditions

Annex - Ada Version Comparison

Ada Evolution

- Ada 83
 - Development late 70s
 - Adopted ANSI-MIL-STD-1815 Dec 10, 1980
 - Adopted ISO/8652-1987 Mar 12, 1987
- Ada 95
 - Early 90s
 - First ISO-standard OO language
- Ada 2005
 - Minor revision (amendment)
- Ada 2012
 - The new ISO standard of Ada

Programming Structure, Modularity

	Ada 83	Ada 95	Ada 2005	Ada 2012
Packages	✓	✓	✓	✓
Child units		✓	✓	✓
Limited with and mutually dependent specs			✓	✓
Generic units	✓	✓	✓	✓
Formal packages		✓	✓	✓
Partial parameterization			✓	✓
Conditional/Case expressions				✓
Quantified expressions				✓
In-out parameters for functions				✓
Iterators				✓
Expression functions				✓

Object-Oriented Programming

	Ada 83	Ada 95	Ada 2005	Ada 2012
Derived types	✓	✓	✓	✓
Tagged types		✓	✓	✓
Multiple inheritance of interfaces			✓	✓
Named access types	✓	✓	✓	✓
Access parameters, Access to subprograms		✓	✓	✓
Enhanced anonymous access types			✓	✓
Aggregates	✓	✓	✓	✓
Extension aggregates		✓	✓	✓
Aggregates of limited type			✓	✓
Unchecked deallocation	✓	✓	✓	✓
Controlled types, Accessibility rules		✓	✓	✓
Accessibility rules for anonymous types			✓	✓
Design-by-Contract aspects				✓

Concurrency

	Ada 83	Ada 95	Ada 2005	Ada 2012
Tasks	✓	✓	✓	✓
Protected types, Distributed annex		✓	✓	✓
Synchronized interfaces			✓	✓
Delays, Timed calls	✓	✓	✓	✓
Real-time annex		✓	✓	✓
Ravenscar profile, Scheduling policies			✓	✓
Multiprocessor affinity, barriers				✓
Re-queue on synchronized interfaces				✓
Ravenscar for multiprocessor systems				✓

Standard Libraries


	Ada 83	Ada 95	Ada 2005	Ada 2012
Numeric types	✓	✓	✓	✓
Complex types		✓	✓	✓
Vector/matrix libraries			✓	✓
Input/output	✓	✓	✓	✓
Elementary functions		✓	✓	✓
Containers			✓	✓
Bounded Containers, holder containers, multiway trees				✓
Task-safe queues				✓
7-bit ASCII	✓	✓	✓	✓
8/16 bit		✓	✓	✓
8/16/32 bit (full Unicode)			✓	✓
String encoding package				✓

Annex - Reference Materials

General Ada Information

Learning the Ada Language

- Written as a tutorial for those new to Ada



Reference Manual

- **LRM** - Language Reference Manual (or just **RM**)
 - Always on-line (including all previous versions) at www.adaic.org
- Finding stuff in the RM
 - You will often see the RM cited like this **RM 4.5.3(10)**
 - This means *Section 4.5.3, paragraph 10*
 - Have a look at the table of contents
 - Knowing that chapter 5 is *Statements* is useful.
 - Index is very long, but very good!


Current Ada Standard

- "ISO/IEC 8652(E) with Technical Corrigendum 1"
- Useful as a Reference Text but not intended to be read from beginning to end

GNAT-Specific Help

Reference Manual

■ Reference Manual(s) available from GNAT STUDIO Help



GNAT Tools

- GNAT User's Guide
 - LOTS of info about the main tools: the GNAT compiler, binder, linker etc.
- GNAT Reference Manual
 - How GNAT implements Ada, pragmas, aspects, attributes etc. etc.
- GNAT STUDIO (the IDE)
 - Tutorial
 - User's Guide
 - Release notes
- Many other tools

AdaCore Support

Need More Help?

- If you have an AdaCore subscription:
 - Find out your customer number #XXXX
- Open a "TN" via the GNAT Tracker web interface and/or email.
 - Send to: support@gnat.com
 - Subject should read: #XXXX - (descriptive text)
 - Where XXXX is your customer number
- Not just for "bug reports"
 - Ask questions, make suggestions etc. etc.